

SALES & MARKETING 2019

embassypools.com



Embassy PoolCo

A DIVISION OF H.I.I.



Embassy PoolCo

A DIVISION OF H.I.I.

2019 SALES & MARKETING MANUAL

Table of Contents

Embassy Pools

- Pool Product Line

Liners

- Liners
- Truth About Liners
- E-Z Coving
- E-Z Clip Information

Accessories

- Filter Brochures
- Pump Brochure
- Pool Fencing
- Vac Brochures
- Accessories
- Majestic Step/Royal II Step
- Fiesta Step/BiltMor Step
- H2O Step
- Maintenance Kit
- SunSearcher
- ColorFest
- Jet Light/Aqua Light/
Color Burst
- Winter Covers

Policies/Forms

- Sales Policy
- Display Discounts
- Terms Agreement
- Consumer Safety Product
Agreement
- Product Order Form
- Credit Application
- Financial Statement

Warranties

- Product Warranties
- Pool Vac Warranties



Embassy PoolCo

A DIVISION OF H.I.I.

CONTACT LIST

MANUFACTURING PLANT, WEST HELENA, AR (800) 266-4740

Fax..... (870) 572-9711
Doug Hollowell, President..... Ext. 8240
dhollowell@doughboypools.com
Larry Groves, Traffic Manager Ext. 8220
lgroves@doughboypools.com
Kathy Chisnall, Credit & Collections Department..... Ext. 8265
kchisnall@doughboypools.com

CORPORATE HEADQUARTERS, SOUTHAVEN, MS (662) 890-7930

Fax..... (662) 890-0407
Robyn Embrey-Bobo, Sales & Marketing Director..... Ext. 2
rbobo@doughboypools.com
Kelly Christiansen, Marketing Coordinator.....Ext. 1
marketingdept@doughboypools.com
Diana Thornton, Art Director..... (901) 848-0167
dthornton@doughboypools.com

SALES ORDER DESK, TOLL FREE (800) 266-4741

Sales, Toll Free Fax (800) 736-8545
Email..... salesorders@doughboypools.com
Diane Clemons, Sales Order..... dclemons@doughboypools.com
Angie Wilson, Sales Order..... awilson@doughboypools.com

CUSTOMER SERVICE, TOLL FREE..... (877) 228-4586

Customer Service, Toll Free Fax..... (877) 228-4585
Customer Service Parts..... csparts@doughboypools.com
Bree Newsom, Customer Service Manager..... gnewsom@doughboypools.com
Deborah Galloway, Customer Service..... dgalloway@doughboypools.com
Crystal Webb, Customer Service..... cwebb@doughboypools.com

Manufacturing Plant
P.O. Box 2457
315 North Sebastian Street
West Helena, AR 72390

Corporate Headquarters
6928 Cobblestone Blvd N
Suite 200B
Southaven, MS 38672



Embassy PoolCo

A DIVISION OF H.I.I.

REP CONTACT INFORMATION

BLAIR SHUPE

Phone: 801.394.4707
Cell: 801.510.6724
Fax: 801.394.4625
bshupe@doughboypools.com

CANADIAN DIVISION//BOB GILFOIL

Phone: 877.903.7665, ext: 102
Fax: 416.750.2102
bgilfoil@doughboypools.ca

CANADIAN DIVISION//TONY FARRUGIA

Phone: 877.903.7665, ext: 103
Cell: 647.223.8490
tfarrugia@doughboypools.ca

BULLDOG SALES/MARTY PAPAK

Cell: 810.459.5002
Fax: 810.793.4685
mpapak@doughboypools.com

DCA/CHET WILLIAMS

Cell: 404.886.4419
Fax: 813.265.3029
chet@devincahn.com
hottubmart@aol.com

DCA/MARY DIVITTORIO

Cell: 704.241.8384
Fax: 813.265.3029
mary@devincahn.com

DCA/MIKE KRAEMER

Cell: 480.290.0519
Fax: 813.265.3029
mikek@devincahn.com

DCA/SCOTT WALLACE

Cell: 321.689.6003
Fax: 813.265.3029
scott@devincahn.com

DCA/STUART CAHN

Cell: 813.477.8176
Fax: 813.265.3029
stuart@devincahn.com

FRAZIER-MCKENNA ASSOC., INC./**DORIAN FRAZIER**

Phone: 815.969.9305
Cell: 815.670.7596
Fax: 800.849.0174
dfrazier@doughboypools.com

FRAZIER-MCKENNA ASSOC., INC./**MIKE MCKENNA**

Cell: 847.910.9132
Fax: 800.849.0174
mike@fraziermckenna.com

HOLLIS SMITH & ASSOC. INC.

Phone: 214.802.2908
hollis@hollissmith.com

JIM CROSS

Phone: 616.551.0075
Cell: 904.612.2312
Fax: 616.551.0075
jcross@doughboypools.com

RC SALES / RON CLEMENTS

Cell: 586.747.4539
Fax: 313.537.5557
ronclements44@aol.com

SEMCO SALES/JOE SEMIRARO

Phone: 732.551.2740
Cell: 609.346.7564
Fax: 732.551.2745
joesem@netzero.net

SPRINGBOARD MARKETING/**TONY COLLICA**

Phone: 516.546.8543
Cell: 516.987.9058
Fax: 516.546.3553
collica@optonline.net



Embassy PoolCo

A DIVISION OF H.I.I.

Vienna

52" HIGH POOL WALL



Quality Features

- 10" wrap around top connectors.
- Huge 8" resin top rails and 8" resin verticals in a beige tone.
- 52", hot-dipped galvanized copper bearing steel wall in a sophisticated Vienna pattern.
- Large, pre-punched skimmer and eyeball return openings eliminate sharp edges that could cut the liner during installation.
- Staggered bolt wall closure provides maximum strength and wall stability.
- Corrugated pool wall for flexibility and vertical strength.
- Compac supports on all ovals.
- 20 Year Limited Warranty on all pool components. The first two years of the pool product warranty, and the first three years of the liner warranty, are covered 100% against manufacturer defects. Remainder of each warranty is prorated.



Available Sizes

Round: 16', 18', 21', 24', 27', 30'

Oval: 12' x 20', 12' x 24', 16' x 24', 16' x 28', 16' x 32', 18' x 34', 21' x 41'

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.



Embassy PoolCo

A DIVISION OF H.I.I.

Westport

52" HIGH POOL WALL



Westport



Embassy PoolCo

A DIVISION OF H.I.I.

Quality Features

- Rugged 7" resin top rails and 7" resin verticals in a silver-tone color.
- 52", hot-dipped galvanized copper bearing steel wall in a geometric pattern.
- Compac Supports on all ovals.
- Large, pre-punched skimmer and eyeball return openings eliminate sharp edges that could cut the liner during installation.
- Staggered bolt wall closure provides maximum strength and wall stability.
- Corrugated pool wall for flexibility and vertical strength.
- 20 Year Limited Warranty on all pool components. The first two years of the pool product warranty, and the first three years of the liner warranty, are covered 100% against manufacturer defects. Remainder of each warranty is prorated.



Available Sizes

Round: 16', 18', 21', 24', 27', 30'

Oval: 12' x 20', 12' x 24', 16' x 24', 16' x 28', 16' x 32', 18' x 34', 21' x 41'

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.



Embassy PoolCo

A DIVISION OF H.I.I.

Mystique

52" HIGH POOL WALL



Mystique



Embassy PoolCo

A DIVISION OF H.I.I.

Quality Features

- Huge, steel 8" top rail and 7" verticals in a soft gray.
- 52", hot-dipped galvanized copper bearing steel wall in a sophisticated Mystique pattern.
- Compac Supports on all ovals.
- Large, pre-punched skimmer and eyeball return openings eliminate sharp edges that could cut the liner during installation.
- Staggered bolt wall closure provides maximum strength and wall stability.
- Corrugated pool wall for flexibility and vertical strength.
- 20 Year Limited Warranty on all pool components. The first two years of the pool product warranty, and the first three years of the liner warranty, are covered 100% against manufacturer defects. Remainder of each warranty is prorated.

Available Sizes

Round: 16', 18', 21', 24', 27', 30'

Oval: 12' x 20', 12' x 24', 16' x 24', 16' x 28', 16' x 32', 18' x 34', 21' x 41'



IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.



Embassy PoolCo

A DIVISION OF H.I.I.

Sterling &

52" HIGH POOL WALL

Sterling Bay

The strength and versatility of this pool combined with its attractive gray tones makes the perfect pool for any backyard.

Sterling

Steel Top Rails & Verticals



Sterling Bay

*Resin Top Rails &
Steel Verticals*



Pool Specifications

STERLING:

- Large 7" steel top rails and 7" steel verticals in a silver tone.

STERLING BAY:

- Large 7" resin top rails and 7" steel verticals in a silver tone.



(Optional)
Vertical boot packs available.
See Price Book for details.

Quality Features

- Sophisticated, silver-toned colored resin top connectors.
- 52", hot dipped galvanized copper bearing steel wall in a soft elegant Sterling pattern.
- All oval pools come with space-saver side supports.
- Corrugated pool wall for flexibility and vertical strength.
- Staggered bolt wall closure provides maximum strength and wall stability.
- Large, prepunched skimmer and eyeball return openings eliminate sharp edges that could cut the liner during installation.
- 20 year limited warranty on all pool components. The first two years of the pool product warranty are covered 100% against manufacturer defects. Remainder of each warranty is prorated.

Available Sizes

Round: 12', 15', 18', 21', 24', 27', 30'

Oval: 20' x 12', 24 x 12', 28' x 16', 32' x 16', 34' x 18', 41' x 21'

POOL SIZE	# OF BOOTS
12'	10
15'	10
18'	13
21'	15
24'	16
27'	19
30'	21
20'x12'	10
24'x12'	10
24'x16'	12
28'x16'	12
32'x16'	12
34'x18'	14
41'x21'	16

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.



Embassy PoolCo

A DIVISION OF H.I.I.

Century

52" HIGH POOL WALL





Embassy PoolCo

A DIVISION OF H.I.I.

Quality Features

- Large 7" steel top rails and 7" steel verticals in a creamy tan.
- Sophisticated, taupe-colored resin top connectors.
- 52", hot-dipped galvanized copper bearing steel wall in a soft elegant Century pattern.
- Compac Supports on all ovals.
- Corrugated pool wall for flexibility and vertical strength.
- Staggered bolt wall closure provides maximum strength and wall stability.
- Large, pre-punched skimmer and eyeball return openings eliminate sharp edges that could cut the liner during installation.
- 20 Year Limited Warranty on all pool components. The first two years of the pool product warranty, and the first three years of the liner warranty, are covered 100% against manufacturer defects. Remainder of each warranty is prorated.



(Optional)
Vertical boot packs available.
See Price Book for details.

POOL SIZE	# OF BOOTS
12'	10
15'	10
18'	13
21'	15
24'	16
27'	19
30'	21
20'x12'	10
24'x12'	10
24'x16'	12
28'x16'	12
32'x16'	12
34'x18'	14
41'x21'	16

Available Sizes

Round: 12', 15', 18', 21', 24', 27', 30'

Oval: 12' x 20', 12' x 24', 16' x 24', 16' x 28', 16' x 32', 18' x 34', 21' x 41'

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.



Embassy PoolCo

A DIVISION OF H.I.I.

Riviera

48" HIGH POOL WALL



Riviera



Embassy PoolCo

A DIVISION OF H.I.I.

Quality Features

- Sturdy, silvertone-gray, 4" steel top rails and durable 3" steel vertical supports ensure excellent durability and product longevity.
- 48", hot-dipped galvanized copper bearing steel wall in a beautiful Riviera pattern.
- Large, pre-punched skimmer and eyeball return openings eliminate sharp edges that could cut the liner during installation.
- Staggered bolt wall closure provides maximum strength and wall stability.
- Corrugated pool wall for flexibility and vertical strength.
- 20 Year Limited Warranty on all pool components. The first two years of the pool product warranty, and the first three years of the liner warranty, are covered 100% against manufacturer defects. Remainder of each warranty is prorated.

Available Sizes

Round: 16', 18', 24'



IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.


AQUA-TRU

EMBASSY 3000 LINER SERIES

Quality Features

- Aqua-Tru liners are sealed using Therma-Seal™ Technology - a proprietary fusion method providing superior sealing for maximum durability and quality.
- 15 year limited warranty. The first 3 years are covered 100% against manufacturer defects. The remainder of the warranty is prorated.
- The Ultraviolet Inhibitors protect the liner from the sun's rays and enhance longer life.
- Specially designed to be wrinkle-free when used for those economical, kick-in installations.
- Sidewalls and bottoms are manufactured to the same thickness and weight.
- Manufactured to a "Tru" mil thickness.

E-Z CLIP™ LINERS PATTERNS ~ 15 MIL




Pebble Springs



Blue Lagoon



Neptune



Trinity



E-Z CLIP LINERS ARE AVAILABLE IN DUAL-BEAD

LINERS: 100% SEAM WARRANTY



Embassy PoolCo

A DIVISION OF H.I.I.


OVERLAP™ LINER PATTERNS ~ 15 MIL



Caribbean Blue



Solid Blue



Pebble Springs



Mardi Gras



Harbor Lights


IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

AQUA-TRU

EMBASSY 3000 LINER SERIES



The Truth About Aqua-Tru Premium Liners

Aqua-Tru Premium Vinyl Liners offer consumers a high-quality, longer-lasting liner, and often a better warranty, which gives dealers fewer problems and more satisfied customers.

"Within the pool industry there is a large range of vinyl liners sold. Liners are typically sold by quality, cost, and design. However, often times the consumer isn't fully educated on the quality of the liner they are purchasing."
- Embassy Pool Co.

There are 3 major reasons to purchase a Aqua-Tru premium liner over a low-cost commodity liner:

1. Liner Thickness:

- Aqua-Tru Premium Liners are typically **30%-60% heavier** in both weight and thickness.
- Aqua-Tru Premium Liners have the **same weight and thickness on both the sidewall and the bottom**. Commodity liners typically have thicker, heavier sidewall than bottoms. Commodity liner manufacturers do this to reduce the price of the liner, but only advertise the sidewall thickness which can be misleading.
- Aqua-Tru Premium Liners are manufactured with **heavier vinyl material and will last 50% -90% longer** than commodity liners.
- Aqua-Tru Premium Liners **protect the sidewall and bottom of the liner from tears, rips, punctures, and holes** caused by foreign objects in the soil, objects on clothing, windblown objects, lawn care debris, and

2. Raw Material Make-Up:

There are 3 major ingredients in the chemical makeup of a vinyl liner:

1. PVC (Poly Vinyl Chloride) is the main building block that goes into creating vinyl liners. PVC makes up 50%-60% of the total raw ingredients.
2. Plasticizer (petroleum-based oil) is another key ingredient that makes up 35%-40% of the total raw ingredients. This ingredient determines the flexibility of the liner and increases its chemical resistance and life span.
3. Inert Materials (calcium carbonate – a.k.a. clay) and Stabilizers make up 11%-30% of the total raw material ingredients.

Aqua-Tru Premium Liners have increased levels of plasticizer and low levels of calcium carbonate. Typically raw material plasticizer costs are 4-5 times more per pound than calcium carbonate. **Aqua-Tru Premium Liners, with increased levels of plasticizer, will remain flexible during the life of the liner providing a wrinkle-free installation and minimizing UV fading.** Commodity liners use a lower level of plasticizer (to save money) therefore compromising the quality of the liner.

3. Liner Life Span:

When comparing the purchase of Aqua-Tru Premium Liners to commodity liners (calculated over the life span of the liner), **Aqua-Tru Premium Liners usually last 6-10 years.** Commodity liners typically last 3-5 years. Both incur the same cost for installation, water and labor.

THE TRUTH ABOUT AQUA-TRU LINERS



Why buy an Aqua-Tru Premium Liner instead of a low-cost commodity liner?

- 30%-60% heavier in both weight and thickness
- Same weight and thickness on both the sidewall and the bottom
- Made of a heavier vinyl material and will last 50%-90% longer
- Protect the sidewall and bottom of the liner from tears, rips, punctures and holes
- With higher levels of plasticizer, will remain flexible throughout the life of the liner, providing wrinkle-free installation and minimizing UV fading
- Typically last 6-10 years

Aqua-Tru liners are measured in mil, a true measurement. Don't be confused by the liner gauge "games" played with most commodity liners. Some will call their liner 20 gauge when they only measure 10 mil.

Example:

18' printed vinyl commodity liner Perma 2000 series weighs 41 lbs. and is marketed as 20 mil. Perma 2500 series weighs 46 lbs and is marketed as 25 mil. An Aqua-Tru 18' printed vinyl liner weighs 58 lbs. and is a true 15 mil liner.

THE COST OF A PREMIUM LINER PRICE CAN BE RECOVERED WITHIN 3 YEARS OF PURCHASE.

Aqua-Tru Premium Liner

Installation, Water & Labor	\$1,200
Liner purchase price	\$600
Total Cost	\$1,800
Liner lasts 8 years	\$1,800/ 8 years
	\$225 average cost per year

Commodity Liner

Installation, Water & Labor	\$1,200
Liner purchase price	\$400
Total Cost	\$1,600
Liner lasts 4 years	\$1,600/ 4 years
	\$400 average cost per year



IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.



Embassy PoolCo

A DIVISION OF H.I.I.

E-Z POOL COVING

~Designed to Fit All Above-Ground Pools~

5-2070-000 4' sections – “sticky back”

OVAL

Pool Size	No. of Sections Required
18'x12'	13
20'x12'	14
24'x12'	16
28'x12'	18
32'x12'	20
40'x12'	24
44'x12'	26
24'x15'	17
27'x15'	18
30'x15'	20
31'x15'	21
33'x15'	22
24'x16'	17
28'x16'	19
32'x16'	21
40'x16'	25
30'x18'	21
33'x18'	22
34'x18'	23
36'x18'	24
38'x18'	25
39'x18'	26
41'x21'	27

ROUND

Pool Size	No. of Sections Required
12'	10
15'	12
16'	13
18'	15
21'	17
24'	19
27'	22
28'	23
30'	25
32'	26

Receiver for E-Z Clip

Designed To Fit All Above-Ground Pools

Model No.

Description

0-5611-005

4' Lengths- Silvertone (36/ctn)

33 lbs/ctn

ROUND POOLS

Size

Qty

12'

10

15'

12

16'

13

18'

15

21'

17

24'

19

27'

22

28'

23

30'

25

32'

26

OVAL POOLS

Size

Qty

40' x 12'

24

44' x 12'

26

24' x 15'

17

27' x 15'

18

30' x 15'

20

31' x 15'

21

33' x 15'

22

24' x 16'

17

28' x 16'

19

32' x 16'

21

40' x 16'

25

OVAL POOLS

Size

Qty

18' x 12'

13

20' x 12'

14

24' x 12'

16

28' x 12'

18

32' x 12'

20

30' x 18'

21

33' x 18'

22

34' x 18'

23

36' x 18'

24

38' x 18'

25

39' x 18'

26

41' x 21'

27

Ranger

SAND FILTER

Ranger Series Sand Filters are the preferred choice for above-ground and in-ground swimming pools. Available in sizes from 300 to 500 pound sand capacities, they are truly a carefree, economical answer to swimming pool filtration. The blow-molded one-piece tank is the heaviest in the industry. The 7-position valve makes operation and cleaning simple. Models with 2 inch valves feature full 2 inch internal plumbing with no reducers. Oversize laterals make filtration and backwashing more efficient.



25" Filter Features

- 25" tank
- 7 position valve
- 3.8 sq. ft. surface area
- 1½" or 2" valve
- 63 gal./min. or 80 gal./min. based on valve size
- Sand capacity – 300 lbs.



30" Filter Features

- 30" tank
- 7 position valve
- 4.6 sq. ft. surface area
- 2" valve
- 92 gal./min. or 115 gal./min. based on valve size
- Sand capacity – 500 lbs.



UNDERDRAIN



2" VALVE AVAILABLE WITH 25"
AND 30" TANKS

Ranger Sand Filters Are The Smart Choice. Easy, Durable, Reliable Filtration!

- Deep high-capacity sand bed traps more debris and extends filter cycles.
- Blow-molded tank is the heaviest in the industry - corrosion and UV-resistant.
- Large bottom drain port for quick winterizing and draining.
- Integrated diffuser is engineered to provide even water distribution across the sand bed for the most efficient filtration, preventing sand migration or channeling.
- Heavy-duty, Full Flow® Twist Lock Laterals are slotted a full 360°, not just on the sides or bottom, and are a full 1½" outside diameter to draw water evenly through the sand bed; resulting in higher flows, better filtration, less back pressure, and more efficient back washing.
- Exclusive Hub Assembly Design that is Stronger than Glued Assemblies.
- 7-Way Selector Valve with sight glass and pressure gauge
- Flow rates 20 gal./min. x sq. ft. with 1½" valve. 25 gal./min. x sq ft. with 2" valve.



IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

HP Series

HIGH PERFORMANCE FILTERS

These High Performance Sand Filters offer exceptional filtration with minimal effort, allowing your time to be spent enjoying your pool not maintaining it.



13" Filter Features

Model No. 5-1700-013

- Sturdy 13" tanks in black high-density polyethylene
- 4 position valve
- 1.0 sq. ft. surface area
- Sand capacity – 80 lbs.
- Free standing filter design
- (2) 1 1/2" x 8 ft. hoses
(1) 1 1/2" x 36" pump to filter hose



16" Filter Features

Model No. 5-1701-016

- Sturdy 16" tanks in black high-density polyethylene
- 6 position valve
- 1.4 sq. ft. surface area
- Sand capacity – 100 lbs.
- Free standing filter design
- (2) 1 1/2" x 8 ft. hoses
(1) 1 1/2" x 36" pump to filter hose



19" Filter Features

Model No. 5-1709-019

- 19" tanks in black high-density polyethylene
- 7 Position Valve
- 2 sq. ft. surface area
- Sand capacity–150 lbs.
- Free standing design
- (2) 1 1/2" x 8 ft. hoses
(1) 1 1/2" x 36" pump to filter hose
- (2) 1 1/2" x 8 ft. hoses
(1) 1 1/2" x 36" pump to filter hose
- High Performance Pump Series 3/4, 1, 1 1/2 HP
- Combo filter base (1) optional Model No: 340-2444



23" Filter Features

Model No. 5-1709-023

- 23" tanks in black high-density polyethylene
- 7 Position Valve
- 3.14 sq. ft. surface area
- Sand capacity – 300 lbs.
- Ring base included
- (2) 1 1/2" x 8 ft. hoses
(1) 1 1/2" x 36" pump to filter hose
- High Performance Pump Series 1, 1 1/2, 2 HP
- Combo filter base (1) optional Model No: 340-2444



Embassy PoolCo

A DIVISION OF H.I.I.

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

Contempra

CARTRIDGE FILTER

The Contempra Cartridge Filters are engineered to offer dynamic filtering action and greater water clarity. Suspended algae or dirt is captured by the filter's Reemay Polyester Elements for maximum cleaning efficiency. What's more, the Reemay Elements produce exceptional surface area coverage which allows for longer periods between filter cleanings. With Embassy's Contempra filtration systems, you'll easily achieve sparkling clean water all season long!



Contempra 60 Features

Model No. 5-1802-013

- High Density Polyethylene 13" (I.D) Dia. Tank
- 1 ea. 60 sq. ft. Reemay cartridge
- Free-sanding filter design
- Recommended Pump Horsepower $\frac{3}{4}$, 1

Contempra 120 Features

Model No. 5-1802-016

- High Density Polyethylene 16" (I.D) Dia. Tank
- 1 ea. 120 sq. ft. Reemay cartridge
- Free-sanding filter design
- Recommended Pump Horsepower 1 & 1½



IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

Hydra

DE FILTER

A diatomaceous earth filter that features a unique V-Grid design that provides a large surface area for D.E. distribution. In addition, the Permanently Encapsulated Filtering Grid Ends provide long grid life and less maintenance. These features are essential for good performance and a clearer, sparkling pool for you and your family to enjoy.



Hydra DE Filter Features

Model No: 5-1601-000

- Six position rotary valve
- (2) 1 1/2" x 8 ft.
(1) 1 1/2" x 36" pump to filter hose
- Santoprene valve gasket & tank "O" ring
- 16" (I.D.) injection-molded tank
- 20 sq. ft. of filtering area
- See-through waste port with cap



Embassy PoolCo
A DIVISION OF H.I.I.

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

Mini Filter

This Sand Filter offers exceptional filtration with minimal effort, allowing your time to be spent enjoying your pool not maintaining it.



Mini Filter Features

Model No: 5-1702-013

- Sturdy 13" tank in black high-density polyethylene
- Sand capacity – 50 lbs
- Free standing filter design
- 1 1/4" hose connections
- Drain fitting with sand screen
- Easy access removable top
- Lateral underdrain system
- 2 position backwash kit sold separately. 6 per carton
Model No: 5-5740-000



IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

HP Pump

This pump is manufactured with the expertise and technology to give you excellent filtration with maximum efficiency.

Pump Features

- Heavy duty, molded ABS construction for maximum durability and long pump life
- Stainless steel hardware to maintain structural integrity
- 1½" Hose fittings
- Thermal protected motor
- Strainer pot wrench included
- 6 ft double insulated cord; approx. 58" exposed outside of unit
- Available in ¾, 1, 1½ HP
- Union fittings available for 1½" PVC piping (hard plumb kit)
- Motor housing not included
- See Accessories for items below:
 - ~Optional pump base available
Model No. 0-2380-008
(six per carton)
 - ~Optional combo base available
Model No. 0-2380-004
(six per carton)



Embassy PoolCo
A DIVISION OF H.I.I.

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

OPTIONAL Pool Fencing

Optional Pool Fencing is an excellent way to reduce the risk of unauthorized pool entry. This attractive pool fencing provides an additional 3½ foot barrier on top of most Embassy PoolCo and Doughboy Recreational above-ground pools.



Quality Features

- Conforms to N.S.P.I. standards for pool fencing.
- Rugged, Hot-dipped Galvanized Copper Bearing Steel Construction.
- Attractive design blends in with pool colors and home decors.
- Entry brackets adapt any one fence section for removal. Ideal for easy vacuuming. Additional entry brackets can be used to increase the number of removable fence sections.
- Two-keyed fence locks designed for use with the removable fence section.
- 1 year warranty.

*Fencing not designed for use with Sun Deck -
See Walk Around Deck for Fencing with Sun Deck.*



IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.



Embassy 1000

**ROBOTIC
POOL
CLEANERS**

**CLEANS ALL
ABOVE-GROUND POOLS**




Top loading fine filter basket makes for easy cleaning and maintenance.



Includes Fixed Brush to agitate algae and film on surfaces

KEY FEATURES

- Just Plug it in and Press a Button
- 2 Cleaning Programs
- Top Loading EZ Clean Filter Basket
- 40' Cable with Detangler
- Cleans Pool Floors
- Adjustable Pin to maximize cleaning coverage and prevent cable tangling
- 2 Year Bumper-to-Bumper Warranty
- Compatible with External Timer*



* External Timer not included.



Embassy 1000

POWERFUL SUCTION. FAST CLEANING. ULTIMATE SIMPLICITY.

The Embassy 1000 is designed to clean residential above-ground pool floors. Thanks to the patented Hydro-Robotic Technology, the Embassy propels through the water to automatically brush, vacuum and micro-filter dirt, debris and contaminants.

The Embassy 1000 is equipped with fixed brushes underneath the cleaner to agitate algae and film on surfaces. It helps loosen stubborn dirt and debris for optimal cleaning. This cleaner is also equipped with an adjustable axle pin to help maximize coverage and prevent cable tangling.

KEY FEATURES


- 40' Cable with Detangler
- Fixed Scrubbing Brushes
- 2 Year Bumper-to-Bumper Warranty
- Easy Clean Top Access Filter Basket



* External Timer not included.

FEWER CHEMICALS AND A HEALTHIER CLEAN.

POOL USE	
Type	Above-Ground / In-Ground
Shape	All
Surface type	All
FEATURE / FUNCTION	
Method of propulsion	Hydro-Robotic Technology
Cleaning Area	Pool Floor
Filter loading	Top Cover Access
Filter type	EZ Clean Filter Basket
Length of cable	40' with Detangler
Cable Detangler	Included
Adjustable Turning	Lock Pin (3 Directions)
Never Stuck™ Rollers	Yes
Timer - Auto Shut Off	Yes
Power Supply	Internal Timer
Scrubbing (Fixed)	2 Brushes (Front & Back)
Warranty	2 Year Bumper-to-Bumper
PERFORMANCE	
Gallons Per Minute	80
Operating Cost per cleaning	\$0.05
Cleaning time programs	Large and Small Pool Programs
SPECIFICATION	
Voltage Power Supply	100-240V @ 50-60Hz
Watts	150W



280 Grove Avenue
Cedar Grove, NJ 07009
www.aquabot.com



©2017 Aquabot. Aquabot® is a registered trademark of Aqua Products, Inc.
Information and specifications are subject to change at any time.

MSS0076
EMBASSY POOL CO



Pilot Vac


Embassy PoolCo
A DIVISION OF H.I.I.

Automatic In-ground Pool Vacuum

Its efficient design allows the Pilot Vac to effortlessly clean a pool's deep areas, shallow areas and most pool side walls. This unique pool cleaner truly gets the job done!

Pilot Features

- 45 feet of vacuum hose to accommodate an average sized in-ground swimming pool.
- Five hose weights allows the Pilot to easily access deep swimming areas of most in-ground pools.
- Durable round footpad in a designer color, for positive movement inside of pool.
- Buoyancy ring allows the Pilot to maintain the correct angle for effective vacuuming.
- Automatic flow control valve offers flow control to match pump flow rate, ensuring superior cleaning.
- Twin drive tubes provides kinetic energy for total mobility.
- Custom rub-bar provides additional balance for the pool vacuum in deep water. This feature also allows the Pilot to pass by pool ladders or stairs which reduces the chance of the pool vacuum getting tangled or blocked during operation.
- Swivel device with Delrin® washer to reduce hose tangling and unnecessary friction.
- Unique bumper design allows for random-pattern cleaning coverage.
- Universal skimmer fitting allows the Pilot to adapt to most in-ground pool skimmers.
- Easy to install.
- Operates with most pool filters.
- Five year warranty.



Patriot Vac



Embassy PoolCo

A DIVISION OF H.I.I.

The Patriot— this economical, automatic pool vacuum is an easy, efficient and effortless way to keep pools sparkling clean. Designed to clean any coved flat bottom above-ground pools or pools with a deep swimming area.

Patriot Features

- 30 feet of vacuum hose to accommodate an average sized above-ground swimming pool; provides superior cleaning range.
- Universal skimmer fitting allows the Patriot to adapt to most pool skimmers.
- Octagon, colorful foot pad and the buoyancy ring keep the proper angle for precise vacuuming.
- Easy to install and operate.
- Universal design—ideal for most above-ground pools.
- One year warranty.



Model No: 5-2046-000




Accessories



Embassy PoolCo

A DIVISION OF H.I.I.



Leaf Net & Leaf Rake - Both are made of durable plastic and fit most telescopic poles by using their snap lock tabs.

Leaf Net Model No: 5-2020-000 (24/ctn)

Leaf Rake Model No: 5-2021-000 (24/ctn)



In-line Leaf Strainer

Has a no clog design with a see-thru canister and large capacity net. Made from high-impact resin. Fits both 1¹/₄" and 1¹/₂" hoses.

Model No: 5-2022-000 (12/ctn)

Filter Flosser

Has a unique curved nozzle design for cleaning the exterior of cartridge filters of all sizes & styles. The comfort-grip handle fits any standard hose and has a convenient on/off valve.

Model No: 0-2351-016



Embassy "A" Frame Ladder

A secure way for friends and family to enter or exit the pool. Designed for above-ground pools with 48" to 52" sidewalls. Available in "A" Frame and Deck Ladders. Holds 300 lbs.

Model No: 5-7852-006



Over-the-wall Skimmer

Has a self adjusting inlet. Made of durable ABS resins with an adjustable hanger strap. Includes a built-in slide gate valve lock vacuum fitting.

Model No: 5-4006-006



Embassy Standard Skimmer

Is an easy, effective way to help maintain pool water. Features include: large skimmer opening, tough, corrosion-resistant leaf basket, vacuum hook-up and a high-efficiency skimming weir.

Now available in two colors:

Model No: 5-2091-013 Beige

Model No: 5-2091-015 Gray

Embassy Deck Ladder

Model No: 5-7852-007



Combo Step Entry System with Gate

Features steps outside the pool and the ladder inside the pool. Self-closing, self-latching and locking gate to restrict access to the pool.

- 24" wide-300 lbs capacity
- Adjustable from 48" to 56"

Model No: 5-7852-013



Ladder Extension

Available to accommodate a 54" sidewall.

Model No: 5-7854-000 (Set of 4)

Accessories



Optional Vertical Boot Packs

(Earthtone or Silvertone)

**See item in Price Book for details*



E-Z Pool Cove II

Virtually eliminates the lumpy, uneven areas found in sifted-earth coves and allows for a first-rate liner fit. E-Z Pool Cove II is durable, simple-to-install, and provides an excellent barrier between the pool wall and pool floor. Comes in convenient 3" x 3" x 4' lengths.

Sticky Back Model No: 5-2070-000 (32/cnt)



E-Z Clip Receiver (Silvertone)

Each individual piece is 4' long.

Model No. 5-5611-005 (36/ctn)

**See item numbers in Price Book for price per pool*



Hose Connectors (left to right)

1 1/4" to 1 1/2" Hose Connector: Model No. 5-5730-251(50/ctn)

1 1/2" FTP x Slip Connector: Model No. 5-5730-253 (50/ctn)

1 1/2" MTP x Slip Connector: Model No. 5-5730-254 (50/ctn)



Shut-off Valves

Heavy-duty molded resin valves for hard plumb filter installations.

Ball Valves (12/ctn):

Model No. 5-1085-393 (1 1/2" x slip)

Model No. 5-1084-393 (1 1/2" x ftp)

Gate Valve (12/ctn):

Model No. 5-1086-393 (1 1/2" x ftp/mtp)



Filter Base

This optional base ensures maximum stability. For use with High Performance Pumps. Individually boxed, six boxes to a carton.

Model No. 5-2380-008 (black)



E-Z Hose Clamps

Heavy duty, stainless steel, screw-type clamps for filter hose connections. Packed 50/ctn.

Model No. 5-5730-200 (1 1/4" to 1 1/2")

Model No. 5-5730-500 (1 3/4" to 2")



Backwash Hose

Blue 1 1/2" collapsible vinyl backwash hose available in 25 ft., 50 ft., and 100 ft. rolls. A must for every pool. Poly-bagged.

Model No. 5-5725-501 (25 ft. – 12/ctn)

Model No. 5-5725-502 (50 ft. – 6/ctn)

Model No. 5-5725-503 (100 ft. – 4/ctn)



EmbassyFlex 300 Deluxe Vacuum Hose

Individual 1 1/2" x 3 ft. blow-molded in white and includes molded, interlocking, welded cuffs at each end. For most automatic pool cleaners.

Model No. 5-5715-503 (3 ft. – 5/ctn)

Model No. 5-5715-536 (3 ft. – 10/ctn)



EmbassyFlex 200 Economy Vacuum Hose

1 1/4" Coiled, blow-molded hose with molded cuffs on the ends swivel on one end.

Model No. 5-5710-218 (18 ft. – 6/ctn)

Model No. 5-5710-224 (24 ft. – 5/ctn)

Model No. 5-5710-230 (30ft. – 5/ctn)

Model No. 5-5710-236 (36 ft. – 4/ctn)



EmbassyFlex 200 Economy Pressure Hose

Individual blow-molded and ribbed with molded cuffs at each end.

1 1/4" Hose in white:

Model No. 5-5700-272 (6 ft – 35/ctn)

1 1/2" Hose in black:

Model No. 5-5705-548 (32" – 24/ctn)

Model No. 5-5700-572 (6 ft – 35/ctn)

Model No. 5-5700-596 (8 ft – 20/ctn)



Majestic Step



Embassy PoolCo


A DIVISION OF H.I.I.

Model #: 5-MAJESTIC

Front Loading Counterweight System

This simple, removable, counterweight offsets floatation and facilitate winterizing.

Holds up to 500 Lbs.



6 Step Cup System

Combined with the counterweight system the Step Cups will protect your liner while keeping the step in position at the bottom of your pool by a suction concept.

Algae Control Booster System

The steps' mounting pads lift the bottom of the step away from the liner to allow true water flow.

Optional Exterior Ladder
Model #: 5-CLASSIC 6004



DIMENSIONS:

43½" H X 44" W X 58" D

OPTIONAL LIGHT KITS



Optional Halogen Light
Model #: 5-9025 LIGHT



Innovalite LED Light
Model #: 5-9015 LIGHT



Innovalite Solar Light
Model #: 5-9010 LIGHT

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

Royal Entrance II



Embassy PoolCo

A DIVISION OF H.I.I.



Model #: 5-ROYAL

DIMENSIONS:

47" H X 36" W X 43.5" D

- Add style to your above-ground pool while promoting water circulation and preventing algae formation in your pool!
- Compact and practical, the Royal Entrance II walk-in stair is specially designed to adapt to varying pool floor levels.
- Adaptable to 48"-54" pools, its two anchored handrails give the Royal Entrance II added stability.
- **Holds up to 350 lbs**



The Royal Entrance II has an easy to use front-loading ballast system to facilitate removal and winterization.

6 Step Cup System

Combined with the counterweight system the Step Cups will protect your liner while keeping the step in position at the bottom of your pool by a suction concept.



OPTIONAL LIGHT KITS



Optional Halogen Light
Model #: 5-9025 LIGHT



Innovalite LED Light
Model #: 5-9015 LIGHT



Innovalite Solor Light
Model #: 5-9010 LIGHT

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

Fiesta Step



Embassy PoolCo

A DIVISION OF H.I.I.

Model #: 5-FIESTA



Space under stairs for better water circulation.

Added support at the back for a sturdier step. Easy installation for flat-bottom pools. Offers great stability.

- Fits 48", 52" and 54" pools
- Meets NSPI standards
- Deck brackets included
- Holds up to 350 lbs

Textured anti-slip surface.



Front loading counter-weight system

This simple, removable counterweight system not only offsets floatation but also makes winterizing your step easier.

DIMENSIONS:

42 $\frac{1}{4}$ " H X 30 $\frac{1}{2}$ " W X 44" D



Classic Ladder is a sturdier ladder with:

- A wider foot print
- 5" Deep treads compare to 3" on the previous Classic Ladder
- Wider tread surface from 14" to 20" long
- And a safety locking mechanism

Model #: 5-CLASSIC 6003



4 Step Cup System

Maximizes protection for your liner. They secure the product at the bottom of the pool. You do not need sandbags with a deck application.

OPTIONAL LIGHT KITS



Optional Halogen Light
Model #: 5-9025 LIGHT



Innovalite LED Light
Model #: 5-9015 LIGHT



Innovalite Solor Light
Model #: 5-9010 LIGHT

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

Biltmore Step



Embassy PoolCo

A DIVISION OF H.I.I.

BUILD YOUR SYSTEM



**Low profile deck attachments
5-DECK KIT**




**Classic Ladder with
safety locking system
5-CLASSIC 6003**

- Fits 48", 52", and 54" pools
- Meets NSPI & ANSI standards
- Excellent water circulation through the step to help prevent algae formation
- Made of UV resistant polyethylene
- Holds up to 350 lbs



**NEW reinforced
corner with gusset**



Model #: 5-BILTMOR

21" wide passage over the pool.

Continuous water flow to help avoid algae formation.

Enhanced no skid surface.

Clip on panel to access the ballasting system.

Safe closed sides that permit water circulation and prevent child entrapment.

Smooth moon lander feet for greater water flow.

Enlarged front lip to allow gentle contact with the pool liner.

DIMENSIONS:

42" H X 25" W X 36" D

OPTIONAL LIGHT KITS



**Optional Halogen Light
Model #: 5-9025 LIGHT**



**Innovalite LED Light
Model #: 5-9015 LIGHT**



**Innovalite Solor Light
Model #: 5-9010 LIGHT**

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

H2O Step



Embassy PoolCo

A DIVISION OF H.I.I.

BUILD YOUR SYSTEM




PG-6003

- Flips up
- 24" footprint
- 5" tread
- 20" tread surface



Model #: 5-H2O



- Fits 48", 52", and 54" pools
- Made of UV-resistant polyethylene resin
- Integrated handrail for ease of use

IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.



Embassy PoolCo

A DIVISION OF H.I.I.

MAINTENANCE POOL KIT



Leaf Net
Product # 5-40364
(12/ctn)



Tele Pole
Product #
5-5057015
(12/ctn)



Wall Brush
Product # 5-70260
(12/ctn)



Thermometer
Product #5-20208
(12/ctn)



Clear View Vacuum
Product # 5-30177
(6/ctn)

MAINTENANCE KIT AVAILABLE IN TWO SIZES

Regular Kit comes with Premium 30 ft. hose. 5-POOL KIT REG

Large Kit comes with Premium 36 ft. hose. 5-POOL KIT LG

Individual products also available per carton

SUNSEARCHER FLOATS



ARUBA INFLATABLE LOUNGE CHAIR

Fuchsia: 950301 Orange: 950303 Lime: 950300 Turquoise: 950302
 • Product Dimensions: 43.3" x 27.6" x 23.62"



CAPRI INFLATABLE LOUNGER

Turquoise: 950305 Orange: 950306
 Fuchsia: 950307 Lime: 950308
 • Product Dimensions: 72.83" x 31.5" x 23.62"



CRAZY CROC
950400



SPINNER THE DOLPHIN
950401



SHELLY THE TURTLE
950402



CLANCY THE CLOWNFISH
950403



DELUXE PIZZA SLICE ~ 950445

- Durable vinyl construction printed with deluxe toppings graphics
- Built in headrest and two drink holders



CHAISE LOUNGER ~ Deep Blue: 950414

Dark Magenta: 950415
 Classic French pocket design
 • Measures 66" in length



CITRUS OASIS

Lemon: 950441
 Lime: 950442
 Orange: 950443
 • Full 60" in diameter

WATERMELON OASIS
950440

• Full 60" in diameter



ROCK & ROLL ISLAND ~ 950447

Perfect for the pool, the lake and the beach
 • Easy to inflate
 • Durable vinyl construction

SUNSEARCHER FLOATS



RAINBOW ROLLER ~ 950452



WAVE ROCKER ~ 950453



CECIL - THE SEA SERPENT ~ 950454



FLOATING VOLLEYBALL ~ 950450



HORSESHOE CHAIR
PINK: 950436 BLUE: 950435



AQUA-CLINER ~ 950438



SUNTAN OASIS ~ 950416
• Measures 71" long



SAINT-TROPEZ TWIN TANNER ~ 950410
• Measures 78" long




WATER WORMS ~ 950456
• Measure 72" long

COLORFEST

ColorFest

Illuminated Pool Fountain

Create a festival of colors for your pool



RED

GREEN

VIOLET

BLUE

WHITE


- Enjoy a festive light show while unwinding to the sounds of falling water
- Displays 5 vibrant colors — Red, Green, Violet, Blue, White
- Cools pool water on hot summer nights while providing hours of entertainment
- Shuts off automatically after two hours to preserve battery life
- For use in most above ground and in-ground swimming pools
- Not compatible with soft sided pools
- Triple tier, floating pool fountain with spray height that adjusts up to 16 ft.
- Uses 3 AA batteries (*not included*)

Enjoy two brilliant light shows with a push of your remote

- Flash through 5 vibrant colors at a rate of one color per second
- Fade between colors every three seconds
- Remote control included



Includes: light, fountain head with base, flexible plumbing kit, anchor and remote #180020





Embassy PoolCo

A DIVISION OF H.I.I.

JET LIGHT Color Burst

PERFECT FOR NEW OR EXISTING POOLS

Sixteen vibrant colors, four exciting light shows, one incredible pool light!

- Easily installs into your pool's return fitting
- 6 Super Bright RGB LED lights
- Sealed transformer with on/off switch is weathertight for peace of mind
- 25-foot cord conveniently plugs into a standard 110 outlet
- Quick disconnect makes winterizing a snap
- State-of-the-art design does not obstruct water flow
- Adaptor fitting for operating all wall fountains and pressure side cleaners included
- UL/CA Listed



5-JETLIGHTCOLOR

State-of-the-art remote lets you control it all with a push of a button

- Turn up the fun with four color changing light shows — Flash, Strobe, Fade and Smooth
- Set the mood with 16 vibrant colors
- Adjust brightness
- Power on and off
- Two remote controls included—water resistant



PERFECT FOR NEW OR EXISTING POOLS

Jet Light

- Easily installs into your pools' return fitting
- Eight super bright L.E.D. lights
- Three different colored lenses let you change light color instantly
- Sealed transformer with on/off switch is weather-tight for peace of mind
- 25-foot cord conveniently plugs into a standard 110 outlet
- Quick disconnect makes winterizing a snap
- State-of-the-art design does not obstruct water flow
- Extension fitting for operating all wall fountains and pressure side cleaners included
- UL/CA for customer protection



Aqua Light

The floating rechargeable L.E.D. pool light that's so lightweight

- Super bright 64 L.E.D. illumination safely lights up to a 20' x 40' in-ground pool
- Provides 360 degrees of warm ambient light up to twelve hours on a single charge
- Durable outer casing will not fade when exposed to sunlight or pool chemicals
- L.E.D. lights last up to 100,000 hours
- Rechargeable batteries and charger included

Model No: 5-AQUA LIGHT





Embassy PoolCo

A DIVISION OF H.I.I.

Winter Covers

See Pricebook for Details



DELUXE COVER
Green / Black Binding



SUPREME COVER
Tan / Black Binding

Solid Winter Cover

- Made from tough polyethylene fabric. Tough, durable material. Won't crack, split or tear from the cold!
- Lightweight – Easier to put on and take off the pool than heavier, bulkier vinyl covers. Takes up less room to store, too!
- Reinforced seams that last longer! Won't rip, fray or come apart.
- Made from the best material with the highest concentration of UV stabilizers to ensure your cover will last for years.
- Available in Deluxe 4 ft overlap or Supreme 4 ft overlap.



2019 EMBASSY SALES POLICY

PRICING

All Embassy unit pricing is based upon our 2019 printed price list.

VOLUME DISCOUNTS

Dealers placing initial orders for Embassy sales items will be invoiced at a 40% discount from the Dealer List.

The dollar sales volume with Embassy does not qualify for the dollar volume requirements or discount schedules that exist from Doughboy.

EARLY BUY DISCOUNT

Dealers placing initial orders for shipment with their qualifying Doughboy Early Buy will receive a 5% Early Buy discount when order is placed between October 1, 2018 - December 1, 2018. A 5% discount will be deducted from the bottom of the invoice for initial orders only.

Embassy orders will be billed net 30 days. Embassy sales orders (shipping separately) exceeding \$25,000 will qualify for an additional 5% discount when order is placed between October 1, 2018 - December 1, 2018. A 5% discount will be deducted from the bottom of the invoice for initial orders only.

FREIGHT

Embassy sales orders shipping with Doughboy orders qualify for full freight allowance if the Doughboy Early Buy order meets the required freight policy.

Embassy sales orders (written separately) exceeding \$75,000 will qualify for full freight allowance.

TERMS

Orders of \$25,000 or more, excluding parts will qualify for extended terms (50% due May 25, 2019, 50% due June 30, 2019). All orders less than \$25,000 excluding parts will be billed NET 30 days. Early Buy order \$10,000-\$25,000 will receive Early Buy Terms only. Deadline December 1, 2018, must be credit approved.

EFFECTIVE SEPTEMBER 1, 2018



Embassy PoolCo

A DIVISION OF HOFFINGER INDUSTRIES, INC.

Display Discounts



**EMBASSY DISPLAY
DISCOUNT IS 30% OFF**

*Depending on dealer reaching
marketing potential*





2019 H.I.I. DEALER TERMS AGREEMENT

Please read & sign the following information regarding Embassy PoolCo Terms:

TERMS:

INITIAL (Early Buy/Early Ship) ORDER TERMS - Orders over \$25,000

OCTOBER 1 through MARCH 31

50% of total invoice DUE ON OR BEFORE MAY 25TH

50% of total invoice DUE ON OR BEFORE JUNE 30TH (FINAL INSTALLMENT)

FREIGHT ON QUALIFYING INVOICES CAN BE DEDUCTED ON THE JUNE 30TH INSTALLMENT OR IF AN INVOICE IS BEING PAID IN FULL. ACCOUNT MUST BE CURRENT TO RECEIVE THIS INCENTIVE.

TERMS AFTER EARLY BUY

Invoices dated between **APRIL 1ST** and **SEPTEMBER 30TH** ARE PAYABLE **NET 30 DAY TERMS.**

PARTS ORDER TERMS: IF PAYMENT IS RECEIVED WITHIN 30 DAYS, A 1% DISCOUNT WILL BE APPLIED.

FREIGHT:

Early Buy orders calling for "ship AS READY," will qualify for FREIGHT ALLOWANCE as follows:

\$75,000 Order - Full Freight Allowance

A copy of the paid freight bill must be attached to applicable invoices being paid, if freight charges are not billed on the invoices being paid.

H.I.I. will not be responsible for demurrage or redelivery charges due to a dealer's failure to expedite off loading or non-acceptance of shipments.

Freight deductions will be disallowed if the invoice is not paid on the due date. PLEASE include a copy of the invoice page(s) indicating the freight charge being deducted. The entire account must be current to qualify for freight allowance.

H.I.I. will not make COD shipments. Cash-in-advance customers must arrange payment via check or ACH prior to shipment. Cashier's check or ACH will expedite your order.

All products will be shipped by standard common carriers. If H.I.I. is allowing FULL FREIGHT, we will cooperate on request for special carriers, only if the requested carrier complies with our most competitive freight costs. If the dealer is paying the freight, we will make every effort to honor his special carrier request. We cannot allow customer pickups in Arkansas because of delays and congestion created at the height of our shipping season.

CREDIT LIMITS

Credit limits will be established for all customers at the sole discretion of H.I.I. Customer's who do not qualify for a credit line may choose to pay for orders in advance using credit cards, ACH, or checks. We accept Visa, Mastercard and American Express. All orders are subject to credit approval.

Cash-in-advance orders will not be released for production or shipping until payment has been received.

Should you sell your business after your Early Buy/Early Ship order has been received, you are required to notify H.I.I. immediately so that responsibility for invoices is correctly assigned. There is no guarantee that the new owner will qualify for a line of credit. The new owner must submit a complete financial information package and qualify on their own merit. You are still responsible for payment of the debt incurred before the sale of the business.

Orders for accounts with invoices more than thirty days past due or who exceed their credit limit will automatically go on credit hold. Orders on credit hold will be released for production and shipping once satisfactory arrangements are made to bring the account within the established guidelines.

Deductions from any invoice must be accompanied with written documentation of the reason for the deduction. Payments made without remittance information will be applied to the oldest open invoices. Dealer is responsible for reconciling their account to the H.I.I. statement monthly and notifying the credit department of any discrepancies. Discrepancies and disputed charges must be communicated to H.I.I. in writing within 60 days of the invoice date.

Accounts unpaid for more than 180 days may be placed with an outside collection agency. Should your account be placed for collection, dealer is responsible for any and all costs associated with collection.

If you do not pay the first installment of your early buy by May 25, your balance, including the June 30 installment, will be due and payable immediately.

If you have invoices more than thirty days past due your account will be assessed a late charge of 1½ % per month on the past due balance as of the end of each month. The late charges are due and payable within thirty days of assessment. Delinquency on initial (early buy) orders may result in disallowed freight deductions and/or subsequent orders being held until satisfactory payment arrangements are made.

In the event Dealer breaches any term contained in this agreement, Dealer shall pay all costs to remedy the breach whether suit be brought or not. This includes pre- and post- litigation costs and the cost of any appeal.

The laws of the State of Arkansas shall govern this agreement and terms contained herein. In the event legal action is initiated to enforce any rights herein, such action may be commenced within the County of Phillips, State of Arkansas.

I understand that as a condition for selling Embassy parts and products, I agree to and must abide by the terms contained in this 2019 Dealer Terms Agreement. In addition, I agree to abide by the Internet marketing policy. I further understand and agree that if I violate the terms of any agreement with H.I.I., H.I.I. reserves the right to revoke my authorization to sell Embassy products.

Dealer Name _____ Dealer Number _____

Date _____ Owner/Officer Signature _____

For your convenience we are providing you with the Consumer Product Safety Agreement form below. Once your customers have signed this form we suggest you keep a copy on file in the event it is needed for legal purposes.



Embassy PoolCo

A DIVISION OF H.I.I.

CONSUMER PRODUCT SAFETY AGREEMENT

I _____ HAVE BEEN PROPERLY WARNED THAT THE
PRODUCTS FROM _____, ARE NOT MADE FOR
JUMPING OR DIVING AND THAT DOING SO MAY CAUSE SERIOUS
PERSONAL PERMANENT INJURY, OR EVEN DEATH.

I WILL BE RESPONSIBLE FOR POSTING ALL SAFETY SIGNS AND WILL
REVIEW THE SAFETY INSTRUCTION BOOKLET AND VIDEO PROVIDED BY
H.I.I. I WILL WARN ALL OTHERS USING THIS POOL OF THE POSSIBLE
INJURY IF MISUSED. I AM SIGNING MY NAME TO THE FACT THAT I HAVE
RECEIVED, REVIEWED, AND WILL APPLY ALL SAFETY MATERIALS TO THE
PURCHASED PRODUCT.

DATE: _____ SIGNATURE: _____

WITNESS BY (DEALER SIGNATURE): _____



315 N. Sebastian St.
West Helena, AR 72390
Phone 800-266-4741 Fax 800-736-8545

ORDER FORM

NAME: **SHIP TO ADDRESS:**

Dealer Name: _____ Address: _____

Dealer Number: _____ City, St, Zip: _____

Sales Rep: _____ Phone: _____

ORDER DATE	P.O. NUMBER	TERMS

QTY	PRODUCT NUMBER	PRODUCT DESCRIPTION	UNIT PRICE	TOTAL
TOTAL				

AUTHORIZED BY: _____

DATE: _____



Confidential Credit Application

Doughboy ☐

Lomart ☐

Embassy ☐

Sales Rep _____

315 North Sebastian Street
West Helena, AR 72390
Phone: 800-266-4740 Ext: 8265
Fax: 870-572-4851

Company _____ Trade/DBA Name _____

Owner/Officer _____ Title _____

Phone _____ Fax _____ Email _____

Check One: Corporation _____ LLC _____ Ltd. Partnership _____ Sole Proprietor _____

Physical Address _____ City: _____ State _____ Zip _____

Mailing Address _____ City _____ State _____ Zip _____

Date Started _____ Approx. Annual Sales _____ Credit Line Requested _____

Accounts Payable Contact _____ Phone _____ AP Email Address _____

Company Website Yes _____ No _____ If yes, website address: _____

Customer Trade References

	Business Name	Fax Number	Phone Number
1.	_____	_____	_____
2.	_____	_____	_____
3.	_____	_____	_____

Bank Information

Bank Name _____ Branch _____

Address _____

City _____ State _____ Zip: _____ Phone _____ Fax _____

Account Number Checking _____ Savings _____ Other _____

Line of Credit Yes ___ No ___ Line Amount \$ _____ Secured _____ Unsecured _____

Bank Officer _____ Email Address _____

ACKNOWLEDGEMENT

It is understood and agreed that the undersigned specifically consents to the investigation of the applicant's credit history for the purpose of establishing and monitoring credit. The undersigned authorizes their bank and trade references to release the information requested for the processing of this credit application.

Date _____ Signature _____ Print Name _____

Owner or Corporate Officer Signature

PLEASE COMPLETE REVERSE SIDE OF APPLICATION

General Information for Corporate Officers, Partners or Sole Proprietors

Please list all owners and officers

Name _____ Title _____ % Ownership _____

Home Address _____ City _____ State _____ Zip _____

Home Phone _____ Cell Phone _____ Email Address _____

Social Security Number _____ Driver's License No./State of Issue _____

Name _____ Title _____ % Ownership _____

Home Address _____ City _____ State _____ Zip _____

Home Phone _____ Cell Phone _____ Email Address _____

Social Security Number _____ Driver's License No./State of Issue _____

Name _____ Title _____ % Ownership _____

Home Address _____ City _____ State _____ Zip _____

Home Phone _____ Cell Phone _____ Email Address _____

Social Security Number _____ Driver's License No./State of Issue _____

Name _____ Title _____ % Ownership _____

Home Address _____ City _____ State _____ Zip _____

Home Phone _____ Cell Phone _____ Email Address _____

Social Security Number _____ Driver's License No./State of Issue _____

Personal Guarantee

In consideration of credit granted, the undersigned, _____, personally guarantees any and all charges to the aforementioned business account including any and all attorney's fees and other costs incurred in the collection of the debt. In the event that the past due payment is demanded, the undersigned, _____ agrees to personally make such payment within ten(10) days of written request. Neither H.I.I. Industries, Inc., nor any of its divisions shall be required to pursue recovery from the principal debtor as a condition of pursuing recovery from the guarantor. Additionally, guarantor shall waive any and all statutes of limitation, which may be applicable to the collection of the obligations owing hereunder.

Date _____ Signature _____ Print Name _____

**BOTH PAGES OF APPLICATION MUST BE COMPLETE IN ORDER TO
ESTABLISH A LINE OF CREDIT WITH H.I.I.
INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED.**

**THE FINANCIAL STATEMENT FORM OR MOST RECENT AUDIT AND INTERNAL BALANCE SHEET
AND PROFIT/LOSS STATEMENT MUST BE INCLUDED WITH ALL CREDIT APPLICATIONS.
REVIEW WILL NOT BEGIN UNTIL ALL DOCUMENTS ARE RECEIVED.**

Financial Statement

STATEMENT OF PROFIT AND LOSS FOR PERIOD FROM _____ TO _____

NET SALES FOR PERIOD	\$		DETAILS OF OPERATING EXPENSES	\$	
Cash \$			Salaries — Officers (or owners) _____		
Credit \$			Salaries — Employees		
Inventory at start of Period \$ _____			Rent, Heat, Light (Include Amortization of Leasehold)		
Purchases for Period \$ _____			Advertising		
TOTAL \$ _____			Delivery		
Less: Inventory at Close of Period \$ _____			Insurance		
COST OF GOODS SOLD			Taxes, Including Sales Taxes		
GROSS PROFIT			Depreciation (Fixtures, Trucks, etc.)		
Less: Operating Expense			Miscellaneous (Other Operating Expenses)		
NET OPERATING PROFIT			TOTAL OPERATING EXPENSE	\$	
Other Additions and Deductions (net)			SUPPLEMENTAL INFORMATION (DETAILED)	\$	
NET PROFIT BEFORE FEDERAL INCOME TAXES			If Incorporated, Amount of Dividends Paid		
Less: Federal Income Taxes			Interest Paid (Expense)	\$	
NET PROFIT AFTER TAXES:	\$		Cash Discount Earned (Income)	\$	

Fire Insurance Carried: On Merchandise \$ _____ On Furniture and Fixtures \$ _____

Liability Insurance Carried On Premises \$ _____

Name of Bank _____ Address _____

Title to Business Premises is in the name of _____

If Premises Leased, State Annual Rental \$ _____ Lease Expires _____

The foregoing statement (both sides) has been carefully read by the undersigned (both the printed and written material) and is, to my knowledge, in all respects complete, accurate, and truthful. It discloses to you the true state of (our) (my) financial condition on the date indicated. Since that time there has been no material unfavorable change in (our) (my) financial condition other than indicated below under "Remarks."

(We) (I) make the foregoing financial statement in writing intending that you should rely upon it for the purpose of our obtaining merchandise from you on credit. (We) (I) authorize Hoffinger Industries, Inc., to make whatever credit inquiries it deems necessary in connection with my credit application. I authorize and instruct any person or credit reporting agency to compile and furnish any information it may have or obtain in response to such credit applications.

Signature of Principal/Owner _____

Date of Signing Statement _____ Street _____ City _____ State _____

REMARKS: (Attach separate sheet if necessary) _____

20 YEAR

Embassy PoolCo

A DIVISION OF H.I.I.

PRORATED LIMITED WARRANTY

IMPORTANT! Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not Dive or Jump! Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry! Use only an *above-ground swimming pool ladder* to enter or exit your pool. It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry. Always obey all safety rules. Remember, pool safety is everybody's responsibility.

The use of any type of Chlorine Salt Generating System on your pool will render your warranty coverage null and void. The use of such systems causes premature rusting and corrosion of all the metal parts that are not a manufacturing defect. Embassy PoolCo will assume no cost, related to the use of such systems.

WALL AND FRAME COMPONENTS TERMS & CONDITIONS

To validate this limited warranty, fill out the required information on the reverse side of this warranty card and **retain this card** with sales slip and/or proof of purchase.

- Embassy PoolCo is the warrantor of this product.
Mailing address: Embassy PoolCo Customer Service:
315 No. Sebastian St.
West Helena, AR 72390
(870) 572-3466
- This warranty is extended to the original purchaser (consumer) only.
- This limited warranty covers the Embassy PoolCo wall and frame components only. The liner is warranted under a separate limited warranty contained in the liner carton.
- This Embassy PoolCo warranty prorates the wall and frame component costs over a twenty (20) year period. If any defect in material or workmanship is confirmed by the dealer and/or Embassy PoolCo during the first two years from date of purchase and if reported to the dealer and/or Embassy PoolCo, the part or parts will be provided or repaired free of charge. If a determination of defect cannot be made by the local dealer (purchaser may be required to bring the part or parts to the dealer's store for inspection) the purchaser must (after prior authorization from Embassy PoolCo's Customer Service Department) at his expense, carefully clean, package, and send the part or parts to Embassy PoolCo. If, at the sole discretion of Embassy PoolCo, there is a manufacturing defect, the part(s) will be provided or repaired at Embassy PoolCo's option, and the applicable freight will be reimbursed in the first year only.

The method of proration on this warranty is to repair or provide free of charge any part(s) found defective in the first two years from date of purchase. For the next seventeen (17) years part(s) found to have manufacturing defects will be provided at a prorated cost equal to the following percentages of the then existing manufacturer's suggested retail parts prices.**

The percentages below are paid by the consumer and apply at the beginning of the year listed:

First Year	0%	Sixth thru	
Second Year	0%	Tenth Year	65%
Third Year	50%	Eleventh thru	
Fourth Year	55%	Fifteenth Year	70%
Fifth Year	60%	Sixteenth thru	
		Twentieth	75%

Freight Collect. Cashiers check or money order required prior to shipment from EmbassyPoolCo.

**Retailers will from time to time offer parts for sale at prices less than the manufacturer's suggested retail price; therefore, the purchaser should check with his local dealer to assure the lowest possible replacement cost.

- If a suspected factory defect is encountered, the purchaser must be willing to return the part or parts to the dealer location for inspection and must bear the expense involved in this requirement. If (as stated in Item 4) the dealer cannot determine whether the problem is a factory defect, then the purchaser must bear the expense of cleaning, packaging, and shipping the part or parts to Embassy PoolCo's plant (after receiving prior authorization from Embassy PoolCo's Customer Service Department) for inspection and determination.
- No incidental, consequential, or other damages will be paid. Failure of the purchaser to allow the dealer and/or manufacturer to inspect the product claimed defective (at dealer's and/or manufacturer's business location), shall render the warranties made hereunder null and void. Embassy PoolCo cannot be responsible for damage to the components caused by the purchaser or the installer.

This warranty is null and void if the design of this product is altered in any way. (Thus, the product must be assembled according to the factory directions and no changes made in any of the parts.) This pool is designed to be installed as an above-ground portable pool. Burying the components (other than as defined in the pool instructions or necessary to level pool) below the surface level of the ground voids all warranties.

All commitments by dealer and manufacturer shall be declared null and void if the purchaser fails to comply with instructions pertaining to care, and maintenance as outlined in detail in the Embassy PoolCo's "Safety First Pool Use Handbook", as well as full compliance with all safety instructions, including the placement of all signs and decals included with the product.

Embassy PoolCo is in no way affiliated with any professional pool installer. Therefore, Embassy PoolCo can assume no responsibility for errors in installation by the homeowner or said professional installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.

Embassy PoolCo is not involved in or responsible for pool installations. UNDER NO CONDITIONS WILL EMBASSY POOLCO BE RESPONSIBLE FOR THE COST OF LABOR AND/OR WATER OR CHEMICAL LOSS OR ANY DAMAGES THAT MAY OCCUR THEREFROM. Customer must be satisfied with completed installation,

(Continued on back)

565-1230

whether professionally or self-installed, before proceeding with additional landscaping.

The liner warranty cautions the purchaser not to empty the pool because of potential damage to the liner. A pool left standing empty is also exposed to potential severe wind damage. Such damage would not be covered by this warranty.

The wall and frame components of this pool can be severely damaged by ice formed in the pool which is not supported by a stable water level. Small punctures or cuts in the pool liner can lower the water level considerably over a several month period and shift the weight of tons of ice onto the wall and frame components and circumference of the pool liner. It is the purchaser's responsibility to assure that the pool liner does not leak if the pool is to be subjected to subfreezing temperatures. Failure to repair a leak can void this warranty. Damage to the pool from ice shifting or movement is not covered by this limited warranty. Damage resulting from customer's failure to comply with pool chemical manufacturer's instructions is not covered by this warranty.

7. To obtain performance under this warranty, the purchaser should first contact the dealer from whom the product was purchased. The dealer is authorized to correct legitimate factory defects; however, he also is charged with the responsibility of determining beyond a reasonable doubt that the defect was one created by the manufacturer.

It is the intent that all warranted defects of wall and frame pool components be corrected by the dealer.

8. In the event that the purchaser and the dealer cannot reach a satisfactory agreement, the purchaser should contact Embassy PoolCo's Customer Service Department (shown in Item 1 of this warranty). At that point, Embassy PoolCo will work directly with the purchaser and/or field sales representative to ascertain the facts and to make a determination as to the factory's position in relation to the product problem.
9. This warranty gives specific legal rights; the purchaser also has implied warranty rights. In the event of a problem with warranty service or performance, the

purchaser may go to a small claims court, a state court, or a federal district court.

10. Embassy PoolCo maintains normal business hours between 8:00 a.m. and 5:00 p.m. Monday through Friday (based on Central Std. Time). Retail establishments selling Embassy PoolCo's products are authorized by the factory to correct factory defects during their normal working hours.
11. The intent of this warranty is to correct a factory defect as expeditiously as possible. Most dealers attempt to maintain a parts inventory from which to take immediate corrective action if necessary. In the event the dealer does not have a specific part, the factory will make every effort to ship the part or parts by common carrier within five working days or less after receiving the order. (Due to the seasonal nature of this business, Acts of God, strikes, or other uncontrollable problems, the shipping date could be delayed.
12. As stated before, this warranty covers the wall and frame components only. The liner carries a separate warranty contained in the liner carton. Retain sales slip and/or proof of purchase.

Embassy PoolCo expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing procedures, without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

Terms of sale of our warranty exclude liability for willful carelessness.

Date Purchased _____ Price \$ _____

Date Installed _____ Pool Model No. _____

Liner Model No. _____ Replacement ? _____

Store Name & Address: _____

Embassy PoolCo
315 No. Sebastian St.
West Helena, AR 72390
(870) 572-3466

RETAIN THIS WARRANTY



Embassy PoolCo

A DIVISION OF H.I.I.

15 YEAR

PRORATED LIMITED WARRANTY

IMPORTANT! Above-ground pools are designed for Swimming and Wading only. Diving or Jumping is product misuse. Do not Dive or Jump! Use only an above-ground swimming pool ladder to enter or exit your pool. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry! It is your responsibility to secure your pool against unauthorized, unsupervised or unintentional entry. Remember, pool misuse can result in crippling injury and/or other dangers to life and health. Always obey and enforce all safety rules.

LINER

TERMS & CONDITIONS

To validate this limited warranty, fill out the required information on the reverse side of this warranty card and retain this card with sales slip and/or proof of purchase.

1. Embassy PoolCo is the warrantor of this product.
Mailing Address: Embassy PoolCo Customer Service:
315 No. Sebastian St.
West Helena, AR 72390
(870) 572-3466
2. This warranty is extended to the original purchaser (consumer) only.
3. This warranty covers a Embassy PoolCo portable swimming pool liner only. Metal component parts of the pool have a separate warranty.
4. This liner is warranted to be free of manufacturing defects. If an open seam (location where two materials should be joined together but are not) or other defects in a liner are confirmed by a dealer representative and/or Embassy PoolCo during the first 3 years from date of purchase and if reported to dealer or Embassy PoolCo, the liner will be replaced or repaired free of charge. If a determination of defect cannot be made by the local dealer (purchaser may be required to bring the liner to the dealer's store for inspection) the purchaser must (after receiving prior authorization from Embassy PoolCo's Customer Service Department) at his expense, carefully clean, package, and send the liner to Embassy PoolCo. If, at the sole discretion of Embassy PoolCo, there is a manufacturing defect, the liner will be replaced or repaired at Embassy PoolCo's option, and the applicable freight will be reimbursed in the first year only. This Embassy PoolCo warranty prorates the liner cost over a fifteen (15) year period. For the next twelve (12) years, a liner found to be defective will be replaced at a prorated cost equal to the following percentages of the then existing manufacturer's suggested retail liner prices.**

The percentages below apply at the beginning of the year listed:

First Year	0%	
Second Year	0%	Sixth thru
Third Year	0%	Tenth Year 65%
Fourth Year	55%	Eleventh thru
Fifth Year	60%	Fifteenth Year 70%

Freight Collect. Cashiers check or money order required prior to shipment from Embassy PoolCo.

**Retailers will from time to time offer liners for sale at prices less than the manufacturer's suggested retail price; therefore, the purchaser should check with his local dealer to assure the lowest possible replacement cost.

5. If a suspected factory defect is encountered, the purchaser must be willing to return this liner to the dealer location for inspection and must bear the expense involved in this requirement. If (as stated in Item 4) the dealer cannot determine whether the problem is, in fact, a factory defect, then the purchaser must bear the expense of cleaning, packaging, and shipping the liner to Embassy PoolCo's plant for inspection and determination.
6. No incidental, consequential, or other damages will be paid. Failure of the purchaser to allow the dealer and/or manufacturer to inspect the product claimed defective (at dealer's and/or manufacturer's business location), shall render the warranties made hereunder null and void.

Embassy PoolCo is not responsible for any cost of re-installation including but not limited to, labor, water replacement or chemical loss due to any manufacturing defect.

The liner can be damaged, torn, or punctured due to improper handling. In such case the manufacturer is not responsible, and the purchaser is urged to carefully observe and follow cautions in the installation manual in order to avoid inadvertent liner damage. Should the liner incur minor damage, the purchaser may repair it with the repair kit provided with the liner. When the liner is placed into position, visually inspect the seams and general vinyl area to assure that the liner is free of defect. Discovery of a defect before water has been added will be to the purchaser's advantage. Embassy PoolCo cannot be responsible for damage to the liner caused by the purchaser or the installer.

This warranty is null and void if the design of this product is altered in any way. (Thus, the product must be assembled according to the factory directions and no changes made in any of the parts.)

All commitments by dealer and manufacturer shall be declared null and void if the purchaser fails to comply with instructions pertaining to care, and maintenance as outlined in detail in the Embassy PoolCo's "Safety First Pool Use Handbook."

Embassy PoolCo is in no way affiliated with any professional pool installer. Therefore, Embassy PoolCo can assume no responsibility for errors in installation by the homeowner or said professional installer. If you have the pool installed by others, please supervise to be sure they comply with proper installation techniques as shown.

Embassy PoolCo is not involved in or responsible for pool installations. UNDER NO CONDITIONS WILL EMBASSY POOLCO BE RESPONSIBLE FOR THE COST OF LABOR AND/OR WATER OR CHEMICAL LOSS OR ANY DAMAGES THAT MAY OCCUR THERE FROM. Customer must be satisfied with completed installation, whether professionally or self-installed, before proceeding with additional landscaping. If customer decides to drain water from the pool for any reason,

(Continued on back)

565-1242

customer must leave at least one foot (12") of water, measured from ground level up the metal side wall, in the pool. Failure to comply with these warnings may void this warranty.

This factory warranty does not cover: ice damage to the liner, damage to the liner from plant or animal; damage resulting from customer's failure to comply with pool chemical manufacturer's instructions; puncturing or trimming the liner for any reason (this includes incorrect cutting of the liner for "through-wall skimming", filtering or main drain) damage to the liner from failure of the pool supporting system (other than what is covered by Embassy PoolCo's metal components' warranty); damage or destruction to life or property that is directly or indirectly incurred through the use or existence of this product.

Failure to repair a leak may void this warranty.

Warranty claims resulting from failure to stop leaking from the skimmer gasket or return fitting gasket are not covered under this warranty.

This warranty does not cover normal fading of color, or microbiological staining. All colored vinyl products subjected to direct rays of the sun, may fade in time. Such fading, or microbiological staining, does not qualify as a material defect. Staining or fading does not affect the ability of the vinyl to perform its intended function.

Irregularities in printing, fading, surface staining, notable changes to or fading of decorative print, improper cleaning and border alignment are not covered by warranty. Damage resulting from automatic and manual pool cleaning devices is not covered by warranty. Dry rot, discoloration, bacteria and fungus stains are not warranty issues and are not covered by warranty.

7. To obtain performance under this warranty, the purchaser should first contact the dealer from whom the product was purchased. The dealer is authorized to correct legitimate factory defects; however, he also is charged with the responsibility of determining beyond a reasonable doubt that the defect was one created by the manufacturer.

It is the intent that all warranted defects be corrected by the dealer.

8. In the event that the purchaser and the dealer cannot reach a satisfactory agreement, the purchaser should contact Embassy PoolCo's Customer Service Department (shown in Item 1 of this warranty.) At that point, Embassy PoolCo will work directly with the purchaser and/or field

sales representative to ascertain the facts and to make a determination as to the factory's position in relation to the product problem.

9. This warranty gives specific legal rights; the purchaser also has implied warranty rights. In the event of a problem with warranty service or performance, the purchaser may go to a small claims court, a state court, or a federal district court.
10. Embassy PoolCo maintains normal business hours between 8:00 a.m. and 5:00 p.m. Monday through Friday based on Central Std. Time). Retail establishments selling Embassy PoolCo's products are authorized by the factory to correct factory defects during their normal working hours.
11. The intent of this warranty is to correct a factory defect as expeditiously as possible. Most dealers attempt to maintain a parts inventory from which to take immediate corrective action if necessary. In the event the dealer does not have a specific part, the factory will make every effort to ship the part or parts by common carrier within five working days or less after receiving the order. (Due to the seasonal nature of this business, Acts of God, strikes, or other uncontrollable problems, the shipping date could be delayed.)
12. As stated before, this warranty covers the portable pool liner only. The metal parts of the pool carry a separate warranty. Record warranty registration information below and on warranty registration card. Mail card within 15 days of purchase date. Retain sales slip for proof of purchase.

Embassy PoolCo expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing procedures, without incurring any obligation or liability to furnish or install such changes or modifications of products previously or subsequently sold.

Terms of sale of our warranty exclude liability for willful carelessness.

Date Purchased _____ Price \$ _____

Date Installed _____ Pool Model No. _____

Liner Model No. _____ Replacement? _____

Store Name & Address: _____

Embassy PoolCo
315 No. Sebastian St.
West Helena, AR 72390
(870) 572-3466

RETAIN THIS WARRANTY



LIMITED — ONE YEAR WARRANTY

Embassy PoolCo FILTER AND/OR PUMP

It is agreed that there are no warranties, expressed or implied, made by the dealer, service center, or the manufacturer, except the manufacturer's warranty against defective materials as follows:

Embassy PoolCo warrants to the original purchaser (consumer), of every Embassy PoolCo filter/or pump, that all parts are free from defects in material and workmanship, providing it is installed and operated according to our instructions.

Should any part or parts prove to be factory defective within ninety days of purchase date, it will be repaired or replaced without charge to the original purchaser (consumer) at an authorized Service Center.

Should any part or parts prove to be factory defective after ninety days but prior to one year from purchase date, the part or parts only will be repaired or replaced at no charge to the original purchaser (consumer). Labor charges will be paid by the consumer.

To qualify for warranty work, the consumer must provide the Service Center with proof of purchase date.

Any item sent to a Service Center must be shipped prepaid.

This warranty gives specific legal rights; the purchaser also has implied warranty rights. In the event of a problems with warranty service or performance, the purchaser may go to a small claims court, a state court, or a federal district court.

IMPORTANT: All Embassy PoolCo pump and filter components are covered by the terms indicated above providing the filter components are operated with an Embassy PoolCo pump. Failure to do so will not be covered by the terms of this limited warranty.

Embassy PoolCo expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing procedures, without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.

Terms of sale of our warranty exclude liability for willful carelessness.

ADHERE TO INSTRUCTIONS OR WARRANTY IS VOID
RETAIN THIS CARD



315 N. Sebastian St.
West Helena, AR 72390

Automatic Pool Vacuum Cleaner

ONE YEAR LIMITED WARRANTY

TERMS AND CONDITIONS

Retain this warranty along with your sales receipt and/or proof of purchase.

1. Embassy PoolCo is the warrantor of this product.
2. This warranty is extended to the original purchaser (consumer) only.
3. Embassy PoolCo warrants the automatic pool vacuum cleaner and vacuum hose for a period of one (1) year from date of purchase against all defects in materials and workmanship.
4. The vacuum unit (or hose) will be repaired or replaced promptly after your pool dealer determines that there is a defect in materials or workmanship.
To exercise this warranty, the consumer must return the vacuum unit (or hose) to the dealer where it was purchased.
5. **This warranty is null and void if the design of this product is altered in any way. Thus, the product must be assembled according to the factory directions and no changes or modifications may be made to any of the parts.**
6. Damage from chemical misuse or ice damage is not covered under warranty.
7. This warranty gives specific legal rights; the purchaser also has implied warranty rights which may vary from state to state.

Terms of sale of our warranty exclude liability for willful carelessness.

Change of Design: Embassy PoolCo. expressly reserves the right to change or modify the design and construction of any product in due course of our manufacturing procedures, without incurring any obligation or liability to furnish or install such changes or modifications on products previously or subsequently sold.



Embassy PoolCo
315 N. Sebastian St. • West Helena, AR 72390



Embassy PoolCo

Automatic Pool Vacuum Cleaner

TWO YEAR LIMITED WARRANTY

TERMS AND CONDITIONS

Retain this warranty along with your sales receipt and/or proof of purchase.

1. Embassy PoolCo is the warrantor of this product.
2. This warranty is extended to the original purchaser (consumer) only.
3. The manufacturer warrants the automatic pool vacuum cleaner (excluding hose) for a period of two (2) years from date of purchase against all defects in materials and workmanship.
4. The vacuum hose is warranted for a period of one (1) year from date of purchase against all defects in materials and workmanship.
To exercise this warranty, the consumer must return the vacuum unit (or hose) to the dealer where it was purchased.
5. The vacuum unit (or hose) will be repaired or replaced promptly after your pool dealer determines that there is a defect in materials or workmanship.
6. **This warranty is null and void if the design of this product is altered in any way. Thus, the product must be assembled according to the factory directions and no changes or modifications may be made to any of the parts.**
7. Damage from chemical misuse or ice damage is not covered under warranty.
8. This warranty gives specific legal rights; the purchaser also has implied warranty rights which may vary from state to state.

Terms of sale of our warranty exclude liability for willful carelessness.

Important! Above-ground pools are designed for swimming and wading only. **Do not Dive or Jump!** Misuse of your pool may result in crippling injury and/or other dangers to life and health. Do not use slides, diving boards, or any other platform or object which can be used for improper pool entry. Use only an above-ground swimming pool ladder to enter or exit your pool. It is the pool owner's responsibility to secure the pool against unauthorized, unsupervised or unintentional entry. It is also the pool owner's responsibility to warn all pool users of the hazards of diving into shallow water: paralyzing injury may result. Always obey all safety rules. Remember, pool safety is everybody's responsibility.

Change of Design: The manufacturer expressly reserves the right to change or modify the design and construction of any product in due course of their manufacturing procedures, without incurring any obligation to furnish or install such changes or modifications on products previously or subsequently sold.



Embassy PoolCo

Embassy PoolCo
315 N. Sebastian St. • West Helena, AR 72390