

FILBUR™

POOL AND SPA FILTRATION

Spa Filters • DE Grids • Pool Filters • Filter



LIMITED WARRANTY • FILBUR Manufacturing

Limited Warranty. FILBUR Manufacturing warrants that its cartridges and grids will be free from defects in material and/or workmanship for one (1) year from date of purchase. This warranty does not extend to ordinary wear and tear, misuse, and/or failure to maintain the products. Documentation of date of purchase is required. FILBUR may require the return of product for determination of warranty eligibility in the reasonable discretion of FILBUR Manufacturing. FILBUR Manufacturing disclaims all other express or implied warranties, including without limitation, any implied warranties of merchantability or fitness for a particular purpose.

Limitations of Liability. FILBUR Manufacturing's Limited Warranty applies only to new FILBUR Manufacturing filter cartridges, grids, and accessories purchased from FILBUR Manufacturing or an approved affiliate of FILBUR Manufacturing. FILBUR Manufacturing disclaims any warranty against claims of patent or trademark infringement. In the event of any judicially established claim of patent or trademark infringement, FILBUR Manufacturing may obtain an appropriate license on purchaser's behalf. Only in the event that FILBUR Manufacturing does not obtain such a license for purchaser, purchaser's sole remedy shall be to return any unused goods that are in resalable condition for refund. Purchaser assumes all risks whatsoever from the use of FILBUR Manufacturing products. In the event of delivery of non-conforming or defective product, purchaser's sole and exclusive remedy shall be to return such non-conforming or defective product for replacement at no additional charge by FILBUR Manufacturing or, in the event the product cannot be replaced, for refund or credit.

General Statement of Quality. FILBUR Manufacturing is a private label manufacturer of filter cartridges and grids for original equipment manufacturers (OEMs) under their brand names according to their specifications. FILBUR Manufacturing also manufactures replacement grids and cartridges under the FILBUR Manufacturing brand for those OEMs' products and for other OEMs for which it is not a private label OEM supplier. FILBUR Manufacturing has endeavored to make its aftermarket replacement products equal to or better than the OEM products for which they serve as replacements. FILBUR Manufacturing makes no claim that its FILBUR Manufacturing branded cartridges and grids are manufactured or endorsed by the OEMs.

DISCLAIMERS: FILBUR MANUFACTURING SHALL HAVE NO LIABILITY FOR ANY OTHER DAMAGE OF ANY KIND, INCLUDING WITHOUT LIMITATION SHIPPING, LABOR, INSTALLATION OR ANY OTHER LOSSES OR DAMAGES. FILBUR MANUFACTURING SHALL NOT BE NOT LIABLE TO PURCHASER OR ANY THIRD PARTY FOR DIRECT, INDIRECT, CONSEQUENTIAL, INCIDENTAL, PUNITIVE, EXEMPLARY, OR ANY OTHER DAMAGES OF ANY KIND WHATSOEVER (INCLUDING, BUT NOT LIMITED TO, LOST PROFITS OR LOST SALES), REGARDLESS WHETHER IT IS BROUGHT AT LAW OR INEQUITY OR ON ANY THEORY OF CONTRACT OR TORT LIABILITY OR ANY OTHER THEORY OF LIABILITY.

For Terms and Conditions of Sale please visit www.filburmfg.com

Copyright ©2020 FILBUR Manufacturing.

All rights reserved. No portion of the FILBUR Manufacturing Product Catalog and Cross Reference Guide may be reproduced – mechanically, electronically, or by any other means, without written permission of FILBUR Manufacturing

FILBUR®

POOL AND SPA FILTRATION

Thank you for choosing FILBUR Manufacturing pool and spa filter cartridges and D.E. grids. We want to be your partner for all of your pool and spa filtration needs. As a valuable partner we want to make your job easier. Listings by cartridge dimensions, manufacturer, and part number in addition to a user-friendly index allow versatile information look-up. You are sure to find the right product for your pool or spa filter system. We've designed this catalog with that in mind, simplifying cartridge and grid reference regardless of the information you have. Listings by cartridge dimensions, manufacturer and part number allow versatile information look-up. And, with a new and improved index along with the most comprehensive line-up of cartridges and grids you are sure to find the right product for your pool or spa filter system.

FILBUR® cartridges are made to the highest standards and specifications demanded by original equipment manufacturers (OEMs) of pools and spas. The DirtMaster™ seal assures you that only time-tested, industry-specified media is used. Just look for this seal and you'll know that you are using cartridges that are tested, trusted, and proven.



Extruded PVC cores – the strongest on the market - further add to the dependability of FILBUR cartridges, making them the first choice of pool and spa equipment manufacturers.

FILBUR D.E. grids continue to receive acclaim by customers as the strongest and most durable. With beefy skeletal frames, thick media covers and strong stitching, FILBUR grids are engineered to hold up to multiple cleanings for several seasons. Just look for the blue stitching and you'll know you've found the best.

But, a broad line of quality products is not enough. At FILBUR Manufacturing we build more than cartridges... we build relationships, too. Exceptional customer service, flexibility and on-time shipping reflect our dedication to our partners. A website full of resources – including an interactive Filter Finder tool – help you get out what we put in. Visit www.filburmfg.com. While you're there hit the link to our Facebook, Twitter, YouTube and Pinterest pages and join the conversation. You'll find helpful and interesting information ...and, some fun, too!



Communication is critical to any successful relationship and we expect no less of our partnership. Should you have any questions, specific needs, or recommendations please do not hesitate to call our customer service department toll free at 888-424-9185. We welcome the opportunity to assist you with all of your pool and spa filtration needs.

FILBUR is committed to the best

Which is why our pool and spa filter cartridges are built better to last longer with DirtMaster™



Look for the DirtMaster icon.


It's your assurance of premium filtration media with its maximum dirt-holding capacity and flow for long life.

FILBUR Cartridges with DirtMaster Technology are:

- ***Tested***
Subjected to rigorous testing by top spa producers.
- ***Trusted***
Consistent, quality materials mean reliable performance.
- ***Proven***
Industry standard for over 25 years. Premium media and the strongest cores mean long life and premium

Table of Contents

Product Information	6–12
Why FILBUR?	6
Anatomy of a FILBUR Cartridge	7
End Cap Configurations	8
Identifying a Replacement Cartridge	9
Why ECO3	10
Cartridge Care and Cleaning Accessories	12
 Pool and Spa Cartridges	 13–56
FILBUR Freedom™ Antimicrobial Cartridges.	14
Dimensional Cartridge Listing	17–26
When & How to Clean your filter	26
Cartridges by Manufacturer (OEM) Listing	27–55
 Diatomaceous Earth (D.E.) Grids	 57–62
 Reverse Cross Reference	 63–66
UNICEL ➡➡➡ FILBUR	64
 Engineering Data & Measurements	 67–72
 Index	 73
Sales Representatives	79






Why FILBUR?

CENTER CORES

SAME FLOW RATE and ENERGY DRAW
(below)



EXTRUDED PVC CENTER CORES


Why does FILBUR use extruded PVC center cores in their cartridges? Because they are the strongest, hands down! Round holes provide for even distribution of stress whereas square holes create a build-up of stress at 90 degree angles resulting in cracking and eventual collapse of the center core and cartridge. Independent testing also confirms **there is no difference in flow rates or energy draw between the 2 types of center cores (left)**. As long as the total area of the holes in the center core are equal to or greater than the opening at the bottom of the end cap there will be no restriction in flow. ...that's basic hydraulics.

REINFORCED CENTER CORES

Larger FILBUR cartridges incorporate reinforcement "wheels" to allow for increased debris loading and pressure differential while protecting the structural integrity of the cartridge.



END CAPS




THREADS MOLDED DIRECTLY INTO THE END CAP

This makes for easy installation and removal and provides for a structurally sound cartridge. Independent testing confirmed that cartridges using PAD adapters actually decreased flow rates and filtration when compared to cartridges with integrated threads. Adapters create unnecessary restrictions whereas our threaded cartridges allow for the unrestricted flow of water.

* REINFORCED ANTIMICROBIAL END CAPS

Screen mesh is inserted directly into the end cap which provides for added strength and integrity. Think about rebar in concrete, it's the same principal. Antimicrobial end caps repel odor causing bacteria and mold and are highly resistant to chemicals commonly found in pool and spa applications.




EMBOSSED PART NUMBERS

This allows for easy identification and re-ordering. They should be clearly molded into the end cap.




FILTER ME-




4-OUNCE FILTER MEDIA

FILBUR pool cartridges use 4oz. weight industry-specified media. This is the OEM spec and the NSF® requirement for turbidity reduction in pool applications. By substituting 4oz. media with 3oz. media you are allowing more debris to pass through the filter creating cloudy, less clear water. You also greatly shorten the cycle time between cleanings and the overall life of the filter by using 3oz. media in pool applications. Check the spec and demand the best for your customer! (While the 3oz. media is the standard for portable spa filters we do not recommend using this for pool filter applications.)


Anatomy of a FILBUR Cartridge



**REINFORCED CENTER
CORES ON LARGER CAR-**




**OEM SPECIFIED
FILTER MEDIA**




**REINFORCED ANTIMICROBIAL
END CAPS**



EMBOSSSED PART NUM-



EXTRUDED PVC CENTER



**MOLDED END CAPS
NO ADAPTERS NEEDED**



BREAK-RESISTANT BANDS


Bands keep pleats evenly spaced for optimum flow and filtration allowing water to pass through the pleats unrestricted thereby making use of all the surface area of the filter media.



End Cap Configurations




Open



Open Graded
Step



Open Graded
Step




Open Graded
Step




Open
Stepped




Ridged Open




Open Slanted




Open Female
MPT Thread-
ed




Open No
Core




Open with
Flat Bottom



Open with
Slots




Open with
Twist Lock
Fitting



Open with
Small Holes



Open with
Slots



1/4", 1 1/2", 2"
SAE Threads



MPT Thread



Closed SAE



Push Fitting



Push Fitting
with Ridge



Integrated
Cone Adapt



Stepped Slip
Fitting with
MPT



Slotted
Crescent
Handle



Closed
Crescent
Handle




Bar Handle



Integrated
Knob Handle




Closed Cone
Handle



Closed



String Handle



Closed Loop



Castle



Castle
Crossed



Castle
Stepped



Closed with
Stand-offs




Hose Fitting

Identifying a Filter Cartridge

Visit the
Filter Finder on
filburmfg.com

HOW TO FIND A REPLACEMENT CARTRIDGE FOR YOUR POOL OR SPA



- A. Measure the outside diameter of the cartridge in inches (+/- 1/16)
- B. Measure the overall length of the cartridge in inches (+/- 1/16), including the end caps. Do not include any handles, strings, etc. A more accurate measurement is made by measuring through the center of the cartridge when possible.
- C. If the top and/or bottom is open, measure the inside diameter of the opening (+/- 1/16 inch). If the end cap is closed make note of its identifying features (i.e. 'Handle', 'Cone', etc.).
- D. Make note of the manufacturer (OEM) and model number of the filter into which the replacement cartridge will be installed.
- E. Take note whether or not there is a center core (PVC pipe in center). Also count the number of pleats (+/- 2).

The FILBUR Catalog for replacement cartridges is divided into two sections, Dimensional and by Pool/Spa Manufacturer. The cartridges are listed alphabetically by original manufacturer, and then each cartridge for that manufacturer is listed from the smallest O.D. (outside diameter) to the largest, then by overall length, top (measurement or handle, etc.), bottom diameter, and description (manufac-

HOW TO COMPUTE THE SQUARE FOOTAGE OF A CARTRIDGE

1. Count the number of pleats and measure the pleat depth in inches.
2. Measure the length of the cartridge in inches excluding the end caps.
3. Multiply the number of pleats by 2 and multiply that number by the pleat depth. Multiply the total by the length of the cartridge (excluding the end caps) and divide that number by 144.

of Pleats X 2 X Pleat Depth X Pleat Length ÷ 144 = cartridge square footage

Example:

$$\begin{array}{|c|} \hline \text{\# of pleats} \\ \hline 100 \\ \hline \end{array} \times 2 \times \begin{array}{|c|} \hline \text{pleat depth} \\ \hline 0.750 \\ \hline \end{array} \times \begin{array}{|c|} \hline \text{length} \\ \hline 12.25 \\ \hline \end{array} \div 144 = 12.76$$

Why ECO3 from FILBUR?

The New/Smart/Easy Choice for System:3® Replacement Cartridges



- ✓ The same unique flow design as the original
- ✓ The same professional-grade filtration fabric
- ✓ Superior FILBUR DirtMaster technology
- ✓ Guaranteed savings



FILBUR's ECO3 Retrofit offers you a smart choice. It features the same unique flow design as the original, but with cartridge replacement options that guarantee savings. Plus FILBUR's ECO3 Retrofit features superior FILBUR DirtMaster technology: professional-grade filtration fabric for premium dirt-holding.

Why DirtMaster Technology?

- Professional-grade filtration fabric
- Premium end caps
- The strongest high-flow cores in the industry
- Tested. Trusted. Proven.

PROFESSIONAL CLEANING SOLUTION			
FILBUR #	DESCRIPTION	DIMENSIONS	WEIGHT
FC-EC03-301	Inner Cartridge	8 ¾" O.D. x 22 ½" L	5.6 lbs.
FC-EC03-302	Outer Cartridge	15" O.D. x 19 ½" L	10.5 lbs.
FC-EC03-303	Manifold	17" O.D. x 4 ¾" H	3.8 lbs.

Assembled Kit: 17" O.D x 28 ½" H

ECO3 RETROFIT From FILBUR

PURE 'N CLEAN™

THE ULTIMATE CARTRIDGE & D.E. FILTER AND POOL & TILE CLEANERS

Just spray and rinse – this 100% biodegradable, multi-purpose cleaner uses a unique blend of environmentally friendly agents to clean safely, clean fast!

Pure 'n Clean™ effectively removes buildup on cartridges and grids, restoring efficiency and flow rate for like-new operation without filter fabric damage. Plus as a mild degreaser, Pure 'n Clean easily removes lingering perspiration, suntan lotions and other oils from your filters.



PROFESSIONAL CLEANING SOLUTION

FILBUR #	DESCRIPTION	PER CASE	OZ./BOTTLE	LBS/CASE
FC-6350	Pure n' Clean Filter Cleaner - 32 oz	12	32	27
FC-6351	Pure n' Clean Filter Cleaner - 128 oz	4	128 (1 gallon)	36
FC-6355	Pure n' Clean Tile Cleaner - 32 oz	12	32	27
FC-6356	Pure n' Clean Tile Cleaner - 128 oz	4	128 (1 gallon)	36

MICRO-KLEAN™ FILL FILTERS

Filter your water before you fill your pool or spa with the Micro-Klean fill cartridges. Available in both a pleated and disposable version these filters reduce total dissolved solids (TDS) from your water and increase the quality of your pool or spa water.

- Attaches to the end of any garden hose.
- Extends filter life.
- Removes solids from water.
- Reduces hard mineral deposits.
- Easier to balance chemicals from the start.
- Great for plaster crews!



MICRO-KLEAN™ FILL FILTERS

FILBUR #	DESCRIPTION	O.D.	LENGTH	TOP	BOTTOM	SQ. FT	OZ.	CASE
FC-3125	Pleated sediment filter w/hose adapter	2¾	10	Hose Fitting	Closed	4	4	12
FC-3128	Disposable sediment filter w/hose adapter	2¾	10	Hose Fitting	Closed	N/A	N/A	12
FC-3129	Big Daddy disposable sediment filter w/hose adapter	4½	13½	Hose Fitting	Closed	N/A	N/A	6

POOL & SPA CARTRIDGES



FILBUR Manufacturing filter cartridges and grids are produced to exact strict OEM specifications. Don't be fooled by cheap imitations. Demand cartridges that are produced with industry-specified filter media and the strongest cores in the industry. FILBUR Freedom cartridges feature exclusive Microban® antimicrobial filter media. All FILBUR cartridges carry a one year warranty.

FILBUR®
POOL AND SPA FILTRATION

PREMIUM ANTIMICROBIAL CARTRIDGES

FILBUR Freedom™



At FILBUR, we're focused on value.

And our blue, FILBUR Freedom antimicrobial cartridges are a case in point. We recognize the value this breakthrough technology brings to the industry, keeping pool and spa water cleaner, clearer, more protected. Here's how it works:

- Antimicrobial protection prevents the growth of bacteria on cartridges.
- Less bacteria means fewer odors, algae, and mold that can foul a cartridge and contaminate water.
- Applied during the manufacturing process, antimicrobial protection will not wash out or wear away. It lasts as long as the cartridge itself.
- When microorganisms come in contact with the treated blue filter media, they are no longer able to function, grow, or reproduce.

Available in more than 50 sizes, FILBUR Freedom cartridges offer the same strength, durability, and reliability as the original FILBUR material and are easier to clean than any other filter. Their distinct blue color makes them easy to differentiate from other cartridges and easily identifies them as antimicrobial. FILBUR Freedom cartridges carry a one-year warranty.



FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	Sq. ft.	OZ.	CASE QTY.
PREMIUM ANTIMICROBIAL CARTRIDGES								
FC-0131M	4 $\frac{5}{16}$	9 $\frac{3}{4}$	Handle	1 $\frac{1}{2}$ " MPT	4 $\frac{5}{16}$ " x 9 $\frac{3}{4}$ " w/1 $\frac{1}{2}$ " MPT	25	3	6
FC-0132M	4 $\frac{5}{16}$	11 $\frac{1}{4}$	Handle	1 $\frac{1}{2}$ " MPT	Saratoga 11", 1 $\frac{1}{2}$ " MPT	27	3	6
FC-0133M	4 $\frac{5}{16}$	15 $\frac{1}{4}$	Handle	1 $\frac{1}{2}$ " MPT	Saratoga 15", 1 $\frac{1}{2}$ " MPT	40	3	6
FC-0134M	4 $\frac{5}{16}$	11 $\frac{1}{4}$	Handle	1 $\frac{1}{4}$ " SAE	Saratoga 11", 1 $\frac{1}{4}$ " SAE	27	3	6
FC-0141M	4 $\frac{5}{16}$	11 $\frac{1}{8}$	Handle	1 $\frac{1}{2}$ " MPT	4 $\frac{5}{16}$ " x 11 $\frac{1}{8}$ " w/1 $\frac{1}{2}$ " MPT	30	3	6
FC-0151M	4 $\frac{5}{16}$	14 $\frac{3}{4}$	Handle	1 $\frac{1}{2}$ " MPT	UNICEL 4CH-50RA	50	3	6
FC-0170M	4 $\frac{15}{16}$	9 $\frac{1}{4}$	Handle	1 $\frac{1}{2}$ " Fem SAE	Master Spas 30 Teleweir	30	3	6
FC-0172M	4 $\frac{15}{16}$	13 $\frac{1}{2}$	Handle	2" Fem SAE	Rising Dragon antimicrobial	50	3	6
FC-0175M	5	8 $\frac{5}{16}$	Handle	1 $\frac{1}{2}$ Fem SAE	Master Spas 30 Teleweir, stackable, bottom	30	3	6
FC-0189M	4 $\frac{5}{16}$	11 $\frac{1}{8}$	Handle	1 $\frac{1}{16}$ " open	Use Pleatco PAD adapters*	27	3	4
FC-0195M	5 $\frac{3}{16}$	12 $\frac{1}{2}$	Handle	2" MPT	50 sq. ft. Top Load	50	3	6
FC-0196M	5 $\frac{3}{16}$	12 $\frac{1}{2}$	Handle	2" MPT	Cal Spas Avalon	35	3	6
FC-0142M	4 $\frac{3}{4}$ "	7 $\frac{1}{16}$ "	Handle	open w/ slots	Futura Spa (Strong Industries)	20	3	7
FC-0202M	5 $\frac{3}{16}$	16 $\frac{1}{16}$	Handle	2" MPT	Avalon/Victory	65	3	4
FC-0203M	5 $\frac{3}{16}$	12 $\frac{1}{2}$	Handle	2" MPT	Cal Spas removable top	50	3	4
FC-0204M	5 $\frac{3}{16}$	16 $\frac{1}{16}$	Handle	2" MPT	Cal Spas removable top	65	3	4
FC-0300M	5 $\frac{3}{8}$	8	Handle	1 $\frac{1}{2}$ " MPT	5 $\frac{3}{8}$ " x 8"	35	3	4
FC-0304M	5 $\frac{1}{4}$	12 $\frac{1}{8}$	Handle	2" MPT	Cal Spa Screw in Cartridge	75	3	6
FC-0311M	6 $\frac{3}{4}$	8	Handle	2" MPT	Artesian Spas	35	3	4
FC-0315M	6	9	Handle	1 $\frac{1}{2}$ " MPT	6" x 9" w/1 $\frac{1}{2}$ " MPT	45	3	6
FC-0317M	6	9 $\frac{1}{4}$	Handle	2" MPT	Master Spas Twilight	40	3	6
FC-0359M	6	8 $\frac{1}{4}$	Handle	1 $\frac{1}{2}$ " SAE	6" x 8 $\frac{1}{4}$ " w/SAE	40	3	6
FC-0360M	6	8 $\frac{1}{4}$	Handle	1 $\frac{3}{4}$ " Male Slip	6" x 8 $\frac{1}{4}$ " w/1 $\frac{3}{4}$ " Slip Upper	40	3	6
FC-0361M	6	8 $\frac{1}{4}$	1 $\frac{3}{4}$ " open	1 $\frac{1}{2}$ " SAE	6" x 8 $\frac{1}{4}$ " w/SAE Lower	40	3	6
FC-0415M	7 $\frac{1}{8}$	7 $\frac{3}{16}$	Handle	2" MPT	Master Spas Legacy / Freedom	40	3	4
FC-0421M	7	5 $\frac{5}{16}$	Handle	2" MPT	Master Spas 40, short version	40	3	4
FC-0517M	8	18	Handle	2" MPT	Diamante Spas 120	120	3	1
FC-0536M	7 $\frac{7}{8}$	5 $\frac{3}{4}$	Handle	2" SAE	Bullfrog Spas 10-1035	35	3	4
FC-1001M	4	7 $\frac{1}{8}$	2 $\frac{1}{8}$ " open	2 $\frac{1}{8}$ " open	Master Spa Eco-Pure (inner cartridge)	10	3	6
FC-1003M	7	7 $\frac{1}{4}$	4" open	4" open	Master Spas EP-Cylinder (old style)	30	3	4
FC-1004M	8 $\frac{1}{2}$	17	N/A	N/A	Master Spas	40	3	6
FC-1007M	8	7 $\frac{3}{8}$	4 $\frac{1}{8}$ " open	4 $\frac{1}{8}$ " open	Eco-Pure outer filter (new style)	40	3	4
FC-1265M	8 $\frac{15}{16}$	23 $\frac{1}{4}$	4" open	4" open	X-Stream M1500	150	4	1
FC-1330M	5 $\frac{11}{16}$	10 $\frac{3}{8}$	String Handle	2 $\frac{1}{8}$	Jacuzzi front load, Aero, Caressa	25	3	6
FC-2375M	4 $\frac{15}{16}$	13 $\frac{3}{16}$	2 $\frac{1}{8}$ " open	2 $\frac{1}{8}$ " open	Rainbow Dynamic in-line	25	3	6
FC-2385M	4 $\frac{15}{16}$	9 $\frac{1}{4}$	2 $\frac{1}{8}$ " open	2 $\frac{1}{8}$ " open	Rainbow Dynamic in-line	35	3	6
FC-2386M	4 $\frac{15}{16}$	4 $\frac{5}{8}$	2 $\frac{1}{8}$ " open	2 $\frac{1}{8}$ " open	Rainbow DSF (2 filters per set)	35	3	6 sets
FC-2387M	4 $\frac{15}{16}$	6 $\frac{5}{8}$	2 $\frac{1}{8}$ " open	2 $\frac{1}{8}$ " open	Rainbow DSF (2 filters per set)	50	3	6 sets
FC-2390M	4 $\frac{15}{16}$	13 $\frac{3}{16}$	2 $\frac{1}{8}$ " open	2 $\frac{1}{8}$ " open	Rainbow Dynamic in-line	50	3	6
FC-2395M	4 $\frac{15}{16}$	20 $\frac{1}{8}$	2 $\frac{1}{8}$ " open	2 $\frac{1}{8}$ " open	Rainbow RTL	75	3	6
FC-2715M	6 $\frac{5}{8}$	15 $\frac{1}{2}$	Removable Cap	2" SAE	Sundance J-300 Series	60	3	1
FC-2716M	6	17 $\frac{1}{2}$	Handle	2" SAE	J-300 w/removable cap 6" O.D.	60	3	1

FILBUR[™] FREEDOM[™]

PREMIUM ANTIMICROBIAL CARTRIDGES

continued

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	Sq. ft.	OZ.	CASE QTY.
FC-2800M	6 5/8	15 1/2	Handle	2" SAE	Jacuzzi Premium	52	3	1
FC-2810M	8 1/2	14	Closed w/SAE	2 1/2	Sundance MicroClean	80	3	1
FC-2940M	4 1 5/16	23 3/8	2 1/8" open	2 1/8" open	Waterway in-line	100	3	6
FC-2971M	5 5/16	14 3/4	2 1/8" open	2 1/8" open	Cal Spas LP	75	3	6
FC-2971M	5 5/16	14 1 1/16	2 1/8" open	2 1/8" open	LP 65 sq. ft.	65	3	6
FC-2975M	5 5/16	21 1/16	2 1/8" open	2 1/8" open	Coast Spas	100	3	1
FC-3029M	4 3/8	7 3/4	Closed	1 1/2" MPT	Vita Spas MPT	25	3	4
FC-3052M	8 1/2	7	Handle	2" MPT	Circ Pump	30	3	4
FC-3077M	4 1/4	4	1 15/16" open	1 15/16" open	4" Skim Filter	10	3	6

THE FILBUR[®]

QUAD PACK

*An **aquadic** way to
save time and money.*

All cartridges are shrink-wrapped and packed four per box for a complete filter set when ordering the "QUAD"



FILBUR QUAD PACKS

FILBUR #	DESCRIPTION	O.D.	LENGTH	SQ. FT.	CASE
FC-6480	Quad D.E. 60 (Quad Pack)	6 1/4	20 3/4	15	1
FC-6482	Quad D.E. 80 (Quad Pack)	6 1/4	26 3/4	20	1
FC-6484	Quad D.E. 100 (Quad Pack)	6 1/4	32 3/4	25	1
FC-6405	Jandy CL 340	7	27	85	4
FC-6410	Jandy CL 460	7	27	115	4
FC-6415	Jandy CL 580	7	33	145	4
FC-6420	Hayward CX480RE	7	14 1/8	56	4
FC-6425	Hayward CX580RE	7	19 3/8	81	4
FC-6430	Hayward CX880RE	7	25 1/2	106	4
FC-6435	Hayward CX1280RE	7	32 3/8	131	4
FC-6440	Hayward CX570RE	7	19 3/8	75	4
FC-6445	Hayward CX870RE	7	25 1/2	100	4
FC-6450	Hayward CX1260RE	7	32 3/8	125	4
FC-6455	Hayward CX1380RE	7	32 3/8	137	4
FC-6460	Clean & Clear Plus 240	7	14 1/8	60	4
FC-6465	Clean & Clear Plus 320	7	20	80	4
FC-6470	Clean & Clear Plus 420	7	26 1/16	105	4

Dimensional Cartridge Listing

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SQ.	OZ.	CASE QTY.
TWO-INCH DIAMETERS										
FC-3067	2 3/8	19 1/8	1 1/8" open	1 1/8" open	Encon Spa	PW15W/C	C-2610	10	6	20
FC-3120	2 3/4	5 1/8	1 1/8" open	1 1/8" open	3.5 sq. ft. Spa-In-A-Box	PSB3.5	C-2305	3.5	3	9
FC-3027	2 3/4	6	Closed	1 1/8" open	Icon 3.7 sq. ft.	PH3.7-B	C-2304	5	3	6
FC-3060	2 3/4	9 3/4	1 1/8" open	1 1/8" open	Universal Six, Harmsco 6, Swimquip 6	PH6-PAK7/-M/	T-380	6	4	24
FC-3061	2 3/4	9 3/4	1 1/8" open	1 1/8" open	Harmsco 6, 7 pack (7 cartridges per set)	N/A	T-380R	6	4	3 sets
FC-3062	2 3/4	9 3/4	1 1/8" open	1 1/8" open	Residential Six	PH63	C-2306	6	6	24
FC-2305	2 3/4	14 11/16	Closed	1 1/8" open	Smart Tub	N/A	N/A	12	3	20
FC-2308	2 7/8	9 3/4	1 1/8" open	1 1/8" open	Rainbow 8 sq. ft.	N/A	C-2308	8	3	56
FC-2310	2 7/8	9 3/4	1 1/8" open	1 1/8" open	Lifeguard CL 9	PH6	C-2604	4	6	56
FC-3066	2 7/8	9 3/4	1 1/8" open	1 1/8" open	6 sq. ft., 9 3/4", 6.	N/A	C-2606	6	6	100
FC-2315	2 7/8	10	1 1/8" open	1 1/8" open	Rainbow 6 sq. ft.	N/A	C-2606	6	6	100
FC-3125	2 3/4	10	Hose Fitting	Closed	4 sq. ft. fill filter	N/A	C-2699	4	4	12
FC-3128	2 3/4	10	Hose Fitting	Closed	Disposable sediment filter w/hose adapter	N/A	N/A	N/A	N/A	12
FC-2365	2 7/8	14 11/16	1 1/8" open	1 1/8" open	12 sq. ft. Rainbow 14 3/4, Wet Institute 6	PW15WC	C-2912	13	3	20
FC-3065	2 7/8	14 11/16	1 1/8" open	1 1/8" open	Wet Institute 6	PW15W/C	C-2607	6	4	20
FC-2320	2 7/8	17 1/16	1 1/8" open	1 1/8" open	Rainbow 14.5	PRB14.5/-M	C-2302	15	3	12
FC-2324	2 7/8	17 1/16	2 1/8" open	2 1/8" open	Rainbow Chlor.	PRB8.5/-M	C-2303	9	3	12
FC-2330	2 7/8	19 1/2	1 1/8" open	1 1/8" open	Lifeguard CL 19	N/A	C-2608	8	4	20
FC-2340	2 7/8	19 1/2	1 1/8" open	1 1/8" open	Lifeguard CL 19x	PRB12-4	C-2612	12	4	20
FC-2350	2 7/8	29 1/4	1 1/8" open	1 1/8" open	Lifeguard CL 29	PRB12L-4	C-2613	13	4	20
FC-2360	2 7/8	29 1/4	1 1/8" open	1 1/8" open	Lifeguard CL 29x	PRB18-4	C-2618	18	4	20
THREE-INCH DIAMETERS										
FC-3751	3 1/8	3 11/16	1 1/8" open	1 1/8" open	Twin Pack "E" version 2 cartridges per set	PIN3PAIR	C-3302	2	3	1 set
FC-3076	3 1/4	9 3/4	1 1/8" open	1 1/8" open	Alcove 8	PS9-4	C-3608	8	3	12
FC-3069	3 1/4	14 11/16	1/8" open	1/8" open	12 sq. ft. Sylvan	PS12	C-3612	12	4	45
FOUR-INCH DIAMETERS										
FC-1001M	4	7 1/8	2 1/8" open	2 1/8" open	Master Spa Eco-Pure (inner cartridge)	PMA10-M	N/A	10	3	6
FC-3753	4 1/4	3 3/4	2 1/8" open	2 1/8" open	Sand N' Sun, Wal Mart, Aqua Leisure	PBW4PAIR	C-4313	2.5	3	12 sets
FC-3077	4 1/4	4	1 15/16" open	1 15/16" open	Skim Filter 10	PWW10	C-4310	10	3	6
FC-	4 1/4	4	1 15/16" open	1 15/16" open	Skim Filter 10	PWW10-M/	C-4310RA	10	3	6
FC-3750	4 1/4	4	1 15/16" open	1 15/16" open	Aqua Leisure	N/A	C-4313	3	3	6
FC-0180	4 1/4	4 1/4	Handle	2" open	Icon 10	PIC10	N/A	10	3	6
FC-3709	4 1/4	8	1 15/16" open	1 15/16" open	Coleco F-120; no core	N/A	C-4606	5	4	12
FC-3710	4 1/4	8	1 15/16" open	1 15/16" open	Coleco F-120, w/core	PC7-120/PAIR	C-4607	5	4	12
FC-3742	4 1/4	8	1 3/4" open	1 3/4" open	General Foam 5	PGF5	C-4306	5	3	12
FC-0179	4 1/4	23 3/4	Handle	2" open	Icon 60	PIC60	C-4360	60	3	4
FC-0184	4 1/4	23 3/4	Handle	2 3/8" open	Icon 50	PIC50N	C-4351	50	3	6
FC-3810	4 5/16	8	2 3/8" open	2 3/8" open	Muskin 8	PMS8N/C	C-4605	6	4	12
FC-3811	4 5/16	8	2 3/8" open	2 3/8" open	Muskin 8; no core	PMS8N/C	C-4602	6	4	12
FC-3850	4 5/16	8	Closed	2 3/8" open	Muskin A2300	PMS8TC	C-4600	10	4	1
FC-	4 3/8	7 3/4	Closed	1 1/2" MPT	Vita Spas Top Load MPT	N/A	N/A	25	3	4
FC-2510	4 1/2	9 3/4	1 1/8" open	1 1/8" open	Sta-Rite TX-15	PSR15-4	C-4610	15	4	6
FC-0122	4 3/8	4 3/8	Handle	1 1/2" MPT	4 3/8 x 4 3/8, MPT	PSG13.5P4	4CH-19	13	3	6
FC-0183	4 3/8	4 3/8	Handle	1 1/10" open	4 3/8 x 4 3/8	PTL18/PSS17.5	C-4302	12	3	6

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SQ.	OZ.	CASE	QTY.
FOUR-INCH DIAMETERS <i>continued</i>											
FC-0124	4%	6%	Handle	1 ¼" SAE	Saratoga PSG13.5	PSG13.5	4CH-920	15	3	6	
FC-0125	4%	6%	Handle	1 ½" MPT	20 sq. ft. Top Load	PHC25	4CH-20	25	3	6	
FC-0185	4%	6%	Handle	1 ½" open	Pleatco Skim, Softsider, Vita	PSG25P4	C-4303	15	3	6	
FC-0121	4%	8	Handle	1 ½" MPT	19 sq. ft. Top Load	PTL18-4	4CH-21	19	3	6	
FC-0136	4%	8 ½	Handle	1 ½" MPT	Top Load	PDM25P	4CH-21	25	3	4	
FC-0137	4%	8 ½	Handle	1 ½" MPT	Dakota Spas (special thread)	N/A	N/A	25	3	6	
FC-0131	4%	9%	Handle	1 ½" MPT	25 sq. ft. Top Load	PGS25P4	4CH-24	25	3	6	
FC-0131M	4%	9%	Handle	1 ½" MPT	4 ½" x 9 ¾", 1 ½" MPT - antimicrobial	PGS25P4-M	4CH-24RA	25	3	6	
FC-0187	4%	9%	Handle	1 ½" open	25 sq. ft. Pleatco Skim Filter	PTL20HS/	C-4324	25	3	6	
FC-3071	4%	9%	Handle	1 ½" with	Aqua Spa, Gatsby	PAQ25IN	C-4402	20	4	6	
FC-	4%	11 ¼	Handle	1 ¼" SAE	Saratoga 11", 1 ¼" SAE - antimicrobial	PSG27.5MP2	N/A	27	3	6	
FC-	4%	11 ¼	Handle	1 ½" MPT	Saratoga 11", 1 ½" MPT - antimicrobial	PSG27.5MP4	N/A	27	3	6	
FC-0141	4%	11 ½	Handle	1 ½" MPT	30 sq. ft. Top Load	PTL25P-4	4CH-30	30	4	6	
FC-0141M	4%	11 ½	Handle	1 ½" MPT	4 ½" x 11 ½" w/1-½" MPT	PTL25P-M4	4CH-30RA	30	3	6	
FC-1210	4%	11 ½	2 ½" open	2 ½" open	Hayward C-120	PA12	C-4312	12	3	6	
FC-1215	4%	11 ½	2 ½" open	2 ½" open	Hayward C-200, Commander II	PA20-4	C-4320	20	3	6	
FC-1220	4%	11 ½	2 ½" open	2 ½" open	Hayward C-225, Commander II	PA225-4/M4	C-4325	25	3	6	
FC-0173	4%	11 ½	Handle	1 ¼" SAE	25 sq. ft. Top Load, D-1 Spas, Saratoga	PDO-UF25P2	4CH-950	25	3	4	
FC-0189	4%	11 ½	Handle	1 ½" open	Use Pleatco PAD adapters*	N/A	N/A	27	3	4	
FC-0151	4%	14 ¾	Handle	1 ½" MPT	50 sq. ft. Top Load	PTL50P-4	4CH-50	50	3	6	
FC-0151M	4%	14 ¾	Handle	1 ½" SAE	50 sq. ft.	N/A	4CH-50RA	25	3	6	
FC-0177	4%	15	Handle	1 ¼" SAE	40 sq. ft. Top Load, D-1 Spas	PDO-UF40P2	4CH-940	40	3	4	
FC-	4%	15 ¼	Handle	1 ½" MPT	Saratoga 15", 1 ½" MPT - antimicrobial	N/A	N/A	40	3	6	
FC-2710	4%	16 ¾	Castle	2 ½" open	Sundance 40	PSD40-4	C-4440	40	4	4	
FC-2761	4%	12 ½	Top handle	2" SAE	J-400 Cartridge 12.5"	N/A	N/A	3	35	6	
FC-2710	4%	16 ¾	Castle	2 ½" open	Sundance 40	PSD40-4	C-4440	40	4	4	
FC-0640	4 1/16	11 ½	2 ½" open	2 ½" open	Amer. Commander II - 25	N/A	C-4325	25	3	6	
FC-2767	4 ¾	4 ¾	Closed		50 Micron Meltblown	N/A	N/A	N/A	N/A	8	
FC-0126	4 ¾	8	Handle	1 ½" SAE	Strong Spas - Antiqua	PDM25P4-M/	4CH-925	20	3	6	
FC-3743	4 ¾	8	1 ¾" open	1 ¾" open	General Foam 10	PGF10	C-4309	10	3	12	
FC-3744	4 ¾	8	1 ¾" open	1 ¾" open	General Foam 7	PGF7	C-4307	7	3	12	
FC-3730	4 ¾	11	1 ½" open	2 ¾" open	Coleco F-112, CR-11, w/core	PC11-4	C-4611	8	4	12	
FC-0194	4 ¾	11 ¾	Handle	1 ½" MPT	Saratoga 27.5	PSG27.5P4	N/A	30	3	6	
FC-0197	4 ¾	11 ¾	Handle	1 ¼" SAE	Saratoga SAE	N/A	N/A	30	3	6	
FC-0169	4 15/16	4 ½	Handle	2" Fem SAE	Waterway Rising Dragon filter	N/A	N/A	10	3	1	
FC-3130	4 15/16	5 ½	Closed	1 ½" open	Splash Tub 16	N/A	C-4316	16	3	6	
FC-2386	4 15/16	4 ¾	2 ½" open	2 ½" open	Rainbow DSF 35, Waterway 4 ¾" Skim	PRB17.5SF-	C-4401	35	3	6 sets	
FC-0168	4 15/16	13 1/16	Handle	1 ½" Fem	Waterway Teleweir 25	PWW25L	4CH-926	25	3	6	
FC-	4 15/16	4 ¾	2 ½" open	2 ½" open	Rainbow DSF (2 filters per set)	PRB25SF-PAIR/	C-4401RA	35	3	4 sets	
FC-	4 15/16	5 ¾	2 ½" open	2 ½" open	Rainbow DSF (2 filters per set) antimicro-	N/A	C-4405RA	50	3	6 sets	
FC-2387	4 15/16	6 ¾	2 ½" open	2 ½" open	Rainbow DSF 50, Waterway 6 ¾" Skim	PRB25SF-PAIR/	C-4405	50	3	6 sets	
FC-2388	4 15/16	6 ¾	2 ½" open	2 ½" open	Consists of (1) FC-2386 and (1) FC-2387	PRB25SF-PAIR/	C-4405	50	3	6 sets	
FC-2399	4 15/16	6 ¾	2 ½" open	1 ½" MPT	Freeflow 25, CLX	PFF25P4	4CH-22	25	3	6	
FC-2400	4 15/16	6 ¾	Closed	1 ½" MPT	Freeflow 25, closed top, TLX	PFF25TC-P4	4CH-23	25	3	6	
FC-2385	4 15/16	9 ¾	2 ½" open	2 ½" open	Rainbow Dynamic 35, Waterway 35 In-line	PRB35-IN	C-4335	35	3	6	
FC-	4 15/16	9 ¾	2 ½" open	2 ½" open	Rainbow Dynamic in-line	N/A	N/A	35	3	6	
FC-0170	4 15/16	9 ¾	Handle	1 ½" Fem	Waterway Rising Dragon filter	N/A	4HCH-935	30	3	1	
FC-	4 15/16	9 ¾	Handle	1 ½" Fem	Master Spas 30 Teleweir	PMA30SK-M	N/A	30	3	6	

Dimensional Cartridge Listing

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SQ.	OZ.	CASE	QTY.
FOUR-INCH DIAMETERS <i>continued</i>											
FC-2620	4 15/16	9 13/16	2 1/8" open	2 1/8" open	Santana 25, open top	PPI25-4	C-4428	25	4	6	
FC-2650	4 15/16	9 13/16	Closed	2 1/8" open	Santana 25, C/Top	PP125	C-4328	25	4	6	
FC-3078	4 15/16	10 3/8	Closed	2 1/8" open	Skim Filter 30, C/Top	N/A	C-4431	30	3	6	
FC-3082	4 15/16	10 3/8	2 1/8" open	2 1/8" open	Nemco 30	DSF25-50	C-4429	30	3	6	
FC-2915	4 15/16	11 1/4	2 1/8" open	2 1/8" open	Waterway 40 In-line	PWW40	C-4339	40	3	6	
FC-1611	4 15/16	11 3/8	2 1/8" open	2 1/8" open	Sonfarrel 25 - 220022	N/A	C-4332	25	3	6	
FC-1612	4 15/16	11 3/8	2 1/8" open	2 1/8" open	Sonfarrel 30 - 220032	PTM25	C-4332	25	3	6	
FC-3081	4 15/16	11 3/8	2 1/8" open	2 1/8" open	Dimension One 40	PMT40	C-4340	40	3	6	
FC-1620	4 15/16	11 7/8	2 1/8" open	2 1/8" open	Baker Hydro Mini-Mite 25, Martec 32	PMT25	C-4332	32	3	6	
FC-2394	4 15/16	12 1/4	2 1/8" open	2 1/8" open	Dakota Spas 45	PDS45	C-4311	45	3	6	
FC-2910	4 15/16	13 1/4	2 1/8" open	2 1/8" open	Waterway 25 - 817-2500	N/A	C-4326	25	3	6	
FC-2370	4 15/16	13 5/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25	PRB25-IN-4	C-4625	25	4	6	
FC-2372	4 15/16	13 5/16	Closed	2 1/8" open	Rainbow Leaf Cartridge	PRB25-IN-TC	C-4321	25	3	6	
FC-2375	4 15/16	13 5/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, Waterway 25 In-line,	PRB25-IN	C-4326	25	3	6	
FC-2375M	4 15/16	13 5/16	2 1/8" open	2 1/8" open	Rainbow Dynamic in-line - antimicrobial	PRB35-IN-M	C-4335RA	25	3	6	
FC-2380	4 15/16	13 5/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 37	PRB37-IN-4	C-4637	35	4	6	
FC-2390	4 15/16	13 5/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50	PRB50-/-MIN	C-4950	50	3	6	
FC-	4 15/16	13 5/16	2 1/8" open	2 1/8" open	Rainbow Dynamic in-line - antimicrobial	N/A	C-4950RA	50	3	6	
FC-2392	4 15/16	13 5/16	2 1/8" open	2 1/8" open	Pentair - Rainbow Disposable Depth Filter	N/A	N/A	N/A	N/A	12	
FC-0172	4 15/16	13 1/2	Handle	2" Fem SAE	Rising Dragon	N/A	4CH-949	50	3	6	
FC-3129	4 15/16	13 1/2	Closed	Hose	Big Daddy disposable sediment filter w/	N/A	N/A	N/A	N/A	6	
FC-1617	4 15/16	14 7/8	2 1/8" open	2 1/8" open	Sonfarrel 50 - 220152	PTM50	C-4347	50	3	6	
FC-0142	4 3/4	7 1/16	Handle	open w/	Futura Spa (Strong Industries)	PSANT20-XP4	N/A	20	3	6	
FC-0206	4 3/4	6 1/2	Handle	open w/	Saratoga Spas Top Load	PSG15-XP4	N/A	15	3	6	
FC-0207	4 3/4	8 7/8	Handle	1 1/2" MPT	Dream Maker Spas	PDM25P4	N/A	25	3	6	
FC-0208	4 3/4	7 1/16	Handle	1 1/2" MPT	Futura Spa (Strong Industries)	PSANT20P4	N/A	20	3	6	
FC-0209	4 3/4	14 1/2	Handle	1 1/2" MPT	Sundance Marin Models	PTL40P-4	N/A	40	3	6	
FC-0211	4 3/4	8 7/8	Handle	open w/	Dream Maker Spas	PDM25-XP4	N/A	25	3	6	
FC-6305	4 15/16	14 7/8	2 1/8" open	2 1/8" open	Advantage Electric 25-1	POX25-IN	C-4308	25	3	6	
FC-1610	4 15/16	14 7/8	2 1/8" open	2 1/8" open	Advantage Electric 25, Martec 27.5	PMT27.5	C-4301	25	3	6	
FC-1630	4 15/16	14 7/8	2 1/8" open	2 1/8" open	Martec 50	PMT50	C-4305	50	3	6	
FC-2660	4 15/16	14 7/8	Closed	2 1/8" open	Santana 45; C/Top	PST45	C-4345	45	3	6	
FC-6310	4 15/16	17 3/8	2 1/8" open	2 1/8" open	Advantage Electric 50	PAE50	C-4349	50	3	6	
FC-2395	4 15/16	20 1/8	2 1/8" open	2 1/8" open	Rainbow Dynamic 75	PRB75	C-4975	75	3	6	
FC-	4 15/16	20 1/8	2 1/8" open	2 1/8" open	Rainbow RTL - antimicrobial	PRB75-M	C-4975RA	75	3	6	
FC-2930	4 15/16	23 3/8	2 1/8" open	2 1/8" open	Waterway 75, Waterway 75 In-line	PCAL75	C-4970	75	3	6	
FC-2940	4 15/16	23 3/8	2 1/8" open	2 1/8" open	Waterway 100, Waterway 100 In-line	PCAL100	C-4995	95	3	6	
FC-	4 15/16	23 3/8	2 1/8" open	2 1/8" open	Waterway in-line - antimicrobial	PCAL100-M	C-4995RA	100	3	6	
FC-2397	4 15/16	26 11/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 100	PRB100	C-4999	100	3	4	
FIVE-INCH DIAMETERS											
FC-1415	5	13 5/16	2 3/8" open	2 3/8" open	Jacuzzi CFR 15	N/A	C-5615	15	4	6	
FC-1425	5	13 5/16	2 3/8" open	2 3/8" open	Jacuzzi CFR 25	PJ25-IN-4/-M4	C-5625	25	4	6	
FC-1437	5	13 5/16	2 3/8" open	2 3/8" open	Jacuzzi CFR 37	PJ37-IN-4	C-5635	37	4	6	
FC-0303	5 1/16	8 1/2	Handle	3 1/2" MPT	LA Spas replacement for bag filter	PLAS35	5CH-203	30	3	6	
FC-	5 1/16	16 1/16	Handle	2" MFT	Avalon /Victory - antimicrobial	PCAL60-	N/A	60	3	4	
FC-3910	5 1/8	10 1/4	1 15/16" open	1 15/16" open	Watkins 30 (FH/IN)	PKW30V	C-5431	30	3	6	
FC-2015	5 3/16	11 7/8	1 1/16" open	1 3/8" open	Premier 22	PPM25	C-5622	22	6	6	
FC-3091	5 3/16	11 7/8	String	1 15/16" open	Advanced Spa, C/top	PTL25H-P-4	C-5621	22	3	6	

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SQ.	OZ.	CASE	QTY.
FIVE-INCH DIAMETERS <i>continued</i>											
FC-3623	5 $\frac{3}{16}$	11 $\frac{1}{2}$	Closed	1 $\frac{1}{2}$ " open	Marquis 34, (old design)	PPM35TC	C-5423	35	3	6	
FC-3626	5 $\frac{3}{16}$	11 $\frac{1}{2}$	1 $\frac{1}{8}$ " open	1 $\frac{1}{2}$ " open	Marquis 25	PPM25-4	C-5626	25	4	6	
FC-	5 $\frac{3}{16}$	12 $\frac{1}{2}$	Removable	2" MFT	Cal Spa removable top - antimicrobial	N/A	N/A	60	3	4	
FC-0195	5 $\frac{3}{16}$	12 $\frac{1}{2}$	Handle	2" MPT	Marquis 50, (new design)	PPM-	5CH-502	50	3	6	
FC-	5 $\frac{3}{16}$	12 $\frac{1}{2}$	Handle	2" MPT	50 sq. ft. Top Load - antimicrobial	PPM-	N/A	50	3	6	
FC-0196	5 $\frac{3}{16}$	12 $\frac{1}{2}$	Handle	2" MPT	Marquis 35, (new design)	N/A	5CH-352	35	3	6	
FC-	5 $\frac{3}{16}$	12 $\frac{1}{2}$	Handle	2" MPT	Cal Spas Avalon antimicrobial	PCAL-42-	N/A	35	3	6	
FC-3638	5 $\frac{3}{16}$	14 $\frac{1}{4}$	Closed	1 $\frac{1}{2}$ " open	Marquis 50 (old design)	PPM50TC	C-5346	50	3	6	
FC-3070	5 $\frac{3}{16}$	14 $\frac{3}{4}$	1 $\frac{1}{8}$ " open	1 $\frac{1}{2}$ " open	Marlin/Roman	PPM30	C-5627	27	4	6	
FC-0202	5 $\frac{3}{16}$	16 $\frac{1}{16}$	Handle	2" MPT	Victory	PCAL60-F2M	N/A	60	3	4	
FC-	5 $\frac{3}{16}$	16 $\frac{1}{16}$	Removable	2" MPT	Cal Spa removable top - antimicrobial	N/A	N/A	65	3	4	
FC-3634	5 $\frac{3}{16}$	19 $\frac{1}{2}$	Closed	1 $\frac{1}{2}$ " open	Pacific Marquis 58, C/top	PPM60TC	C-5434	60	3	6	
FC-3637	5 $\frac{3}{16}$	19 $\frac{1}{2}$	1 $\frac{1}{8}$ " open	1 $\frac{1}{2}$ " open	Pacific, Marquis 40	PPM40-4	C-5637	40	4	6	
FC-2018	5 $\frac{3}{16}$	23 $\frac{1}{4}$	1 $\frac{1}{2}$ " open	1 $\frac{1}{2}$ " open	Premier Maxi Sweep	PPR75	C-5371	75	3	4	
FC-2401	5 $\frac{3}{16}$	10	2 $\frac{1}{2}$ " open	1 $\frac{1}{2}$ " MPT	45 sq. ft. Top Load	PFF50P	5CH-45	45	3	6	
FC-2970	5 $\frac{3}{16}$	10 $\frac{1}{2}$	2 $\frac{1}{2}$ " open	2 $\frac{1}{2}$ " open	Rainbow, Waterway, Rec Warehouse LP	PLBS50/-M	C-5345	50	3	6	
FC-2971	5 $\frac{3}{16}$	14 $\frac{1}{16}$	2 $\frac{1}{2}$ " open	2 $\frac{1}{2}$ " open	LP 65 sq. ft.	PLBS75/-M	C-5374	65	3	6	
FC-2972	5 $\frac{3}{16}$	17 $\frac{3}{4}$	2 $\frac{1}{2}$ " open	2 $\frac{1}{2}$ " open	LP 80 sq. ft.	PLBS100/-M	C-5397	80	3	6	
FC-2975	5 $\frac{3}{16}$	21 $\frac{1}{16}$	2 $\frac{1}{2}$ " open	2 $\frac{1}{2}$ " open	Coast 100	PCST80/-M	C-5396	100	3	1	
FC-	5 $\frac{3}{16}$	21 $\frac{1}{16}$	2 $\frac{1}{2}$ " open	2 $\frac{1}{2}$ " open	Coast Spas - antimicrobial	N/A	C-5396RA	100	3	1	
FC-2976	5 $\frac{3}{16}$	30 $\frac{1}{2}$	2 $\frac{1}{2}$ " open	2 $\frac{1}{2}$ " open	Coast 135	PCST120	C-5351	135	3	1	
FC-2815	5 $\frac{1}{2}$	10 $\frac{1}{2}$	Handle	2" MPT	Laz-Z-Boy®, Freestylar Series	N/A	N/A	50	3	4	
FC-2811	5 $\frac{1}{2}$	11	Handle	2" MPT	Hermosa, Redondo 50	PJW40SC-F2M	5CH-402	45	3	6	
FC-3097	5 $\frac{1}{2}$	17	1 $\frac{1}{8}$ " open	2 $\frac{1}{2}$ " open	Ozone 40 w/concentric holes	PDO40-4	C-5404	40	4	1	
FC-0300	5 $\frac{1}{2}$	8	Handle	1 $\frac{1}{2}$ " MPT	Elite Spa by Coleman	PAS35P	5CH-35	35	3	6	
FC-	5 $\frac{1}{2}$	8	Handle	1 $\frac{1}{2}$ " MPT	5 $\frac{1}{2}$ " x 8" - antimicrobial	PAS35P-M	5CH-35RA	35	3	4	
FC-0301	5 $\frac{1}{2}$	8 $\frac{1}{2}$	Handle	1 $\frac{1}{2}$ " MPT	Top Load	N/A	N/A	25	3	6	
FC-0302	5 $\frac{1}{2}$	9	Handle	1 $\frac{1}{2}$ " MPT	Top Load	N/A	N/A	25	3	6	
FC-2769	5 $\frac{1}{2}$	18 $\frac{3}{4}$	open	open	Meltblown 880 MicroClean Ultra Inner	N/A	N/A	N/A	N/A	6	
FC-1320	5 $\frac{1}{16}$	10 $\frac{3}{4}$	String Handle	2 $\frac{1}{2}$ " open	Jacuzzi Whirlpool 50, C/top	PJW50	C-5300	50	3	6	
FC-1330	5 $\frac{1}{16}$	10 $\frac{3}{4}$	String Handle	2 $\frac{1}{2}$ " open	Jacuzzi Aero, Caressa, C/top	PJW23-M4	C-5601	25	3	6	
FC-1330M	5 $\frac{1}{16}$	10 $\frac{3}{4}$	String Handle	2 $\frac{1}{2}$ " open	Jacuzzi front load, Aero, Caressa	N/A	C-5601RA	25	3	6	
FC-2402	5 $\frac{3}{8}$	9 $\frac{1}{2}$	String Handle	1 $\frac{1}{2}$ " MPT	Watkins 303279	N/A	N/A	40	3	5	
FC-3752	5 $\frac{3}{8}$	10	1 $\frac{1}{2}$ " open	1 $\frac{1}{2}$ " open	Easy Set Pool "B" version	PIN20	C-5315	15	3	6	
FC-1305	5 $\frac{3}{8}$	11 $\frac{1}{2}$	2 $\frac{1}{2}$ " open	2 $\frac{1}{2}$ " open	Jacuzzi Whirlpool 25	PJW25	C-5624	25	3	6	
FC-2809	5 $\frac{3}{8}$	6 $\frac{1}{8}$	Handle	2" MPT	Jazzi 17 SF	PJZ16-F2L	N/A	17	3	4	
FC-2971M	5 $\frac{3}{8}$	14 $\frac{1}{16}$	2 $\frac{1}{2}$ " open	2 $\frac{1}{2}$ " open	LP 65 sq. ft.	PLBS75/-M	C-5374	65	3	6	
FC-3748	5 $\frac{3}{8}$	12 $\frac{1}{2}$	2" open	2" open	Intex 520 "D" version, 58621	PIN28	C-5330	30	3	6	
FC-3101	5 $\frac{3}{8}$	12 $\frac{3}{4}$	Handle	Male Slip	Season Master 50/Molded	PLW-50-4	C-5350	50	3	1	
FC-3103	5 $\frac{3}{8}$	25 $\frac{3}{4}$	Handle	Male Slip	Season Master 100/Molded	PLW100-4	C-5349	100	3	1	
SIX-INCH DIAMETERS											
FC-0305	6	5 $\frac{1}{2}$	Handle	1 $\frac{1}{2}$ " MPT	25 sq. ft. Top Load	PTL20W-SV-P-4	6CH-25	25	3	6	
FC-2763	6	6 $\frac{1}{2}$	Removable	open w/	30 SQ FT Pleated	N/A	N/A	30	3	6	
FC-0310	6	7	Handle	1 $\frac{1}{2}$ " MPT	25 sq. ft. Top Load	PTL25W-SV-P-4	6CH-26	25	3	6	
FC-0312	6	7	1 $\frac{1}{2}$ " open	2" MPT	Artesian Spas Qualiflo	N/A	6CH-352	N/A	N/A	1	
FC-0306	6	6	Handle	1 $\frac{1}{2}$ " MPT	Sunrise Top Load Spa	PSN25P	N/A	50	3	4	
FC-0317	6	9 $\frac{1}{4}$	Handle	2" MPT	Master Spas Twilight	PMA40L-F2M	N/A	40	3	6	
FC-0317M	6	9 $\frac{1}{4}$	Handle	2" MPT	Master Spas Twilight - antimicrobial	PMA40L-F2M	N/A	40	3	6	

Dimensional Cartridge Listing

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SQ.	OZ.	CASE QTY.
SIX-INCH DIAMETERS <i>continued</i>										
FC-0318	6	7 7/8	1 7/8" open	2" MPT	New Artesian 6" D Spa	PAS40-F2M	6CH-352	40	3	6
FC-0314	6	8	Handle	1 1/2" MPT	Top Load Cartridge - Sunrise New Models	N/A	6CH-49	35	3	1
FC-0359	6	8 1/4	Handle	1 1/2" SAE	6 x 8 3/4"; Male SAE Thread, Waterway 50	PWW50P3	6CH-940	40	3	6
FC-	6	8 1/4	Handle	1 1/2" SAE	6x8-1/4"w/SAE - antimicrobial	N/A	6CH-940RA	40	3	6
FC-0360	6	8 1/4	Handle	1 3/4"	40 sq. ft. Skim 1:454 -top	PWW100ST-P3	6CH-941	40	3	6
FC-	6	8 1/4	Handle	1 3/4"	6" x 8 1/4" w/1 3/4" Slip Upper - antimicrobial	N/A	N/A	40	3	6
FC-0361	6	8 1/4	1 3/4" open	1 1/2" SAE	40 sq. ft. Skim filter -bottom	PWW100STP3	CH-942	40	3	6
FC-	6	8 1/4	1 3/4" open	1 1/2" SAE	6 x 8 1/4"; Male SAE Thread - antimicrobial	N/A	6CH-942	40	3	6
FC-2764	6	8 1/2	Removable	open w/	40 SQ FT Pleated	N/A	N/A	40	3	6
FC-0315	6	9	Handle	1 1/2" MPT	47 sq. ft. Top Load	PTL47W-P-M	6CH-47	50	3	1
FC-	6	9	Handle	1 1/2" MPT	6x9"w/11/2" MPT - antimicrobial	N/A	6CH-47RA	45	3	6
FC-3920	6	9	1 15/16" open	1 15/16" open	Watkins 33	PWK35	C-6433	33	3	6
FC-0320	6	9 3/4	Handle	1 1/2" MPT	35 sq. ft. Top Load	PTL35W-P-4	6CH-35	35	3	6
FC-3915	6	10 1/2	1 15/16" open	1 15/16" open	Watkins 30	PWK30	C-6430	30	3	6
FC-	6	10 1/2	1 15/16" open	1 15/16" open	Watkins/Not Springs - antimicrobial	PWK30-M/-4	C-6430RA	30	3	6
FC-2765	6	12	Removable	open w/	50 SQ FT Pleated	N/A	N/A	50	3	9
FC-0330	6	12 1/4	Handle	1 1/2" MPT	45 sq. ft. Top Load	PTL45W-P-4	6CH-45	45	3	1
FC-0340	6	13 5/8	Handle	1 1/2" MPT	50 sq. ft. Top Load	PTL50W-SV-P-4	6CH-50	50	3	1
FC-2717	6	13 1/2	Removable	2" SAE	Sundance ProClear II	N/A	N/A	45	3	1
FC-3089	6	14 3/4	Handle	1 1/2" MPT	Advanced Spa 75	PTL50W-P	C-6495	50	3	1
FC-0350	6	16 1/8	Handle	1 1/2" MPT	60 sq. ft. Top Load	PTL60W-P	6CH-60	60	3	1
FC-2716	6	17 1/2	Handle	2" SAE	J-300 w/removable cap 6" O.D.	N/A	N/A	60	3	1
FC-2718	6	18 3/4	Sundance Removable Cap	2" SAE	Sundance	N/A	N/A	70	3	1
FC-3055	6	7 7/8	Handle	1 7/8" w slots	Waterway Front Access Skimmer (2	PWW50-XP4	N/A	40	3	6
FC-2716M	6	17 1/2	Handle	2" SAE	J-300 w/removable cap 6" O.D. - anti-	N/A	N/A	60	3	1
FC-1961	6 1/4	20 3/4	3" open	3" open	Quad D.E. 60 Four 15 sq. ft. cartridges	N/A	C-6960	15	Mesh	1
FC-1962	6 1/4	26 3/4	3" open	3" open	Quad D.E. 80 Four 20 sq. ft. cartridges	N/A	C-6980	20	Mesh	1
FC-1963	6 1/4	32 3/4	3" open	3" open	Quad D.E. 100 Four 25 sq. ft. cartridges	N/A	C-6900	25	Mesh	1
FC-3135	6 3/8	5 1/8	Closed	3 3/4" open	Splash Tub 24	N/A	C-6324	24	3	6
FC-3930	6 3/8	11 1/8	3	3" open	Watkins 45	PWK25-4/	C-6600	45	3	1
FC-3754	6 5/8	13 5/8	2 3/8" open	2 3/8" open	Dyna Flow XL	N/A	C-6375	75	3	1
FC-3755	6 5/8	17 13/16	2 3/8" open	2 3/8" open	Dyna Flow XL	N/A	C-6310	100	3	1
FC-2715	6 5/8	15 1/2	Removable	2" SAE	Sundance J300 Series	PJW60TL-OT-	6CH-961	60	3	1
FC-2715M	6 5/8	15 1/2	Removable	2" SAE	Sundance J-300 Series - antimicrobial	N/A	N/A	60	3	1
FC-2800	6 5/8	15 1/2	Handle	2" SAE	Jacuzzi Premium	PJW60TL-F2S	6CH-960	52	3	1
FC-	6 5/8	15 1/2	Handle	2" SAE	Jacuzzi Premium - antimicrobial	N/A	6CH-960RA	52	3	1
FC-0311	6 3/4	8	Handle	2" MPT	Artesian Spas	PAS50SV-F2M	6CH-502	35	3	4
FC-0313	6 3/4	8	Handle	2" MPT	Artesian Spas 50 with Qualiflo	N/A	N/A	N/A	N/A	4
FC-0311M	6 3/4	8	Handle	2" MPT	Artesian Spas - antimicrobial	N/A	N/A	35	3	4
FC-1426	6 7/8	11 7/8	3 1/2" open	3 1/2" open	Jacuzzi CF 25	PJ25-4	C-6625	25	6	1
FC-1340	6 7/8	14 7/8	3 1/2" open	3 1/2" open	Jacuzzi Whirlpool 30	PJW30-4	C-6300	30	3	1
SEVEN-INCH DIAMETERS										
FC-4005	7	6 1/2	Handle	1 1/2" open	Doughboy 20	PD20SL-4	C-7401	20	4	1
FC-	7 1/8	7 1/8	Handle	2" MPT	Master Spas Legacy / Freedom (Antimicrobial	PMA40-F2M-M	N/A	40	3	4
FC-0416	7 1/8	7 1/8	Handle	2" MPT	Master Spas Legacy / Freedom	PMA40-F2M	N/A	40	3	4
FC-0417	7 1/8	7 1/8	Handle	2" MPT	Upgrade to Newer Artesian Spas	PAS50-F2M	N/A	50	3	4

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SQ.	OZ.	CASE	QTY.
SEVEN-INCH DIAMETERS <i>continued</i>											
FC-	7	5 $\frac{3}{16}$	Handle	2" MPT	Master Spas 40, short version	PM-	N/A	40	3	4	
FC-0418	7	7 $\frac{1}{4}$	Handle	2" MPT	7 x 7 $\frac{1}{4}$, Master Spas	N/A	N/A	30	3	4	
FC-1003	7	7 $\frac{1}{4}$	4" open	4" open	Master Spas EP-Cylinder	PMA30-2002-R	C-7330	30	3	4	
FC-	7	7 $\frac{1}{4}$	4" open	4" open	Master Spas EP-Cylinder antimicrobial (old	PMA30-2002-	N/A	30	3	4	
FC-0419	7	7 $\frac{3}{16}$	Handle	2" MPT	7 x 7 $\frac{3}{16}$	PAS35-2-M	N/A	35	3	4	
FC-0420	7	8	Handle	2" MPT	32 sq. ft. Top Load, Coleman, Artesian	PAS35-2	7CH-322	32	3	4	
FC-0425	7	8	Handle	1 $\frac{1}{2}$ " MPT	32 sq. ft. Top Load	PCS32P	7CH-32	32	3	4	
FC-0483	7	8	Handle	1 $\frac{1}{10}$ " open	Pleatco Skim, Softsider Spas	PCS32	C-7432	32	3	1	
FC-4010	7	9 $\frac{1}{16}$	Handle	1 $\frac{1}{2}$ " open	Doughboy 40	PD40SL-4	C-7402	40	4	1	
FC-0430	7	9 $\frac{3}{4}$	Handle	2" MPT	40 sq. ft. Coleman	PCS40-F2M	7CH-402	40	3	4	
FC-0435	7	9 $\frac{3}{4}$	Handle	1 $\frac{1}{2}$ " MPT	40 sq. ft. Top Load	PCS40P	7CH-40	40	3	4	
FC-0486	7	9 $\frac{3}{4}$	Handle	1 $\frac{1}{2}$ " MPT	40 sq. ft. Top Load	N/A	N/A	40	4	4	
FC-0610	7	9 $\frac{13}{16}$	3" open	3" open	Amer. Commander 25, Hercules II 25 sq.	PPC25	C-7625	25	6	1	
FC-0615	7	9 $\frac{13}{16}$	3" open	3" open	Amer. Commander 25, 4., Hercules II 25 sq.	N/A	C-7425	25	4	1	
FC-0710	7	9 $\frac{13}{16}$	Handle	Cone	Baker Hydro HM 25	PBH25-4	C-7604	25	4	1	
FC-1230	7	9 $\frac{13}{16}$	3" open	3" open	Hayward CX 250	PA25-4/M4	C-7626	25	4	4	
FC-0475	7	10 $\frac{1}{2}$	Handle	1 $\frac{1}{2}$ " SAE	52 sq. ft. Top Load	PDO75P3	7CH-975	50	3	1	
FC-3084	7	10 $\frac{3}{4}$	Handle	2" Slip	Caldera 50	PCD50	C-7451	50	3	1	
FC-3963	7	10 $\frac{3}{4}$	Handle	2 $\frac{11}{16}$ " open	Caldera 50, new	PCD50N	C-7350	50	3	1	
FC-	7	10 $\frac{3}{4}$	Handle	2 $\frac{11}{16}$ " open	Caldera 50 (new style) - antimicrobial	N/A	C-7350RA	50	3	1	
FC-2130	7	11 $\frac{1}{16}$	2 $\frac{15}{16}$ " open	2 $\frac{15}{16}$ " open	Purex CF 40	PPF40	C-7440	40	4	1	
FC-0680	7	11 $\frac{13}{16}$	3" open	3" open	Amer. Quantum 175	PCM44-4	C-7437	44	4	1	
FC-1450	7	13 $\frac{7}{16}$	3" open	3" open	Jacuzzi CE 40	PJB40	C-7304	40	3	1	
FC-2120	7	14	2 $\frac{15}{16}$ " open	2 $\frac{15}{16}$ " open	Purex 33/100	PPF33	C-7433	33	6	1	
FC-1223	7	14 $\frac{1}{8}$	3" open	3" open	Hayward CX 480	PA56SV/-M/-4	C-7458	56	4	1	
FC-1228	7	14 $\frac{1}{8}$	3" open	3" open	Hayward CX 410	PA40/-M/-4	C-7442	40	4	1	
FC-1975	7	14 $\frac{1}{8}$	3" open	3" open	Clean & Clear Plus 240	PCC60/-M	C-7469	60	4	1	
FC-1235	7	14 $\frac{3}{16}$	3" open	3" open	Hayward CX 470, Sta-Rite PRC 50	PA50SV/-M/-4/	C-7447	50	4	1	
FC-0460	7	14 $\frac{3}{4}$	Handle	2" MPT	50 sq. ft. Coleman	PCS50-F2M	7CH-502	50	3	1	
FC-0463	7	14 $\frac{3}{4}$	Handle	1 $\frac{1}{2}$ " MPT	50 sq. ft. Top Load	PVT50P	7CH-50	50	3	1	
FC-0470	7	14 $\frac{3}{4}$	Handle	2" MPT	75 sq. ft. D-1 Spas	PTL75XW-F2M	7CH-752	75	3	1	
FC-0491	7	14 $\frac{3}{4}$	Handle	1 $\frac{1}{10}$ " open	Pleatco Skim, Vita Spas	N/A	N/A	50	3	1	
FC-3098	7	14 $\frac{3}{4}$	Handle	1 $\frac{7}{8}$ " open	Goldkey 50;Handle Top	PTL50XW-OB	C-7400	50	4	1	
FC-3085	7	14 $\frac{3}{4}$	Handle	2" Male Slip	Caldera 75	PCD75	C-7479	75	3	1	
FC-3964	7	14 $\frac{3}{4}$	Handle	2 $\frac{11}{16}$ " open	Caldera 75, new	PCD75N	C-7375	75	3	1	
FC-	7	14 $\frac{3}{4}$	Handle	3 $\frac{11}{16}$ " open	Caldera 75 (new style) - antimicrobial	N/A	C-7375RA	75	3	1	
FC-2170	7	16	2 $\frac{15}{16}$ " open	2 $\frac{15}{16}$ " open	Purex CF 67.5	PPF67.5-4	C-7467	67.5	4	1	
FC-0690	7	16 $\frac{1}{2}$	3" open	3" open	Amer. Quantum 350	PCM88-4/M4	C-7474	87	4	1	
FC-1455	7	17 $\frac{7}{16}$	3" open	3" open	Jacuzzi CE 60	PJB60	C-7306	60	3	1	
FC-4015	7	17 $\frac{3}{8}$	Handle	1 $\frac{1}{2}$ " open	Doughboy 60	PD60SL-4	C-7403	60	4	1	
FC-2190	7	18 $\frac{7}{16}$	2 $\frac{5}{8}$ " open	2 $\frac{5}{8}$ " open	Seahorse 300 stainless/fiberglass tank	PFAB75-4	C-7491	75	4	1	
FC-2770	7	19	2 $\frac{1}{2}$ " open	1 $\frac{1}{2}$ " MPT	Sundance Double End 90	PSD90P	7CH-90	90	3	1	
FC-2580	7	19 $\frac{3}{8}$	3" open	3" open	Posi-Clean TX 100, TX 50	PPC50	C-7652	50	4	1	
FC-0620	7	19 $\frac{3}{8}$	3" open	3" open	Amer. Commander 50 Hercules II, 50 sq.	N/A	C-7650	50	6	1	
FC-0625	7	19 $\frac{3}{8}$	3" open	3" open	Amer. Commander 50, 4 oz Product can be	N/A	C-7450	50	4	1	
FC-0670	7	19 $\frac{3}{8}$	3" open	3" open	Amer. Commander 150 Hercules II,	N/A	C-7453	75	4	1	
FC-0720	7	19 $\frac{3}{8}$	Handle	Cone	Baker Hydro HM 50	PBH50	C-7605	50	4	1	
FC-0770	7	19 $\frac{3}{8}$	Handle	Cone	Baker Hydro UM 75	PBH-UM75	C-7406	75	4	1	

Dimensional Cartridge Listing

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SQ.	OZ.	CASE	QTY.
SEVEN-INCH DIAMETERS <i>continued</i>											
FC-1225	7	19%	3" open	3" open	Hayward 580	PA81/-4/PAK4	C-7483	81	4	1	
FC-1245	7	19%	3" open	3" open	Hayward CX 550	PA55	C-7455	55	4	1	
FC-1260	7	19%	3" open	3" open	Hayward CX 570, Sta-Rite PRC 75	PA75SV	C-7477	75	4	1	
FC-2150	7	19%	2 15/16" open	2 15/16" open	Purex CF 60	N/A	C-7460	60	4	1	
FC-2160	7	19%	2 15/16" open	2 15/16" open	Purex CF 80	N/A	C-7480	80	4	1	
FC-3116	7	19%	3" open	3" open	Poolco 90	PPCO90	N/A	90	4	1	
FC-0675	7	20	3" open	3" open	Amer. Quant, Clean/Clear Plus 90	N/A	C-7476	90	4	1	
FC-1976	7	20	3" open	3" open	Clean & Clear Plus, Waterway C.W.	PCC80/-M/	C-7470	80	4	1	
FC-2192	7	24 1/4	2 3/8" open	2 3/8" open	Seahorse 400 stainless/fiberglass tank	PFAB100SH-4	C-7492	100	4	1	
FC-3117	7	25 1/4	3" open	3" open	Poolco 120'	N/A	N/A	70	3	1	
FC-1226	7	25 1/2	3" open	3" open	Hayward 880	PA106/-M/-4/	C-7488	106	4	1	
FC-1270	7	25 1/2	3" open	3" open	Hayward CX 870	PA100N/-M/-4/	C-7487	100	4	1	
FC-1275	7	25 1/2	3" open	3" open	Hayward CX 875	PA112/-M/-4	C-7489	112	4	1	
FC-2180	7	25%	2 15/16" open	2 15/16" open	Purex CF 315	N/A	C-7496	105	4	1	
FC-0695	7	26	3" open	3" open	Amer. Quant, Clean/Clear Plus 125	N/A	C-7498	125	4	1	
FC-1977	7	26 1/4	3" open	3" open	Clean & Clear Plus 420	PCC105/-M/	C-7471	105	4	1	
FC-4020	7	26 1/4	Handle	1 1/2" open	Doughboy 90	PD90SL-4	C-7409	90	4	1	
FC-0800	7	27	3" open	3" open	Jandy, CL 340	PJAN85/-M/	C-7459	85	4	1	
FC-0810	7	27	3" open	3" open	Jandy, CL 460	PJAN115/-M/	C-7468	115	4	1	
FC-0630	7	29%	3" open	3" open	Amer. Commander 75	N/A	C-7675	75	6	1	
FC-0635	7	29%	3" open	3" open	Amer. Commander 75, 4	N/A	C-7475	75	4	1	
FC-0650	7	29%	3" open	3" open	Amer. Commander 100 Hercules II, 100	PCM100SV	C-7499	100	4	1	
FC-0730	7	29%	Handle	Cone	Baker Hydro HM 75	PBH75	C-7606	75	4	1	
FC-0780	7	29%	Handle	Cone	Baker Hydro UM 100	PBH-UM100	C-7407	100	4	1	
FC-1250	7	29%	3" open	3" open	Hayward CX 750	PA75/-M/-4	C-7676	75	3	1	
FC-1291	7	29%	3" open	3" open	Hayward C-1000	N/A	C-7698	100	4	1	
FC-2194	7	30 1/4	2 3/8" open	2 3/8" open	Seahorse 500 stainless/fiberglass tank	PFAB125-4	C-7493	125	4	1	
FC-1978	7	32 1/4	3" open	3" open	Clean & Clear Plus, Waterway C.W.	PCC130/-M/	C-7472	125	4	1	
FC-1227	7	32 1/4	3" open	3" open	Hayward CX 1280	PA131/-4/PAK4	C-7494	131	4	1	
FC-1296	7	32 1/4	3" open	3" open	Hayward CX 1260	PA126/-M/-4/	C-7495	125	4	1	
FC-1297	7	32 1/4	3" open	3" open	Hayward CX 1380	PA137/-M/-4/	C-7490	137	4	1	
FC-0820	7	33	3" open	3" open	Jandy, CL 580	PJAN145/-M/	C-7482	145	4	1	
FC-0740	7	39%	Handle	Cone	Baker Hydro HM 100; 2 piece	PBH100	C-7607	100	4	1	
FC-0790	7	39%	Handle	Cone	Baker Hydro UM 150; 2 piece	PBHUM150	C-7408	150	4	1	
FC-3058	7 1/4	5 1/8	Closed w/	Twist lock	Dimension One Spa Berry 35	N/A	C-7335	35	3	1	
FC-3059	7 1/4	10 1/2	Closed w/	Twist lock	Dimension One 75	PDO75-2000	C-7367	75	3	9	
FC-5125	7 1/4	9 7/8	3 1/16" open	3 1/16" open	Waterco C-25	PWC25/PWC50	C-7427	25	4	1	
FC-6315	7 1/4	14%	2 15/16" open	2 15/16" open	Advantage Electric 75	PAE75	C-7301	75	3	1	
FC-6320	7 1/4	21%	2 15/16" open	2 15/16" open	Advantage Electric 100	POX100	C-7302	100	3	1	
FC-6325	7 1/4	28%	2 15/16" open	2 15/16" open	Advantage Electric 150	PAE150	C-7303	150	3	1	
FC-5180	7 1/4	29 1/2	3 1/16" open	3 1/16" open	Waterco CC-100, CT Series /Waterco	PJAN100	C-7497	100	4	1	
FC-5185	7 1/4	29 1/2	3 1/16" open	3 1/16" open	Waterco Trimline CC-150		C-7494	150	4	1	
FC-2730	7 1/2	14 3/4	Castle	2 1/16" open	Sundance 65; 2 1/16" I.D.	PSD65	C-7465	65	3	1	
FC-2740	7 1/2	14 3/4	Castle	2 3/8" open	Sundance 65; 2 3/8" I.D.	PSD65-2	C-7466	65	3	1	
FC-2760	7 1/2	18	Castle	2 1/2" open	Sundance 75, w/ beveled edge	PSD75	C-7370	75	3	1	
FC-3540	7 1/2	20 13/16	2 15/16" open	2 15/16" open	Leisure Bay 100	PLB100	C-7418	100	4	1	
FC-3560	7 1/2	28 13/16	2 15/16" open	2 15/16" open	Leisure Bay 150	PLB150	C-7414	150	4	1	
FC-2812	7 3/4	5	4 7/8" open	4 7/8" open	Sundance Disposable Depth Filter	N/A	N/A	N/A	N/A	12	
FC-6105	7 3/4	9%	2 3/8" open	3 1/2" FPT	Harmsco TFC-55	PH5055	C-7655	55	4	1	

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SQ.	OZ.	CASE	QTY.
SEVEN-INCH DIAMETERS <i>continued</i>											
FC-6107	7 3/4	15 3/16	2 5/8" open	3 1/2" FPT	Harmsco TFC-75	PH75-4	C-7674	75	4	1	
FC-6010	7 3/4	18 3/8	2 5/8" open	3 1/2" FPT	Harmsco	PH105-4	C-7685	100	3	1	
FC-6110	7 3/4	19 1/2	2 5/8" open	3 1/2" FPT	Harmsco TFC-105	PH105-4	C-7685	105	4	1	
FC-1492	7 3/4	22 3/4	Closed	4" open	Jacuzzi Tri-Clops (Round) 110	PJC110-M4	N/A	110	4	1	
FC-6015	7 3/4	28 7/16	2 5/8" open	3 1/2" FPT	Harmsco	PH155-4	C-7697	150	3	1	
FC-1493	7 3/4	28 3/4	Closed	4" open	Jacuzzi Tri-Clops (Round) 147	PJC147-M4	N/A	147	4	1	
FC-6115	7 3/4	29 1/16	2 5/8" open	3 1/2" FPT	Harmsco TFC-155	PH155-4	C-7697	155	4	1	
FC-1494	7 3/4	34 3/4	Closed	4" open	Jacuzzi Tri-Clops (Round) 180	PJC180-M4	N/A	180	4	1	
FC-1008	7 7/8	6 3/8	5 1/2" open	4" open	Eco Pure system (outer filter) Eco Pure	N/A	N/A	25	3	6	
FC-1920	7 7/8	11 1/8	3 1/8" open	3 1/8" open	Pac Fab MY 50	PFAB50	C-7678	50	4	1	
FC-3112	7 7/8	13 3/16	Handle	3 1/8" open	Fox Wall-Pak 80	PFW60	C-7463	80	4	1	
FC-1930	7 7/8	14	3 1/8" open	3 1/8" open	Pac Fab MY 120, Wet 180	PFAB60/-M	C-7660	60	4	1	
FC-3094	7 7/8	18 7/16	String	3 1/8" open	Fox Wall-Pak 125	N/A	N/A	125	4	1	
FC-1940	7 7/8	22 1/8	3 1/8" open	3 1/8" open	Pac Fab MY 80	PFAB80	C-7680	80	4	1	
FC-1950	7 7/8	22 1/8	3 1/8" open	3 1/8" open	Pac Fab MY 100, Wet 330	PFAB100/-M	C-7699	100	4	1	
FC-1960	7 7/8	33 3/8	3 1/8" open	3 1/8" open	Pac Fab MY 150	PFAB150	C-7679	150	4	1	
EIGHT-INCH DIAMETERS											
FC-0536	8	5 3/4	Handle	2" SAE	Bullfrog 50	PBF50-F2S	8CH-950	35	3	4	
FC-	7 7/8	5 3/4	Handle	2" SAE	Bullfrog Spas 10-1035	PBF35-M	8CH-950	35	3	4	
FC-1007	8	7 3/8	4" open	4" open	Master Spas 40, Eco-Pure	PMA45-2004-R	C-8341	40	3	4	
FC-1007M	8	7 3/8	4 1/8" open	4 1/8" open	Eco-Pure outer filter (new style) - antimicro-	PMA45-2004-	N/A	40	3	4	
FC-3310	8	9	2 1/8" open	Male Slip	Coleman 50	PCS50N	C-8450	50	3	1	
FC-	8	9	2 1/8" open	Male Slip	Coleman Spas - antimicrobial	PCS50N/-M	C-8450RA	50	3	1	
FC-0515	8	9 1/4	Handle	2" MPT	60 sq. ft. Top Load	PMA60-F2M	8CH-66	60	3	1	
FC-0516	8	9 1/4	Handle	2" MPT	70 sq. ft., Top load/Upgrade	PMA70-F2M	N/A	70	3	1	
FC-3320	8	13	2 1/8" open	Male Slip	Coleman 75	PCS75N	C-8475	75	3	1	
FC-	8	13	2 1/8" open	Male Slip	Coleman Spas - antimicrobial	PCS75N-M	C-8475RA	75	3	1	
FC-2781	8	15 1/2	Handle	2" MPT	J-230, J-270, J-280 series spas	N/A	8CH-102	95	3	1	
FC-3965	8	16 1/2	Handle	3 1/2" open	Caldera 100	PCD100W	C-8399	100	3	1	
FC-	8	16 1/2	Handle	3 3/4" open	Caldera 100 (new style) - antimicrobial	PCD100W-M	C-8399RA	100	3	1	
FC-3966	8	16 1/2	3" open	3" open	Caldera	N/A	N/A	100	3	1	
FC-0517	8	18	Handle	2" MPT	Diamante Spas 120	PUST120-F2M	8CH-202	120	3	1	
FC-1301	9	23 15/16	4" open	4" open	Hayward X-Stream CC1750	PXST175	C-8317	175	3	1	
FC-1302	9	24	4" open	4" open	Waterway Clearwater II, Pro-Clean 125	PWWCT125		125	4	1	
FC-3929	8 1/2	10 1/2	3" open	3" open	Hot Spring Spas, Tiger River	PWK45N	N/A	45	3	4	
FC-2771	8 1/2	19 3/8	2 1/2 open	Open nipple	Pleated 880 MicroClean Ultra Outer	N/A	N/A		3	5	
FC-2772	8 1/2	19 3/8	3 1/2 open	Open nipple	FC-2769 & FC-2771 Kit	N/A	N/A		3	5	
FC-3052	8 1/2	7	Handle	2" MPT	PVT50W H	PVT50WH-F2L	8CH-502	50	3	4	
FC-	8 1/2	7	Handle	2" MPT	Circ Pump - antimicrobial	N/A	N/A	30	3	4	
FC-3053	8 1/2	7 1/4	1 5/8" open	2 5/8" with	50 sq. ft. Vita Spa	PVT50W	C-8350	50	3	1	
FC-3960	8 1/2	10 1/2	3" open	3" open	Watkins 65	PWK65	C-8465	65	3	1	
FC-	8 1/2	10 1/2	3" open	3" open	Watkins/i-lot Springs - antimicrobial	PWK65-M	C-8465RA	65	3	1	
FC-2810	8 1/2	14	Closed w/	2 1/2" open	Sundance MicroClean	N/A	C-8380	80	3	1	
FC-	8 1/2	14	Closed w/	2 1/2" open	Sundance MicroClean - antimicrobial	N/A	C-8380RA	80	3	1	
FC-3570	8 1/2	15 1/4	3 1/8" open	2 1/8" open	Atlantic Pool 100, Leisure Bay JC-100	PRW100	C-8310	100	3	1	
FC-1004	8 1/2	17	N/A	N/A	Master Spas EP Flat filter	PMA50-2002-F	N/A	25	3	4	
FC-	8 1/2	17	N/A	N/A	Master Spas - antimicrobial	N/A	N/A	40	3	6	
FC-1280	8 1/2	17 1/2	4" open	4" open	Hayward C-800, Hayward C-1500, 2 req.	PA80/-4/-M	C-8600	75	4	1	

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SQ.	OZ.	CASE	QTY.
EIGHT-INCH DIAMETERS <i>continued</i>											
FC-2751	8 1/2	17 3/4	Castle	2 1/2" open	Sundance	N/A	N/A	115	3	1	
FC-2790	8 1/2	18	Closed w/	2 1/2" open	Sundance Universal Length	PSD125U	C-8325	125	3	1	
FC-2750	8 1/2	18 1/4	Castle	2 1/16" open	Sundance 120	PSD125	C-8320	120	3	1	
FC-2780	8 1/2	19	2 1/2" open	2" Slip	Sundance Double End 120	PSD125-	C-8326	125	3	1	
FC-2791	8 1/2	19	2 1/2" open	beveled edge 2 1/2" Slip	Sundance MicroClean II Plus	N/A	N/A	N/A	N/A	1	
FC-3575	8 1/2	22 3/4	3 1/8" open	2 1/8" open	Atlantic Pool 150	PRW150	C-8315	150	3	1	
FC-1290	8 1/2	23 3/8	4" open	4" open	Hayward C-1100	PA100/-M/-4	C-8610	100	4	1	
FC-2520	8 11/16	9 3/4	4 3/16" open	4 3/16" open	Sta-Rite TX 35	PSR35-4	UHD-SR35	35	4	1	
FC-2530	8 11/16	13 5/16	4 3/16" open	4 3/16" open	Sta-Rite TX 50	PSR50-4/-M4	UHD-SR50	50	4	1	
FC-2540	8 11/16	18 3/16	4 3/16" open	4 3/16" open	Sta-Rite TX 70	PSR70-4/-M4	UHD-SR70	70	4	1	
FC-2550	8 11/16	25 11/16	4 3/16" open	4 3/16" open	Sta-Rite TX 100	PSR100-4/-M4	UHD-SR100	100	4	1	
FC-2551	8 11/16	25 11/16	4 3/16" open	4 3/16" open	Sta-Rite TX 100 (3 oz.)	N/A	SC3-SR100	100	3	1	
FC-2570	8 11/16	31 1/4	4 3/16" open	4 3/16" open	Sta-Rite PTM 135	PSR137-4	UHD-SR137	137	4	1	
FC-2560	8 11/16	34 1/2	4 3/16" open	4 3/16" open	Sta-Rite TX 135	PSR135-4	UHD-SR135	135	4	1	
FC-1265M	8 15/16	23 1/4	4" open	4" open	X-Stream antimicrobial M1500	N/A	N/A	150	4	1	
FC-1970	8 7/8	19 1/2	4" open	4" open	Purex DM 75	PDM75	C-8401	75	4	1	
FC-1255	8 15/16	17 3/8	4" open	4" open	Hayward C-760, Posi-Clean PXC 75	PWWPC75-4	C-8411	75	4	1	
FC-1285	8 15/16	17 3/8	4" open	4" open	X-StreamCCX1000	PWWPC100-4	C-8409	100	4	1	
FC-1292	8 15/16	17 3/8	4" open	4" open	Hayward C-900, Posi-Clean PXC 95	PA90/-M/-4/	C-8409	90	4	1	
FC-0902	8 15/16	19 11/16	3 3/4" open	3 3/4" open	Astral Terra 100	PAST100	C-8499	100	4	1	
FC-1286	8 15/16	23 1/4	4" open	4" open	X-StreamCCX1500	PWWPC-	C-8316	150	4	1	
FC-1286M	8 15/16	23 1/4	4" open	4" open	X-Stream antimicrobial M1500	PXST150-M	N/A	150	4	1	
FC-1288	8 15/16	23 1/4	4" open	4" open	Clearwater II Pool Filter	PWWCT200	C-8419	200	4	1	
FC-0821	8 15/16	23 5/16	4" open	4" open	Jandy CS 100	PJANCS100-4	C-8410	100	3	1	
FC-0822	8 15/16	23 5/16	4" open	4" open	Jandy CS 150	PJANCS150-4	C-8414	150	3	1	
FC-1273	8 15/16	23 5/16	4" open	4" open	Hayward X-Stream CC1750	PXST175	C-8317	175	3	1	
FC-1274	8 15/16	23 5/16	4" open	4" open	Hayward X-Stream CC2000	PXSST200	C-8319	200	3	1	
FC-0903	8 15/16	24 1/16	3 3/4" open	3 3/4" open	Astral Terra 150	PAST150	C-8415	150	4	1	
FC-2575	8 15/16	28 3/16	4" open	4" open	Posi Clear PXC 125	PWWPC-	C-8413	125	4	1	
FC-2576	8 15/16	28 3/16	4" open	4" open	Posi Clear PXC 150	N/A	C-8416	150	4	1	
FC-1211	8 15/16	28 3/16	4" open	4" open	Hayward CX1900XRE	PA190/PWWP-	C-8420	190	4	1	
FC-1294	8 15/16	28 3/16	4" open	4" open	Hayward C-1750, Posi-Clean PXC 175	PA175/-M/-4	C-8417	175	4	1	
FC-0823	8 15/16	33 1/8	4" open	4" open	Jandy CS 200	PJANCS200-4	C-8418	200	3	1	
FC-0824	8 15/16	33 1/8	4" open	4" open	Jandy CS 250	PJANCS250-4	C-8425	250	3	1	
NINE-INCH DIAMETERS											
FC-6255	9	22 5/8	3 15/16" open	3 15/16" open	Cooper CF 150 Performax	N/A	C-9603	150	4	1	
FC-1298	9 1/4	14 3/16	3" open	3" open	Hayward CX 850	PA85/-M/-4	C-9485	85	4	1	
FC-1299	9 1/4	19 3/8	3" open	3" open	Hayward CX 1250	PA125/-M/-4	C-9499	120	4	1	
FC-1460	9 15/16	10	5 13/16" open	6 1/16" open	Jacuzzi CFR 50	PJ50-4/-M4	C-9650	50	4	1	
FC-1480	9 15/16	14 1/4	5 13/16" open	6 1/16" open	Jacuzzi CFR 75	PJ75-4	C-9475	75	4	1	
FC-1490	9 15/16	19 7/8	5 13/16" open	6 1/16" open	Jacuzzi CFR 100	PJ100-4	C-9699	100	4	1	
FC-1495	9 15/16	24	5 13/16" open	6 1/16" open	Jacuzzi CFR 150	PJ150-4	C-9478	150	4	1	
FC-1498	9 15/16	24	5 13/16" open	6 1/16" open	Jacuzzi CFR 200	PJ200-4	C-9420	200	4	1	
TEN-INCH DIAMETERS											
FC-2960	10	13 1/4	5 15/16" open	6 1/16" open	Waterway Pool, Leisure Bay WW-50	PWW75-4	C-9401	75	4	1	
FC-1400	10	14 3/16	Handle	6" open	Sherlock 80	PJ80-4/-M4	C-9480	80	4	1	
FC-2965	10	19 1/4	5 15/16" open	6 1/16" open	Waterway Pool, Leisure Bay WW-100	PWW100-4/-M4	C-9402	100	4	1	
FC-1401	10	20 1/16	Handle	6" open	Sherlock 120	PJ120-4/-M4	C-9481	120	4	1	

Accessories

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	SO.	OZ.	CASE QTY.
TEN-INCH DIAMETERS <i>continued</i>										
FC-1402	10	24 5/16	Handle	6" open	Sherlock 160	PJ160-4	C-9482	160	4	1
FC-2969	10	25 1/4	5 1/16" open	6 1/16" open	Waterway Pool, Leisure Bay WW-150	PWW150-4/-M4	C-9403	150	4	1
FC-1403	10	29 13/16	Handle	6" open	Sherlock 200	PJ200S-4/-M4	C-9483	200	4	1
FC-2978	10	25 3/8	6" open	6" open	Waterway 200 Clearwater Cartridge	PWW200-4	N/A	200	4	1
FC-0684	10 1/16	8 7/16	6" open	6" open	Predator 50-Clean & Clear 50	PAP50-4/-M4	C-9405	50	4	1
FC-0685	10 1/16	16 1/8	6" open	6" open	Predator 75-Clean & Clear 75	PAP75-4/-M4	C-9407	75	4	1
FC-3106	10 1/16	19 3/8	3/8" open	6" open	Val Pak, Heldor	N/A	C-9999	100	4	1
FC-0686	10 1/16	23 3/8	6" open	6" open	Predator 100-Clean & Clear 100	PAP100-4/M4	C-9410	100	4	1
FC-0696	10 1/16	23 3/8	6" open	6" open	Predator/Clean & Clear 125	N/A	C-9412	125	4	1
FC-0688	10 1/16	31 1/8	6" open	6" open	Predator 200-Clean & Clear 200	PAP200-4/M4	C-9419	200	4	1
FC-0825	10 3/4	28	5 15/16" open	5 15/16" open	Jandy CJ 200	N/A	C-9421	200	4	1
FC-0830	10 3/4	34	5 15/16" open	5 15/16" open	Jandy CJ 250	N/A	C-9422	250	4	1
TWELVE-INCH DIAMETERS										
FC-0840	12 1/16	17	3 1/16" open	3 1/16" open	Jandy Pro Edge	N/A	C-9498	200	4	1
ACCESSORIES										
FC-3125	2 3/4	10	Hose fitting	Closed	Pleated sediment filter w/hose adapter	N/A	C-2699	4	4	12
FC-3128	2 3/4	10	Hose Fitting	Closed	Disposable sediment filter w/hose adapter	N/A	N/A	N/A	N/A	12
FC-3129	4 15/16	13 1/2	Hose Fitting	Closed	w/hose adapter	N/A	N/A	N/A	N/A	6

Note: All Top and Bottom dimensions represent "inches".

Note: Cross-references to are based on the best available information at the time of publication.

FILBUR does not consider all cross-references of equal quality/construction due to media deviations from OEM specifications by Pleatco.

When & How to Clean your Filter Cartridge

WHEN:

When the pressure gauge on your filter tank reaches 8 p.s.i. above the pressure recorded when a new cartridge is installed, or when there is a noticeable decrease in the pressure coming from your return jets, it is time to clean your cartridge.

HOW:

1. Turn the power off to your pump and bleed the excess air pressure of the system using the air valve on the filter. Remove any band clamps and/or lids to your filter. Remove the cartridge from the filter canister and dislodge any loose debris by directing a stream of water from a garden hose between each pleat. Do not use a high pressure car wash wand or a stiff brush to clean your cartridge. These abrasive methods may damage the filter media and snap the bands.
2. Spray Pure 'n Clean™ filter cleaner on the cartridge or grid to remove any oils or other organics. If stubborn stains persist, soak the cartridge overnight in a solution of TSP.
3. Rinse the cartridge thoroughly with clean fresh water and return it to the filter tank. Secure the tank lid and any band clamps completely and restart your filtration system per manufacturers instructions.



CAUTION

- Follow your filter equipment manufacturer's instructions when removing or re-installing your filter cartridge.
- Always shut down your system before working on your cartridges.
- We recommend against acid washing filter or using a pressure washer to clean the media.

Cartridges by Pool/Spa Manufacturer

This section details the cartridges available by Original Equipment Manufacturer (OEM). You will find in alphabetical order the listing of both pool and spa manufacturers. We have combined both pool and spa sections into one quick and easy cross reference. All FILBUR cartridges include the features listed below.

- OEM specified media.
- Straight, sharp and evenly spaced pleats for maximum filtration efficiency.
- Durable polyurethane end caps which provide strength and assure proper sealing in filter tank.
- Drilled PVC center cores for the strongest cores in the industry. PVC center core for support.
- Evenly spaced holes in center core for maximum distribution of flow through the cartridge.

Aber Hot Tub –

cartridges by OEM

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
ABER HOT TUB											
FC-2385	4 15/16"	9 1/4"	2 1/8" open	2 1/8" open	Rainbow Dynamic 35	03FIL1300	PRB35-IN	C-4335	35	3	6
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50	03FIL1600	PRB50-/MIN	C-4950	50	3	6
FC-0359	6"	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4"; Male SAE Thread	03FIL1400	PWW50P3	6CH-940	40	3	6
FC-0315	6"	9"	Handle	1 1/2" open	6 x 9"	03FIL1500	PTL47W-P-M	6CH-47	50	3	6
ACCENT SPAS											
FC-3077	4 1/4"	4"	1 15/16" open	1 15/16" open	Skim Filter 10		PWW10	C-4310	10	3	6
FC-2915	4 15/16"	11 1/4"	2 1/8" open	2 1/8" open	Waterway 40		PWW40	C-4339	40	3	6
FC-2375	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
ACRYX-MAAX SPAS											
FC-2375	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2380	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 37		PRB37-IN-4	C-4637	37	4	6
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
FC-2940	4 15/16"	23 3/8"	2 1/8" open	2 1/8" open	Waterway 100		PCAL100	C-4995	95	3	4
ADDISON SPAS											
FC-0151	4 3/8"	14 3/4"	Handle	1 1/2" MPT	4 3/8" x 14 3/4"		PTL50P-4	4CH-50	50	3	6
ADVANCED SPA DESIGN See LA Spas											
ADVANTAGE MANUFACTURING											
FC-1610	4 15/16"	14 7/8"	2 1/8" open	2 1/8" open	Advantage Electric 25	220128	PMT27.5	C-4301	25	3	6
FC-6305	4 15/16"	14 1/16"	2 1/8" open	2 1/8" open	Advantage Electric 25-1	ELE-25-1 Top Load	POX25-IN	C-4308	25	3	6
FC-6310	4 15/16"	17 3/8"	2 1/8" open	2 1/8" open	Advantage Electric 50	ELE-50 Top Load	PAE50	C-4349	50	3	6
FC-6315	7 1/4"	14 3/8"	2 15/16" open	2 15/16" open	Advantage Electric 75	ELE-75	PAE75	C-7301	75	3	1
FC-6320	7 1/4"	21 1/16"	2 15/16" open	2 15/16" open	Advantage Electric 100	ELE-100	POX100	C-7302	100	3	1
FC-6325	7 1/4"	28 1/16"	2 15/16" open	2 15/16" open	Advantage Electric 150	ELE-150	PAE150	C-7303	150	3	1

Alcove Spas –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
ALCOVE SPAS											
FC-3076	3 ¼	9 ¾	1 ½" open	1 ½" open	Alcove 8		PS9-4	C-3608	8	3	12
FC-0121	4 ¾	8	Handle	1 ½" open	4 ¾ x 8		PTL18-4	4CH-21	19	3	6
ALPS SPAS											
FC-2370	4 1 ½	13 ¾	2 ½" open	2 ½" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	4	6
FC-2390	4 1 ½	13 ¾	2 ½" open	2 ½" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
AMERICAN CLASSIC SPAS											
FC-0151	4 ¾	14 ¾	Handle	1 ½" MPT	4 ¾ x 14 ¾		PTL50P-4	4CH-50	50	3	6
AMERICAN PRODUCTS See Pentair Pool Products - American											
AMERICAN SPAS											
FC-2390	4 1 ½	13 ¾	2 ½" open	2 ½" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-0310	6	7	Handle	1 ½" MPT	6 x 7		PTL25W-SV-P-4	6CH-26	25	3	6
FC-0359	6	8 ¼	Handle	1 ½" SAE	6 x 8 ¼; Male SAE Thread		PWW50P3	6CH-940	40	3	6
AMISH COUNTRY SPAS											
FC-3626	5 ¾	11 ¾	1 ½" open	1 ½" open	P.Marquis 25 (old design)		PPM25-4	C-5626	25	4	6
FC-3623	5 ¾	11 ¾	Closed	1 ½" open	Pacific Marquis 34, C/top New Design; Product has a closed top.		PPM35TC	C-5423	35	3	6
FC-3637	5 ¾	19 ¾	1 ½" open	1 ½" open	P.Marquis 40 Old design.		PPM40-4	C-5637	40	4	6
FC-3634	5 ¾	19 ¾	Closed	1 ½" open	Pacific Marquis 58, C/top New Design; Product has a closed top.		PPM60TC	C-5434	60	3	6
APOLLO SPAS											
FC-1220	4 ¾	11 ¾	2 ½" open	2 ½" open	Hayward C-225		PA225-4/M4	C-4325	25	3	6
FC-0640	4 1 ½	11 ¾	2 ½" open	2 ½" open	Amer. Commander II - 25		N/A	C-4327	25	3	6
FC-2386	4 1 ½	4 ¾	2 ½" open	2 ½" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	4	6 sets
FC-2375	4 1 ½	13 ¾	2 ½" open	2 ½" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 1 ½	13 ¾	2 ½" open	2 ½" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-1330	5 1 ½	10 ¾	String Handle	2 ½" open	Jacuzzi Aero, Caressa, C/top Product has closed top.		PJW23-M4	C-5601	25	3	6
FC-0359	6	8 ¼	Handle	1 ½" SAE	6 x 8 ¼; Male SAE Thread		PWW50P3	6CH-940	40	3	6
AQUA LEISURE											
FC-3750	4 ¼	4	1 1 ½" open	1 1 ½" open	Aqua Leisure		N/A	C-4313	3	3	6
FC-3753	4 ¼	3 ¾	2 ½" open	2 ½" open	Sand N' Sun, Wal Mart, Simple Set Type "1". Packaged in sets of 2 filters. Unicel is individually packaged.	Size 1	PBW4PAIR	C-4313	3	3	12 sets
AQUA MYSTIC SPAS											
FC-2375	4 1 ½	13 ¾	2 ½" open	2 ½" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 1 ½	13 ¾	2 ½" open	2 ½" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
AQUA SPAS											
FC-3071	4 ¾	9 ¾	Handle	1 ¾" with slots	Aqua Spa 20		PAQ25IN	C-4402	20	4	6
AQUA TECH SPAS											
FC-0151	4 ¾	14 ¾	Handle	1 ½" MPT	4 ¾ x 14 ¾		PTL50P-4	4CH-50	50	3	4
FC-2386	4 1 ½	4 ¾	2 ½" open	2 ½" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets
FC-2390	4 1 ½	13 ¾	2 ½" open	2 ½" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
AQUATEMP											
FC-6255	9	22 ¾	2 1 ½" open	2 1 ½" open	Cooper CF 150 Performax	84-92313	N/A	C-9603	150	4	1

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
AQUAFORM-INFINITY SPAS											
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
ARCADIA SPAS											
FC-0359	6	8 1/4	Handle	1 1/2" SAE	6 x 8 1/4; Male SAE Thread		PWW50P3	6CH-940	40	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
ARCTIC SPAS See also Blue Falls Manufacturing											
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-2392	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Disposable Meltblown Polypro Filter. Replaces Micro-Pure disposable 00-4950. Made from meltblown polypropylene. Sold in case quantities only.	N/A	N/A	N/A	N/A	12	12
ARIES SPAS											
FC-2370	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
ARIZONA PACIFIC SPAS See also Diamondback Spas											
FC-2386	4 15/16	4 3/8	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets
FC-2387	4 15/16	6 3/8	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set		PRB25SF-PAIR/JH	C-4405	50	3	6 sets
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-0320	6	9 3/4	Handle	1 1/2" MPT	6 x 9 3/4		PTL35W-P-4	6CH-35	35	3	6
FC-0340	6	13 3/16	Handle	1 1/2" MPT	6 x 13 3/16		PTL50W-SV-P-4	6CH-50	50	3	1
ARTESIAN SPAS											
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50	06-0012-12	PRB50-/-MIN	C-4950	50	3	6
FC-0310	6	7	Handle	1 1/2" MPT	6 x 7		PTL25W-SV-P-4	6CH-26	25	3	6
FC-0311	6 3/4	8	Handle	2" MPT	Artesian Spas 50	06-0006-12	PAS50SV-F2M	6CH-502	35	3	4
FC-0311M	6 3/4	8	Handle	2" MPT	Artesian Spas antimicrobial		PAS50SV-F2M-M	6CH-502RA	35	3	4
FC-0312	6	7	1 1/8" open	2" MPT	Resort Line Series disposable Qualiflo filter OEM product has purple end caps and netting on the outside of cartridge	06-0055-12	N/A	6CH-352	N/A	N/A	6
FC-0313	6 3/4	8	Handle	2" MPT	Artesian Spas 50 with Qualiflo		N/A	N/A	N/A	N/A	4
FC-0419	7	7 3/8	Handle	2" MPT	7 x 7 3/8 Original is 7 1/8" OD and 7 3/8" overall length.		PAS35-2-M	7CH-322	35	3	4
ASTRAL											
FC-0902	8 15/16	19 11/16	3 3/4" open	3 3/4" open	Astral Terra 100	18112RO100	PAST100	C-8499	100	4	1
FC-0903	8 15/16	24 1/16	3 3/4" open	3 3/4" open	Astral Terra 150	18220RO100	PAST150	C-8415	150	4	1
ATERA SPAS (FOUR SEASONS HOME RESORT PRODUCTS)											
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow 50		PRB50-/-MIN	C-4950	50	3	6
FC-0359	6	8 1/4	Handle	1 1/2" SAE			PWW50P3	6CH-940	40	3	6
FC-0121	4 3/8	8	Handle	1 1/2" MPT	19 sq. ft. Top Load		PTL18-4	4CH-21	20	3	6
ATLANTIC POOL PRODUCTS See Jacuzzi Brothers											
AVALON/VICTORY											
FC-0202M	5 1/8	16 1/16	Handle	2" MFT	Avalon /Victory - antimicrobial	FIL11100212	PCAL60-F2M-M	N/A	60	3	4
BAJA SPAS											
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-2397	4 15/16	26 11/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 100		PRB100	C-4999	100	3	4
BAKER-HYDRO											
FC-1620	4 15/16	11 7/8	2 1/8" open	2 1/8" open	Baker Hydro Mini-Mite 25	SC-3500, 17-B1151	PMT25	C-4332	25	3	6

Baker-Hydro continued

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE	QTY.
BAKER-HYDRO continued												
FC-0710	7	9 13/16	Handle	Cone	Baker Hydro HM 25	17-B2054	PBH25-4	C-7604	25	4	1	
FC-0720	7	19%	Handle	Cone	Baker Hydro HM 50	17-B2055	PBH50	C-7605	50	4	1	
FC-0770	7	19%	Handle	Cone	Baker Hydro UM 75	17-B1166	PBH-UM75	C-7406	75	4	1	
FC-0730	7	29%	Handle	Cone	Baker Hydro HM 75	17-B2056	PBH75	C-7606	75	4	1	
FC-0780	7	29%	Handle	Cone	Baker Hydro UM 100	17-B1167	PBH-UM100	C-7407	100	4	1	
FC-0740	7	39%	Handle	Cone	Baker Hydro HM 100; 2 piece Length reflects the total of 2 cartridges each 19 1/2" long.	17-B2071	PBH100	C-7607	100	4	1	
FC-0790	7	39%	Handle	Cone	Baker Hydro UM 150; 2 piece Length reflects the total of 2 cartridges each 19 1/2" long.	17-B1168	PBHUM150	C-7408	150	4	1	
BEACHCOMBER SPAS												
FC-2386	4 15/16	4%	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets	
FC-2387	4 15/16	6%	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set		PRB25SF-PAIR/JH	C-4405	50	3	6 sets	
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6	
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6	
BELIZE SPAS												
FC-0359	6	8 1/4	Handle	1 1/2" SAE	6 x 8 1/4; Male SAE Thread Two 50 sq.ft. cartridges required (used side-by-side).		PWW50P3	6CH-940	40	3	6	
FC-2385	4 15/16	9 1/4	2 1/8" open	2 1/8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	4	
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6	
BLUE FALLS MFG. (CANADA) See also Arctic Spas												
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6	
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6	
FC-2392	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow disposable Meltblown Polypro Filter. Replaces Micro-Pure disposable 00-4950. Sold in case quantities only.		N/A	N/A	N/A	N/A	12	
BLUE PACIFIC SPAS												
FC-0141	4 5/8	11 7/8	Handle	1 1/2" MPT	4 5/8 x 11 7/8		PTL25P-4	4CH-30	30	4	6	
FC-2370	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6	
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6	
FC-0340	6	13 3/16	Handle	1 1/2" MPT	6 x 13 3/16		PTL50W-SV-P-4	6CH-50	50	3	1	
BLUE RIDGE SPAS												
FC-0131	4%	9%	Handle	1 1/2" MPT	4 5/8 x 9%		PGS25P4	4CH-24	25	3	6	
BULLFROG SPAS												
FC-2385	4 15/16	9 1/4	2 1/8" open	2 1/8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	4	
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6	
FC-0359	6	8 1/4	Handle	1 1/2" SAE	Skim filter, Waterway 50		PWW50P3	6CH-940	40	3	6	
FC-0536	7 3/4	5 3/4	Handle	2" SAE	Bullfrog 50	10-1035	PBF50-F2S	8CH-950	35	3	4	
FC-0536M	7 7/8	5%	Handle	2" SAE	Bullfrog Spas	10-1035	PBF35-M		35	3	4	
CAL SPAS												
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6	
FC-2390M	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic in-line		N/A	C-4950RA	50	3	6	
FC-1630	4 15/16	14 7/8	2 1/8" open	2 1/8" open	Martec 50		PMT50	C-4305	50	3	6	
FC-2930	4 15/16	23%	2 1/8" open	2 1/8" open	Waterway 75		PCAL75	C-4970	75	3	6	

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
CAL SPAS continued											
FC-2940	4 15/16	23 3/8	2 1/8" open	2 1/8" open	Waterway 100		PCAL100	C-4995	100	3	4
FC-2971	5 5/16	14 11/16	2 1/8" open	2 1/8" open	LP 65 sq. ft.		PLBS75/-M	C-5374	65	3	6
FC-2971M	5 5/16	14 11/16	2 1/8" open	2 1/8" open	LP 65 sq. ft.		N/A	C-5374RA	65	3	6
FC-0195	5 3/16	12 1/2	Handle	2" MPT	50 sq. ft. Top Load		PPM-350SC-F2M	5CH-502	50	3	6
FC-0195M	5 3/16	12 1/2	Handle	2" MPT	50 sq. ft. Top Load 2009 Models have removable end cap with dispenser		PPM-50SC-F2M-M	5CH-502	50	3	6
FC-0196M	5 3/16	12 1/2	Handle	2" MPT	Cal Spas Avalon		PCAL-42-F2M-M	N/A	35	3	6
FC-0203M	5 3/16	12 1/2	Remov-able Handle	2" MPT	Cal Spa removable top		N/A	N/A	50	3	4
FC-0202	5 3/16	16 1/16	Handle	2" MPT	Avalon/Victory		PCAL60-F2M	5CH-702	65	3	4
FC-0202M	5 3/16	16 1/16	Handle	2" MPT	Avalon/Victory 2009 Models have removable end cap with dispenser		PCAL60-F2M-M	N/A	65	3	4
FC-0204M	5 3/16	16 1/16	Remov-able Handle	2" MPT	Cal Spa removable top		N/A		65	3	4
FC-1240	7	19 3/8	3" w/ gasket	3" open	Hayward CX 500		PA50/-4/-M	C-7656	50	4	1
FC-1280	8 1/2	17 1/2	4 1/16" w/ gasket	4 1/16" open	Hayward C-800		PA80/-4/-M	C-8600	75	4	1
FC-1290	8 1/2	23 3/8	4 1/16" w/ gasket	4 1/16" open	Hayward C-1100		PA100/-M/-4	C-8610	100	4	1
CALDERA SPAS											
FC-3084	7	10 3/4	Handle	2" Male Slip	Caldera 50	33016	PCD50	C-7451	50	3	1
FC-3963	7	10 3/4	Handle	2 11/16" open	Caldera 50 (new style)	1019401	PCD50N	C-7350	50	3	1
FC-3963M	7	10 3/4	Handle	2 11/16" open	Caldera 50 (new style) antimicrobial	N/A	C-7350RA		50	3	1
FC-3085	7	14 3/4	Handle	2" Male Slip	Caldera 75	33017	PCD75	C-7479	75	3	1
FC-3964	7	14 3/4	Handle	2 11/16" open	Caldera 75 (new style)	1019301	PCD75N	C-7375	75	3	1
FC-3964M	7	14 3/4	Handle	2 11/16" open	Caldera 75 (new style) antimicrobial	1019301	N/A	C-7375RA	75	3	1
FC-3965	8	16 1/2	Handle	3 3/8" open	Caldera 100	1039607	PCD100W	C-8399	100	3	1
FC-3966	8	16 1/2	3" open	3" open	Caldera		N/A	N/A	100	3	1
FC-3965M	8	16 1/2	Handle	3 3/4" open	Caldera 100 (new style) antimicrobial		N/A	N/A	100	3	1
CANSPA MFG (CANADA)											
FC-0359	6	8 1/4	Handle	1 1/2" SAE	6 x 8 1/4; Male SAE Thread Two 50 ft. cartridges required side-by-side.		PWW50P3	6CH-940	50	3	6
FC-2386	4 15/16	4 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets
CANTAR POOL PRODUCTS See Jacuzzi Brothers											
CATALINA/CARIBBEAN SPAS											
FC-2386	4 15/16	4 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 35 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets
FC-2387	4 15/16	6 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set		PRB25SF-PAIR/JH	C-4405	50	3	6 sets
FC-0359	6	8 1/4	Handle	1 1/2" SAE	6 x 8 1/4; Male SAE Thread		PWW50P3	6CH-940	40	3	6
CHARISMA SPAS											
FC-3077	4 1/4	4	1 15/16" open	1 15/16" open	Skim Filter 10		PWW10	C-4310	10	3	6
FC-0141	4 5/8	11 7/8	Handle	1 1/2" MPT	4 5/8 x 11 7/8		PTL25P-4	4CH-30	30	4	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6
FC-0359	6	8 1/4	Handle	1 1/2" SAE	6 x 8 1/4; Male SAE Thread		PWW50P3	6CH-940	40	3	6
FC-0340	6	13 3/16	Handle	1 1/2" MPT	6 x 13 3/16		PTL50W-SV-P-4	6CH-50	50	3	1

Clearwater Spas –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
CLEARWATER SPAS											
FC-2386	4 1/16"	4 3/8"	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets
FC-2387	4 1/16"	6 3/8"	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set		PRB25SF-PAIR/JH	C-4405	50	3	6 sets
FC-1320	5 1/16"	10 3/8"	String Handle	2 1/8" open	Jacuzzi Whirlpool 50, C/top		PJW50	C-5300	50	3	6
FC-0359	6	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4"; Male SAE Thread		PWW50P3	6CH-940	40	3	6
CLIPPER SPAS											
FC-2390	4 1/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
COAST SPAS (CANADA)											
FC-2390	4 1/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
FC-2940	4 1/16"	23 3/8"	2 1/8" open	2 1/8" open	Waterway 100		PCAL100	C-4995	95	3	4
FC-2397	4 1/16"	26 1/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 100		PRB100	C-4999	100	3	4
FC-2975	5 5/16"	21 5/16"	2 1/8" open	2 1/8" open	Coast 100		PCST80/-M	C-5396	100	3	1
FC-2975M	5 5/16"	21 5/16"	2 1/8" open	2 1/8"	Coast Spas - antimicrobial	N/A	C-5396RA		100	3	1
FC-2976	5 5/16"	30 1/8"	2 1/8" open	2 1/8" open	Coast 150		PCST120	C-5351	150	3	1
COAST MOUNTAIN SPAS (CANADA)											
FC-2375	4 1/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN	C-4326	25	3	6
FC-2385	4 1/16"	9 1/4"	2 1/8" open	2 1/8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	6
FC-2390	4 1/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
COLECO											
FC-3709	4 1/4"	8	1 15/16" open	1 15/16" open	Coleco F-120; no core		N/A	C-4606	5	4	12
FC-3710	4 1/4"	8	1 15/16" open	1 15/16" open	Coleco F-120, w/core	58600, 59900, F18	PC7-120/PAIR	C-4607	5	4	12
FC-3730	4 3/4"	11	1 1/8" open	2 3/8" open	Coleco F-112 w/core		PC11-4	C-4611	8	4	12
COLEMAN SPAS											
FC-2915	4 1/16"	11 1/4"	2 1/8" open	2 1/8" open	Waterway 40	100585	PWW40	C-4339	40	3	6
FC-2375	4 1/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.	100586	PRB25-IN	C-4326	25	3	6
FC-2390	4 1/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50	100533	PRB50-/MIN	C-4950	50	3	6
FC-0202M	5 1/16"	16 1/16"	Handle	2" MFT	Avalon /Victory - antimicrobial	FIL11100212	PCAL60-F2M-M	N/A	60	3	4
FC-0300	5 5/8"	8	Handle	1 1/2" MPT	Elite Spa by Coleman		PAS35P	5CH-35	35	3	6
FC-0300M	5 5/8"	8	Handle	1 1/2" MPT	5-5/8" x 8" - antimicrobial		PAS35P-M	5CH-35RA	35	3	4
FC-0420	7	8	Handle	2" MPT	7 x 8	100520	PAS35-2	7CH-322	32	3	4
FC-0425	7	8	Handle	1 1/2" MPT	7 x 8	100432	PCS32P	7CH-32	32	3	4
FC-0435	7	9 3/4"	Handle	1 1/2" MPT	7 x 9 3/4"	100433	PCS40P	7CH-40	40	3	4
FC-0430	7	9 3/4"	Handle	2" MPT	7 x 9 3/4"	100521	PCS40-F2M	7CH-402	40	3	4
FC-0463	7	14 3/4"	Handle	1 1/2" MPT	7 x 14 3/4"	100434	PVT50P	7CH-50	50	3	4
FC-0460	7	14 3/4"	Handle	2" MPT	7 x 14 3/4", 50 sq. ft.	100522	PCS50-F2M	7CH-502	50	3	4
FC-3310	8	9	2 1/8" open	Male Slip	Coleman 50 Model dated after 1992.	100593	PCS50N	C-8450	50	3	1
FC-3310M	8	9	2 1/8" open	Male Slip	Coleman Spas - antimicrobial		PCS50N/-M	C-8450RA	50	3	1
FC-3320	8	13	2 1/8" open	Male Slip	Coleman 75 Model dated after 1992.	100594	PCS75N	C-8475	75	3	1
FC-3320M	8	13	2 1/8" open	Male Slip	Coleman Spas - antimicrobial		PCS75N-M	C-8475RA	75	3	1

FILBUR #	O.D. LENGTH		TOP	BOTTOM DESCRIPTION		OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
COLUMBIA SPAS											
FC-2385	4 15⁄16	9 ¼	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	6
FC-2390	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
COMFORT LINE SPAS											
FC-0183	4 5⁄8	4 5⁄8	Handle	1 1⁄10" open "	4 5⁄8 x 4 5⁄8		PTL18/PSS17.5	C-4302	12	3	6
COMPETITION POOL PRODUCTS See Jacuzzi Brothers											
CRYSTAL WATER SPAS (CANADA)											
FC-2385	4 15⁄16	9 ¼	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	6
FC-2390	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-2750	8 ½	18 ¼	Castle	2 11⁄16" open	Sundance 120		PSD125	C-8320	120	3	1
CTA SPAS											
FC-0131	4 5⁄8	9 ¾	Handle	1 ½" MPT	4 5⁄8 x 9 ¾		PGS25P4	4CH-24	25	3	6
CUSTOM MOLDED PRODUCTS											
FC-3077	4 ¼	4	1 15⁄16" open	1 15⁄16" open	10 sq. ft. skim filter	146949, 25249, 378900, 817-0010	PWW10	C-4310	10	3	6
FC-2385	4 15⁄16	9 ¼	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 35	03FIL1300, 17-2482, 25393, 303557, 817-3501	PRB35-IN	C-4335	35	3	6
FC-2375	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 25, 3 oz.	100586, 33521, 172327, 25392, 303909, M-4326, 817-2500	PRB25-IN	C-4326	25	3	6
FC-2390	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 50	03FIL1600, 100533, 6540-471, 17-2380, 25391, 817-5000	PRB50-/-MIN	C-4950	50	3	6
FC-2395	4 15⁄16	20 1⁄8	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 75	17-2632, 25390	PRB75	C-4975	75	3	6
FC-0359	6	8 ¼	Handle	1 ½" SAE	40 sq. ft. Skim filter Two 40 sq. ft. cartridge required (used side-by-side).	03FIL1400, PWW 50, 25252, 378902, 817-0050	PWW50P3	6CH-940	80	3	6
FC-0360	6	8 ¼	Handle	1 ¾" Male Slip	40 sq. ft. Skim filter -top FC-0360 and FC-0361 required (stacked).	25253, 25254, 817-0011	PW-W100ST-P3	6CH-941	80	3	6
FC-0361	6	8 ¼	1 ¾" open	1 ½" SAE	40 sq. ft. Skim filter -bottom FC-0360 and FC-0361 required (stacked).	25253, 25254, 817-0012	PWW100STP3	6CH-942	80	3	6
CYANNA VALLEY SPAS (VIKING)											
FC-3077	4 ¼	4	1 15⁄16" open	1 15⁄16" open	Top/bottom skim filter	PWW10	PWW10	C-4310	10	3	6
FC-0359	6	8 ¼	Handle	1 ½" SAE		PWW50	PWW50P3	6CH-940	40	3	6
DAKOTA SPAS											
FC-0137	4 5⁄8	8 ½	Handle	1 ½" MPT	Acme Thread type (special)		N/A		25	3	6
FC-2394	4 15⁄16	12 ¼	2 1⁄8" open	2 1⁄8" open	Dakota Spas 45		PDS45	C-4311	45	3	6
FC-2375	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-2395	4 15⁄16	20 1⁄8	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 75		PRB75	C-4975	75	3	6
FC-0359	6	8 ¼	Handle	1 ½" SAE	6 x 8 ¼; Male SAE Thread		PWW50P3	6CH-940	40	3	6
DEL SOL SPAS											
FC-2811	5 ½	11	Handle	2" MPT	Hermosa, Redondo		PJW40SC-F2M	5CH-402	45	3	6
DIAMANTE SPAS See U.S. Tooling & Spa											
DIAMOND SPAS											
FC-1330	5 11⁄16	10 3⁄8	String Handle	2 1⁄8" open	Jacuzzi Aero, Caressa, C/top		PJW23-M4	C-5601	25	3	6
FC-2375	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6

Diamond Back Spas –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE	QTY.
DIAMOND BACK SPAS SEE ARIZONA PACIFIC SPAS												
DIMENSION ONE SPAS												
FC-0141	4%	11 7/8	Handle	1 1/2" MPT	4 3/8 x 11 7/8	1561-14	PTL25P-4	4CH-30	25	4	6	
FC-0173	4%	11 7/8	Handle	SAE	4 3/8 x 12", Male SAE Thread	1561-04	PDO-UF25P2	4CH-950	25	3	4	
FC-0151	4%	14 3/4	Handle	1 1/2" MPT	4 3/8 x 14 3/4	1561-05	PTL50P-4	4CH-50	50	3	6	
FC-0177	4%	15	Handle	SAE	4 3/8 x 15", Male SAE Thread	1561-13	PDO-UF40P2	4CH-940	40	3	4	
FC-3081	4 15/16	11 5/8	2 1/8" open	2 1/8" open	Dimension One 40 Product discontinued by Dimension One Spas.	1561-03	PMT40	C-4340	40	3	6	
FC-3097	5 1/2	17	1 15/16" open	2 7/8" open	Ozone 40 w/concentric holes Ozone cartridge.	1561-09	PDO40-4	C-5404	40	4	1	
FC-0475	7	10 1/2	Handle	1 1/2" SAE	7 x 10 1/2, Male SAE Thread	1561-12	PDO75P3	7CH-975	75	3	1	
FC-0470	7	14 3/4	Handle	2" MPT	7 x 14 3/4, 75 sq. ft.	1561-02	PTL75XW-F2M	7CH-752	75	3	1	
FC-3058	7 1/8	5 1/8	Closed w/ standoff twist lock		Dimension One SpaBerry 25		N/A	C-7335	35	3	1	
FC-3059	7 1/8	10 1/2	Closed w/ standoff twist lock		Dimension One 75 Models dated after 2000.	1561-00	PDO75-2000	C-7367	75	3	1	
DISCOVERY SPAS												
FC-2386	4 15/16	4%	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets	
FC-2387	4 15/16	6%	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set		PRB25SF-PAIR/JH	C-4405	50	3	6 sets	
FC-3078	4 15/16	10 3/8	Closed	2 1/8" open	Skim Filter 30, C/Top Product has a closed top.		N/A	C-4431	30	3	6	
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6	
DM INDUSTRIES See Vita Spas												
DOLPHIN SPAS												
FC-0122	4%	4%	Handle	1 1/2" MPT	4 3/8 x 4 3/8		PSG13.5P4	4CH-19	13	3	6	
FC-0141	4%	11 7/8	Handle	1 1/2" MPT	4 3/8 x 11 7/8		PTL25P-4	4CH-30	30	4	6	
FC-1630	4 15/16	14 7/8	2 1/8" open	2 1/8" open	Martec 50		PMT50	C-4305	50	3	6	
DOUGHBOY												
FC-4005	7	6 1/2	Handle	1 1/2" open	Doughboy 20	2396-020	PD20SL-4	C-7401	20	4	1	
FC-4010	7	9 1/2	Handle	1 1/2" open	Doughboy 40	2396-040	PD40SL-4	C-7402	40	4	1	
FC-4015	7	17 3/8	Handle	1 1/2" open	Doughboy 60	2396-060	PD60SL-4	C-7403	60	4	1	
FC-4020	7	26 1/4	Handle	1 1/2" open	Doughboy 90	2396-090	PD90SL-4	C-7409	90	4	1	
DOWN EAST SPAS See Master Spas												
DREAM MAKER SPAS												
FC-0131	4%	9 3/4	Cone Handle	1 1/2" MPT	After Hours Spas: Remove "pad adapter" (if installed) from skimmer before threading our filter into the suction fitting.		PGS25P4	4CH-24	25	3	4	
FC-0136	8 1/2	8 1/2	Handle	1 1/2" MPT	Top Load: Remove "pad adapter" (if installed) from skimmer before threading our filter into the suction fitting. 2005 - Present spas with spillover feature.	PDM-25 (new)	PDM25P	4CH-21	19	3	4	
DYNASTY SPAS												
FC-0151	4%	14 3/4	Handle	1 1/2" MPT	4 3/8 x 14 3/4		PTL50P-4	4CH-50	50	3	6	
FC-2386	4 15/16	4%	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets	
FC-2915	4 15/16	11 1/4	2 1/8" open	2 1/8" open	Waterway 40		PWW40	C-4339	40	3	6	
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6	
FC-2970	5 1/8	10 1/8	2 1/8" open	2 1/8" open	Rainbow, Waterway, Rec Warehouse	C-5345	PLBS50/-M	50	3 oz.	6		
FC-0359	6	8 3/4	Handle	1 1/2" SAE	6 x 8 3/4; Male SAE Thread		PWW50P3	6CH-940	40	3	6	

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
ELITE SPAS BY MAAX											
FC-0300	5 5/8	8	Handle	1 1/2" MPT	Maax/Coleman Spas		PAS35P	5CH-35	35	3	6
EMERALD SPAS											
FC-2320	2 7/8	17 1/16	1 1/16" open	1 1/16" open	Rainbow 14.5		PRB14.5/-M	C-2302	15	3	12
FC-2324	2 7/8	17 1/16	2 1/8" open	2 1/8" open	Rainbow Chlor.		PRB8.5/-M	C-2303	9	3	12
FC-1220	4 5/8	11 7/8	2 1/16" open	2 1/16" open	Hayward C-225		PA225-4/M4	C-4325	25	3	6
FC-1620	4 15/16	11 7/8	2 1/8" open	2 1/8" open	Martec 32		PMT25	C-4332	32	3	6
FC-2395	4 15/16	20 1/8	2 1/8" open	2 1/8" open	Rainbow Dynamic 75		PRB75	C-4975	75	3	6
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-1425	5	13 3/16	2 3/8" open	2 3/8" open	Jacuzzi CFR 25		PJ25-IN-4/-M4	C-5625	25	4	6
ENDLESS POOLS											
FC-0684	10 1/16	8 3/8	6" open	6" open	Clean & Clear		PAP50-4/-M4	C-9405	50	4	1
ESTHER WILLIAMS SPAS											
FC-2386	4 15/16	4 3/8	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets
FC-2370	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
FC-2370	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
FC-0340	6	13 3/16	Handle	1 1/2" MPT	6 x 13 3/16		PTL50W-SV-P-4	6CH-50	50	3	1
EVERYDAY HOT TUBS See Vita Marquis											
FLORIDA WHIRLPOOL SPAS											
FC-0141	4 3/8	11 7/8	Handle	1 1/2" MPT	4 3/8 x 11 7/8		PTL25P-4	4CH-30	30	4	6
FC-0151	4 3/8	14 3/4	Handle	1 1/2" MPT	4 3/8 x 14 3/4		PTL50P-4	4CH-50	50	3	6
FC-1320	5 11/16	10 3/8	String Handle	2 1/8" open	Jacuzzi Whirlpool 50, C/top		PJW50	C-5300	50	3	6
FOUR WINDS/STREAMLINE SPAS											
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6
FOX POOLS											
FC-3112	7 7/8	13 3/16	Handle	3 1/16" open	Fox Wall-Pak 80 Upgraded from 60 sq. ft. to 80 sq. ft. in 1998.	F3-0880-2	PFW60	C-7463	80	4	1
FC-3094	7 7/8	18 1/16	String Handle	3 1/16" open	Fox Wall-Pak 125		N/A	N/A	125	4	1
FREEDOM SPAS											
FC-0141	4 3/8	11 7/8	Handle	1 1/2" MPT	4 3/8 x 11 7/8		PTL25P-4	4CH-30	30	4	6
FC-2386	4 15/16	4 3/8	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets
FC-2387	4 15/16	6 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set. Model dated after 1993.		PRB25SF-PAIR/JH	C-4405	50	3	6 sets
FC-2380	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 37		PRB37-IN-4	C-4637	37	4	6
FC-2402	5 3/8	9 1/2	String Handle	1 1/2" MPT	Watkins 303279		N/A	N/A	40	3	5
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50 Model dated after 1993.		PRB50/-MIN	C-4950	50	3	6
FC-0330	6	12 1/4	Handle	1 1/2" MPT	6 x 12 1/4		PTL45W-P-4	6CH-45	45	3	1
FC-2399	4 15/16	6 3/8	2 1/8" open	1 1/2" MPT	CLX	FF-150	PFF25P4	4CH-22	25	3	6
FC-2400	4 15/16	6 3/8	Closed	1 1/2" MPT	TLX, RLX	FF-100	PFF25TC-P4	4CH-23	25	3	6
FC-2401	5 1/4	10	2 1/8"	1 1/2" MPT	Legend		PFF50P	5CH-45	45	3	6
FT WAYNE SPAS See Master Spas											

Garden Leisure Spas –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
GARDEN LEISURE SPAS											
FC-2970	5 5/16	10 1/8	2 1/8" open	2 1/8" open	LP 50 sq. ft.		PLBS50/-M	C-5345	45	3	6
GATSBY SPAS											
FC-0131	4 3/4	9 3/4	Handle	1 1/2" MPT	4 3/4 x 9 3/4		PGS25P4	4CH-24	25	3	6
FC-0187	4 3/4	9 3/4	Handle	1 10/16" open	4 3/4 x 9 3/4 Pleatco skim filter		PTL20HS/ PGS25	C-4324	25	3	6
FC-2386	4 15/16	4 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF- PAIR/JH	C-4401	35	3	6 sets
FC-1330	5 11/16	10 3/8	String Handle	2 1/8" open	Jacuzzi Aero, Caressa, C/top		PJW23-M4	C-5601	25	3	6
GENERAL FOAM											
FC-3742	4 1/4	8	1 3/4" open	1 3/4" open	General Foam 5		PGF5	C-4306	5	3	12
FC-3744	4 3/4	8	1 3/4" open	1 3/4" open	General Foam 7		PGF7	C-4307	7	3	1
FC-3743	4 3/4	8	1 3/4" open	1 3/4" open	General Foam 10		PGF10	C-4309	10	3	6
GOLD KEY											
FC-3098	7	14 3/4	Handle	1 1/8" open	Goldkey 50;Handle Top		PTL50XW-OB	C-7400	50	4	1
GPM INDUSTRIES SPAS (GREAT LAKES HOME AND RESORT)											
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
GREAT NORTHERN ENGINEERING See Oпусpas											
GRECIAN SPAS/DISCOVERY SPAS											
FC-3078	4 15/16	10 3/8	Closed	2 1/8" open	Skim Filter 30, C/Top		N/A	C-4431	30	3	6
FC-2386	4 15/16	4 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF- PAIR/JH	C-4401	35	3	6 sets
FC-2387	4 15/16	6 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set.		PRB25SF- PAIR/JH	C-4405	50	3	6 sets
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
GULF COAST SPAS											
FC-2385	4 15/16	9 1/4	2 1/8" open	2 1/8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	6
HARMSCO											
FC-3060	2 3/4	9 3/4	1 1/16" open	1 1/16" open	Harmsco 6 FC-3060 can be used in all Harmsco cluster filters.	24101-19	PH6-PAK7/-M/ PH6-4	T-380	6	4	198
FC-3061	2 3/4	9 3/4	1 1/16" open	1 1/16" open	Harmsco 6, 7 pack (7 cartridges per set)		N/A	T-380R	6	4	3 sets
FC-6105	7 3/4	9 5/8	3 1/2" FPT	2 5/8" open	Harmsco BF-55	SC/TC 55	PH5055	C-7655	55	4	1
FC-6107	7 3/4	15 3/16	3 1/2" FPT	2 5/8" open	Harmsco BF-75	SC/TC 75	PH75-4	C-7674	75	4	1
FC-6010	7 3/4	18 7/8	3 1/2" FPT	2 5/8" open	Harmsco		PH105-4	C-7685	100	3	1
FC-6110	7 3/4	19 1/2	3 1/2" FPT	2 5/8" open	Harmsco BF-105	SC/TC 105	PH105-4	C-7685	105	4	1
FC-6015	7 3/4	28 7/16	3 1/2" FPT	2 5/8" open	Harmsco		PH155-4	C-7697	150	3	1
FC-6115	7 3/4	29 1/16	3 1/2" FPT	2 5/8" open	Harmsco BF-155	SC/TC 155	PH155-4	C-7697	155	4	1
HAUGH'S SPAS											
FC-2370	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
HAVEN SPAS											
FC-0359	6	8 1/4	Handle	1 1/2" SAE	w/ 1 1/2" SAE thread Two 40 sq. ft. cartridges required (used side-by-side).		PWW50P3	6CH-940	80	3	6
FC-0360	6	8 1/4	Handle	1 3/4" Male Slip	w/ 1 3/4" Male slip Two FC-0360 and two FC-0361 required.		PW- W100ST-P3	6CH-941	160	3	6
FC-0361	6	8 1/4	1 3/4" open	1 1/2" SAE	w/ 1 1/2" SAE thread Two FC-0360 and two FC-0361 required.		PWW100STP3	6CH-942	160	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
HAWKEYE SPAS											
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6
FC-0359	6	8 1/4	Handle	1 1/2" SAE	6 x 8 1/4; Male SAE Thread		PWW50P3	6CH-940	40	3	6
HAYWARD Packs! ** ** See our Quad Packs for complete sets of SwimClear™ and Super Star Clear™ series filters. Save time and money with FILBUR Quad											
FC-1210	4 5/8	11 7/8	2 1/8" open	2 1/8" open	Micro Star Clear	C120-RE	PA12	C-4312	12	3	6
FC-1215	4 5/8	11 7/8	2 1/8" open	2 1/8" open	Micro Star Clear C200 Original is 4 3/4" OD and 11 13/16" overall length.	CX200-RE	PA20-4	C-4320	20	3	6
FC-1220	4 5/8	11 7/8	2 1/8" open	2 1/8" open	Micro Star Clear C225 Original is 4 3/4" OD and 11 13/16" overall length.	CX225-RE	PA225-4/M4	C-4325	25	3	6
FC-1230	7	9 13/16	3" open	3" open	Star Clear C250	CX250-RE	PA25-4/M4	C-7626	25	4	4
FC-1228	7	14 1/8	3" open	3" open	Easy Clear C400	CX410-RE	PA40/-M/-4	C-7442	40	4	1
FC-1223	7	14 1/8	3" open	3" open	SwimClear C2025 Four 56 sq. ft. cartridges req..	CX480-XRE	PA56SV/-M/-4	C-7458	225	4	1
FC-1235	7	14 3/16	3" open	3" open	Super Star Clear C2000 Four 50 sq. ft. cartridges required. SwimClear C2020	CX470-XRE, 25200-0150S	PA50SV	C-7447	50	4	1
FC-1245	7	19 5/8	3" open	3" open	Easy Clear C550	CX550-RE	PA55	C-7455	55	4	1
FC-1260	7	19 5/8	3" open	3" open	Super Star Clear C3000, SwimClear C3020 Four 75 sq. ft. cartridges required.	CX570-XRE, 25200-0175S	PA75SV	C-7477	75	4	1
FC-1225	7	19 5/8	3" open	3" open	SwimClear C3025 Four 81 sq. ft. cartridges required.	CX580-XRE	PA81/-4/PAK4	C-7483	325	4	1
FC-1270	7	25 1/2	3" open	3" open	Super Star Clear C4000, SwimClear C4020 Four 100 sq. ft. cartridges required.	CX870-XRE	PA100N	C-7487	400	4	1
FC-1275	7	25 1/2	3" open	3" open	Super Star Clear C4500, SwimClear C4520 Four 112 sq. ft. cartridges req.	CX875-RE	PA112/-M/-4	C-7489	450	4	1
FC-1226	7	25 1/2	3" open	3" open	SwimClear C4025 Four 106 sq. ft. cartridges required.	CX880-XRE	PA106	C-7488	425	4	1
FC-1250	7	29 3/8	3" open	3" open	Star Clear C750	CX750-RE	PA75/-M/-4	C-7676	75	4	1
FC-1291	7	29 3/8	3" open	3" open	Star Clear C1000	CX-1000-RE	N/A	C-7698	100	4	1
FC-1296	7	32 7/8	3" open	3" open	Super Star Clear C5000, SwimClear C5020 Four 125 sq. ft. cartridges req.	CX1260-RE	PA126	C-7495	500	4	1
FC-1297	7	32 7/8	3" open	3" open	Super Star Clear C5500, SwimClear C5520 Four 137 sq. ft. cartridges req.	CX1380-RE	PA137	C-7490	550	4	1
FC-1227	7	32 7/8	3" open	3" open	SwimClear C5025 Four 131 sq. ft. cartridges required.	CX1280-XRE	PA131/-4/PAK4	C-7494	525	4	1
FC-1227	7	32 7/8	3" open	3" open	SwimClear C5025 Four 131 sq. ft. cartridges required.	CX1280-XRE	PA131/-4/PAK4	C-7494	525	4	1
FC-1280	8 1/2	17 3/8	4" open	4" open	Star Clear II C800, Star Clear II C1500 Two 75 sq. ft. cartridges required.	CX800-RE	PA80/-4/-M	C-8600	75	4	1
FC-1290	8 1/2	23 3/8	4" open	4" open	Star Clear II C1100	CX-1100-RE	PA100/-M/-4	C-8610	100	4	1
FC-1211	8 15/16	28 3/16	4" open	4" open	Star Clear Plus C1900	CX1900-RE	PA190/PWWP-C200/-M/-4	C-8420	190	4	1
FC-1255	8 15/16	17 3/8	4" open	4" open	Hayward C-760, Posi-Clean PXC 75		PWWPC75-4	C-8411	75	4	1
FC-1285	8 15/16	17 3/8	4" open	4" open	X-Stream CCX1000	CCX1000-RE	PWW-PC-100-4	C-8409	100	3	1
FC-1292	8 15/16	17 3/8	4" open	4" open	Star Clear Plus C900	CX900-RE	PA90/-M/-4/	C-8409	90	4	1
FC-1286	8 15/16	23 1/4	4" open	4" open	X-Stream CCX1500	CCX1500-RE	PWWPC-150B/-M/-4/	C-8316	150	3	1
FC-1286M	8 15/16	23 1/4	4" open	4" open	X-Stream antimicrobial M1500	MX1500-RE	PXST150-M	N/A	150	4	1
FC-1293	8 15/16	23 3/8	4" open	4" open	Star Clear Plus C1200	CX-1200RE	PA120/-M/-4	C-8412	120	4	1
FC-1294	8 15/16	28 3/16	4" open	4" open	Star Clear Plus C1750	CX1750-RE	PA175/-M/-4	C-8417	175	4	1
FC-1298	9 1/4	14 3/16	3" open	3" open	FullFlo C850	CX850RE	PA85/-M/-4	C-9485	85	4	1
FC-1299	9 1/4	19 3/8	3" open	3" open	FullFlo C1250	CX1250RE	PA125/-M/-4	C-9499	120	4	1
HEARTLAND SPAS											
FC-0131	4 5/8	9 3/4	Handle	1 1/2" MPT	4 5/8 x 9 3/4		PGS25P4	4CH-24	25	3	6

Heldor Spas –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
HELDOR SPAS											
FC-2370	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
HOLLIBAUGH SPAS											
FC-3077	4 1/4"	4"	1 15/16" open	1 15/16" open	Skim Filter 10		PWW10	C-4310	10	3	6
FC-1230	7"	9 13/16"	3" open	3" open	Hayward CX 250		PA25-4/M4	C-7626	25	3	4
FC-1240	7"	19 3/8"	3" open	3" open	Hayward CX 500		PA50/-4/-M	C-7656	50	3	1
FC-1250	7"	29 3/8"	3" open	3" open	Hayward CX 750		PA75/-M/-4	C-7676	75	3	1
HONEY TUBS											
FC-2375	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
HOT SPRINGS SPAS											
FC-0161	4 5/8"	16"	Handle	1 1/2" MPT	4 5/8" x 16" Part number formerly known as 31116.	31382	PTL35-4	4CH-35	35	3	6
FC-2375	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.	33521	PRB25-IN	C-4326	25	3	6
FC-3910	5 1/8"	10 1/4"	1 15/16" open	1 15/16" open	Watkins 30 (FH/IN)	31233	PKW30V	C-5431	30	3	6
FC-3920	6"	9"	1 15/16" open	1 15/16" open	Watkins 33	31250	PWK35	C-6433	33	3	6
FC-3915	6"	10 1/2"	1 15/16" open	1 15/16" open	Watkins 30 Model dated after 1990. Can also be used as Tri-X replacement.	31489	PWK30	C-6430	30	3	6
FC-3915M	6"	10 1/2"	1 15/16" open	1 15/16" open	Watkins/Hot Springs - antimicrobial		PWK30-M/-4	C-6430RA	30	3	6
FC-3930	6 3/8"	11 1/8"	3" open	3" open	Watkins 45	31115	PWK25-4/ PWK40	C-6600	45	3	1
FC-3960	8 1/2"	10 1/2"	3" open	3" open	Watkins 65	31114	PWK65	C-8465	65	3	1
FC-3960M	8 1/2"	10 1/2"	3" open	3" open	Watkins/Hot Springs - antimicrobial		PWK65-M	C-8465RA	65	3	1
HYDRO POOL INDUSTRIES											
FC-2385	4 15/16"	9 1/4"	2 1/8" open	2 1/8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	4
FC-2370	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
FC-2395	4 15/16"	20 1/8"	2 1/8" open	2 1/8" open	Rainbow Dynamic 75		PRB75	C-4975	75	3	6
HYDRO SPA											
FC-0131	4 5/8"	9 3/4"	Handle	1 1/2" MPT	4 5/8" x 9 3/4"		PGS25P4	4CH-24	25	3	6
FC-2386	4 15/16"	4 5/8"	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF- PAIR/JH	C-4401	35	3	6 sets
FC-2385	4 15/16"	9 1/4"	2 1/8" open	2 1/8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	4
FC-2375	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
FC-0315	6"	9"	Handle	1 1/2" MPT	6 x 9		PTL47W-P-M	6CH-47	45	3	6
ICON/KEYES SPAS											
FC-3027	2 3/4"	6"	Closed	1 1/16" open	Icon 3.7 sq. ft.	136629	PH3.7-B	C-2304	5	3	1
FC-3077	4 1/4"	4"	1 15/16" open	1 15/16" open	Skim Filter 10	146949	PWW10	C-4310	10	3	6
FC-0179	4 1/4"	23 3/4"	Handle	2" open	Icon 60	163736	PIC60	C-4360	60	3	4
FC-0184	4 1/4"	23 3/4"	Handle	2 3/8"	Icon 50	179192	PIC50N	C-4351	50	3	6
FC-0131	4 5/8"	9 3/4"	Handle	1 1/2" MPT	4 5/8" x 9 3/4"		PGS25P4	4CH-24	25	3	6
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50 2003 to present Image and Weslo models		PRB50-/MIN	C-4950	50	3	6

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SO. FT.	OZ.	CASE QTY.
IMPERIAL SPAS											
FC-0131	4 5/8	9 3/4	Handle	1 1/2" MPT	4 5/8 x 9 3/4		PGS25P4	4CH-24	25	3	6
INTEX POOLS											
FC-3710	4 1/4	8	1 15/16" open	1 15/16" open	Coleco F-120, w/core "A" version	58600, 59900, F18	PC7-120/PAIR	C-4607	5	4	12
FC-3748	5 3/4	12 1/8	2" open	2" open	Intex 520 "D" version	58601, 59901, 5F17	PIN28	C-5330	30	3	6
FC-3751	3 3/8	3 11/16	1 1/8" open	1 1/8" open	Twin Pack "E" version This product has no center core. 2 cartridges per set.	59904	PIN3PAIR	C-3302	2	3	12 sets
FC-3752	5 3/4	10	1 7/8" open	1 7/8" open	Easy Set Pool "B" version Cartridge may be used in filter model 520/530 with adapter supplied by Intex.	59901W	PIN20	C-5315	15	3	6
FC-3753	4 1/4	3 3/4	2 1/16" open	2 1/16" open	Sand N' Sun (SA-3766) Packaged in sets of 2. There are 2 Type "D" filters. Verify length to ensure proper replacement.	TYPE "D"	PBW4PAIR	C-4313	3	3	12 sets
FC-3753	4 1/4	3 3/4	2 1/16" open	2 1/16" open	Sand N' Sun (SA-3766) Packaged in sets of 2. There are 2 Type "D" filters. Verify length to ensure proper replacement.	WM-3779	PBW4PAIR	C-4313	3	3	12 sets
ISLANDER SPAS											
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
JACUZZI BROTHERS											
FC-1415	5	13 3/16	2 3/8" open	2 3/8" open	Jacuzzi CFR 15 Product discontinued by Jacuzzi.	42-2782-00	N/A	C-5615	15	4	6
FC-1425	5	13 3/16	2 3/8" open	2 3/8" open	Jacuzzi CFR 25	42-2891-08-R, 2590000	PJ25-IN-4/-M4	C-5625	25	4	6
FC-1437	5	13 3/16	2 3/8" open	2 3/8" open	Jacuzzi CFR 37	42-3533-00-R	PJ37-IN-4	C-5635	37	4	6
FC-1426	6 7/8	11 7/8	3 1/2" open	3 1/2" open	Jacuzzi CF 25 Product discontinued by Jacuzzi.	23-2377-04	PJ25-4	C-6625	25	6	1
FC-1450	7	13 3/16	3" open	3" open	Jacuzzi CE 40	42-3724-09	PJB40	C-7304	40	3	1
FC-1455	7	17 1/16	3" open	3" open	Jacuzzi CE 60	42-3725-08	PJB60	C-7306	60	3	1
FC-1492	7 3/4	22 3/4	Closed	4" open	Jacuzzi Tri-Clops (Round) 110 3 cartridges required per filter. Requires OEM manifold kit to changeover from pie-shaped filters. Cartridge has no center core.	42379923	PJC110-M4	N/A	110	4	1
FC-1493	7 3/4	28 3/4	Closed	4" open	Jacuzzi Tri-Clops (Round) 147 3 cartridges required per filter. Requires OEM manifold kit to changeover from pie-shaped filters. Cartridge has no center core.	42379924	PJC147-M4	N/A	147	4	1
FC-1494	7 3/4	34 3/4	Closed	4" open	Jacuzzi Tri-Clops (Round) 180 3 cartridges required per filter. Requires OEM manifold kit to changeover from pie-shaped filters. Cartridge has no center core.	42379925	PJC180-M4	N/A	180	4	1
FC-1460	9 15/16	10	5 13/16" open	6 1/16" open	Jacuzzi CFR 50 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-2940-09-R	PJ50-4/-M4	C-9650	50	4	1
FC-1480	9 15/16	14 1/4	5 13/16" open	6 1/16" open	Jacuzzi CFR 75 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-3509-00-R	PJ75-4	C-9475	75	4	1
FC-1490	9 15/16	19 7/8	5 13/16" open	6 1/16" open	Jacuzzi CFR 100 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-2941-08-R	PJ100-4	C-9699	100	4	1
FC-1495	9 15/16	24	5 13/16" open	6 1/16" open	Jacuzzi CFR 150 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-3508-01-R	PJ150-4	C-9478	150	4	1
FC-1498	9 15/16	24	5 13/16" open	6 1/16" open	Jacuzzi CFR 200 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-3540-01-R	PJ200-4	C-9420	200	4	1
FC-1400	10	14 1/16	Handle	6" open	Sherlock 80	42-3674-09-R	PJ80-4/-M4	C-9480	80	4	1
FC-1401	10	20 1/16	Handle	6" open	Sherlock 120	42-3675-08-R	PJ120-4/-M4	C-9481	120	4	1
FC-1402	10	24 5/16	Handle	6" open	Sherlock 160	42-3667-07-R	PJ160-4	C-9482	160	4	1
FC-1403	10	29 13/16	Handle	6" open	Sherlock 200	42-3668-08-R	PJ200S-4/-M4	C-9483	200	4	1

Jacuzzi Leisure Products/Atlantic Pools –

FILBUR #	O.D. LENGTH		TOP	BOTTOM DESCRIPTION			OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
JACUZZI LEISURE PRODUCTS/ATLANTIC POOLS												
FC-3570	8½	15¼	3⅞" open	2½" open	Atlantic Pool 100	111063	PRW100	C-8310	100	3	1	
FC-3575	8½	22¾	3⅞" open	2½" open	Atlantic Pool 150	111064	PRW150	C-8315	150	3	1	
JACUZZI PREMIUM SPAS												
FC-2390	4⅞	13⅞	2½" open	2½" open	J-200 Series	373045	PRB50-/-MIN	C-4950	50	3	6	
FC-2811	5½	11	Bar Handle	2" MPT	Del Sol Redondo, Hermosa	6540-723	PJW40SC-F2M	5CH-402	50	3	1	
FC-2717	6	13½	Remov-able Cap	2" SAE	Sundance ProClear II	6540-498	N/A	N/A	45	3	1	
FC-2716	6	17½	Remov-able Cap	2" SAE	J-400 series	2000-286	N/A	N/A	60	3	1	
FC-2716M	6	17½	Remov-able Cap	2" SAE	J-400 series antimicrobial	20086-001	N/A	N/A	60	3	1	
FC-2715	6⅞	15½	Remov-able Cap	2" SAE	J-300 series	6540-383	PJW60TL-OT-F2S	6CH-961	60	3	1	
FC-2715M	6⅞	15½	Remov-able Cap	2" SAE	J-300 series antimicrobial	6540-383MB	N/A	N/A	60	3	1	
FC-2800	6⅞	15½	Handle	2" SAE	Jacuzzi Premium J-300, J-400 Used in models before 2005	6540-476	PJW60TL-F2S	6CH-960	52	3	1	
FC-2800M	6⅞	15½	Handle	2" SAE	Jacuzzi Premium - antimicrobial			6CH-960RA	52	3	1	
FC-2781	8	15½	Handle	2" MPT	J-230, J-270, J-280 series	2540-381	N/A	8CH-102	95	3	1	
JACUZZI WHIRLPOOL SPAS												
FC-2340	2⅞	19½	1⅞" open	1⅞" open	Lifeguard CL 19x	2945000	PRB12-4	C-2612	12	4	20	
FC-1425	5	13⅞	2⅞" open	2⅞" open	Jacuzzi CFR 25	5475000	PJ25-IN-4/-M4	C-5625	25	4	6	
FC-1330	5⅞	10⅞	String Handle	2½" open	Jacuzzi Aero, Caressa, C/top	6199000	PJW23-M4	C-5601	25	3	6	
FC-1330M	5⅞	10⅞	String Handle	2½"	Jacuzzi front load, Aero, Caressa antimicrobial			C-5601RA	25	3	6	
FC-1320	5⅞	10⅞	String Handle	2½" open	Jacuzzi Whirlpool 50, C/top 50 sq. ft. cartridge is an upgrade for FC-1330.		PJW50	C-5300	50	3	6	
FC-1305	5⅞	11⅞	2½" open	2½" open	Jacuzzi Whirlpool 25	2590000	PJW25	C-5624	25	3	6	
FC-1340	6⅞	14⅞	3½" open	3½" open	Jacuzzi Whirlpool 30	2730000	PJW30-4	C-6300	30	3	1	
JANDY					**See our Quad Packs for complete sets of CL series filters. Save time and money with FILBUR Quad Packs!**							
FC-0800	7	27	3" open	3" open	CL 340	A0557900	PJAN85/-M/PAK4	C-7459	85	4	1	
FC-0810	7	27	3" open	3" open	CL 460	A0558000	PJAN115/-M/PAK4	C-7468	115	4	1	
FC-0820	7	33	3" open	3" open	CL 580	A0104100	PJAN145/-M/PAK4	C-7482	145	4	1	
FC-5180	7¼	29½	3⅞" open	3⅞" open	CT Series /Waterco	A01034	PJAN100	C-7497	100	4	1	
FC-0821	8⅞	23⅞	4" open	4" open	CS 100	R0462200	PJANCS100-4	C-8410	100	3	1	
FC-0822	8⅞	23⅞	4" open	4" open	CS 150	R0462300	PJANCS150-4	C-8414	150	3	1	
FC-0823	8⅞	33⅞	4" open	4" open	CS 200	R0462400	PJANCS200-4	C-8418	200	3	1	
FC-0824	8⅞	33⅞	4" open	4" open	CS 250	R0462500	PJANCS250-4	C-8425	250	3	1	
FC-0825	10¾	28	5⅞" open	5⅞" open	Jandy CJ 200	A0558902	N/A	C-9421	200	4	1	
FC-0830	10¾	34	5⅞" open	5⅞" open	Jandy CJ 250	A0558901	N/A	C-9422	250	4	1	
FC-0840	12¼	17	3⅞" open	3⅞" open	Jandy Pro Edge	R0341900	N/A	C-9498	200	4	1	
J.E.M. SPAS												
FC-2370	4⅞	13⅞	2½" open	2½" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6	
FC-2390	4⅞	13⅞	2½" open	2½" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6	
FC-2940	4⅞	23⅞	2½" open	2½" open	Waterway 100		PCAL100	C-4995	95	3	4	
FC-0310	6	7	Handle	1½" MPT	6 x 7		PTL25W-SV-P-4	6CH-26	25	3	6	

FILBUR #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
JETTA SPAS										
FC-0350	6	16 1/8	Handle	1 1/2" MPT	6 x 16 1/8	PTL60W-P	6CH-60	60	3	1
KIT POOLS										
FC-1460	9 15/16	10	5 1/4" open	6 1/4" open	Jacuzzi CFR 50	42-2940-09-R	PJ50-4/-M4	C-9650	50	4
LA SPAS/ADVANCED SPA DESIGN										
FC-0131	4 5/8	9 3/4	Handle	1 1/2" MPT	4 5/8 x 9 3/4	PGS25P4	4CH-24	25	3	4
FC-0151	4 5/8	14 3/4	Handle	1 1/2" MPT	4 5/8 x 14 3/4	PTL50P-4	4CH-50	50	3	4
FC-0303	5 1/8	8 1/2	Handle	3 1/2" MPT	Replacement for bag filter Remove filter bag and molded bag frame before replacing with pleated filter	PLAS35	5CH-203	30	3	6
FC-3091	5 3/8	11 7/8	String Handle	1 15/16" open	Advanced Spa, C/top Old design.	PTL25H-P-4	C-5621	22	3	6
FC-0301	5 5/8	8 1/2	Handle	1 1/2" MPT	5 5/8" x 8 1/2"	N/A	N/A	25	3	1
FC-0302	5 5/8	9	Handle	1 1/2" MPT	5 5/8" x 9"	N/A	N/A	25	3	1
FC-0315	6	9	Handle	1 1/2" MPT	6 x 9	PTL47W-P-M	6CH-47	45	3	6
FC-0340	6	13 3/8	Handle	1 1/2" MPT	6 x 13 3/8	PTL50W-SV-P-4	6CH-50	50	3	1
LEGEND SPAS										
FC-2386	4 15/16	4 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set	PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets
FC-2387	4 15/16	6 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set.	PRB25SF-PAIR/JH	C-4405	50	3	6 sets
LEISURE BAY/REC WAREHOUSE										
FC-3077	4 1/4	4	1 15/16" open	1 15/16" open	Skim Filter	10146949, 25249, 378900, 817-0010	PWW10	C-4310	10	3
FC-0122	4 5/8	4 5/8	Handle	1 1/2" MPT	4 5/8" x 4 5/8", MPT	303575	PSG13.5P4	4CH-19	13	3
FC-2385	4 15/16	9 1/4	2 1/8" open	2 1/8" open	Rainbow Dynamic 35	03FIL1300, 17-2482, 25393, 303557, 817-3501	PRB35-IN	C-4335	35	3
FC-2375	4 15/16	13 3/8	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.	100586, 33521, 172327, 25392, 303909, M-4326, 817-2500	PRB25-IN	C-4326	25	3
FC-2380	4 15/16	13 3/8	2 1/8" open	2 1/8" open	Rainbow Dynamic 37		PRB37-IN-4	C-4637	35	4
FC-2390	4 15/16	13 3/8	2 1/8" open	2 1/8" open	Rainbow Dynamic 50	03FIL1600, 100533, 6540-471, 17-2380, 25391, 817-5000	PRB50-/-MIN	C-4950	50	3
FC-2930	4 15/16	23 5/8	2 1/8" open	2 1/8" open	Waterway 75 In-line	817-7500	PCAL75	C-4970	75	3
FC-2970	5 5/8	10 1/8	2 1/8" open	2 1/8" open	LP 50 sq. ft.	817-0014, 173584	PLBS50/-M	C-5345	50	3
FC-2971	5 5/8	14 11/16	2 1/8" open	2 1/8" open	LP 65 sq. ft.	817-0015, 303433	PLBS75/-M	C-5374	65	3
FC-2972	5 5/8	17 3/4	2 1/8" open	2 1/8" open	LP 100 sq. ft.	817-0016, 303434	PLBS100/-M	C-5397	100	3
FC-0359	6	8 1/4	Handle	1 1/2" SAE	w/ 1 1/2" SAE thread	03FIL1400, PWW 50, 25252, 378902, 817-0050	PWW50P3	6CH-940	40	3
FC-3540	7 1/2	20 13/16	2 15/16" open	2 15/16" open	Leisure Bay 100	111791, M-7418	PLB100	C-7418	100	4
FC-3560	7 1/2	28 13/16	2 15/16" open	2 15/16" open	Leisure Bay 150	111792, M-7414	PLB150	C-7414	150	4
FC-3570	8 1/2	15 1/4	3 1/8" open	2 1/8" open	Leisure Bay JC-100	111063	PRW100	C-8310	100	3
FC-3575	8 1/2	22 3/4	3 1/8" open	2 1/8" open	Leisure Bay JC-150	111064	PRW150	C-8315	150	3
FC-2960	10	13 3/4	5 15/16" open	6 1/16" open	Leisure Bay WW-50	817-0075, 111831	PWW75-4	C-9401	75	4
FC-2965	10	19 1/4	5 15/16" open	6 1/16" open	Leisure Bay WW-100	817-0100, 111832	PWW100-4/-M4	C-9402	100	4
FC-2969	10	25 1/4	5 15/16" open	6 1/16" open	Leisure Bay WW-150	817-0150, 111833	PWW150-4/-M4	C-9403	150	4

Leisure Bay Spas –

FILBUR #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SO. FT.	OZ.	CASE QTY.	
LEISURE BAY SPAS											
FC-3077	4¼	4	1 15⁄16" open	1 15⁄16" open	Skim Filter 10	PWW10	C-4310	10	3	6	
FC-0122	4 5⁄8	4 5⁄8	Handle	1 1⁄2" MPT	4 5⁄8 x 4 5⁄8	PSG13.5P4	4CH-19	13	3	6	
FC-2390	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 50	PRB50-/-MIN	C-4950	50	3	6	
FC-2930	4 15⁄16	23 3⁄8	2 1⁄8" open	2 1⁄8" open	Waterway 75	PCAL75	C-4970	75	3	6	
FC-2970	5 5⁄16	10 1⁄8	2 1⁄8" open	2 1⁄8" open	LP 50 sq. ft.	PLBS50/-M	C-5345	45	3	6	
FC-2971	5 5⁄16	14 1 1⁄16	2 1⁄8" open	2 1⁄8" open	LP 65 sq. ft.	PLBS75/-M	C-5374	65	3	6	
FC-2971M	5 5⁄16	14 1 1⁄16	2 1⁄8" open	2 1⁄8" open	LP 65 sq. ft.	N/A	C-5374RA	65	3	6	
FC-2972	5 5⁄16	17 3⁄4	2 1⁄8" open	2 1⁄8" open	LP 100 sq. ft.	PLBS100/-M	C-5397	80	3	6	
FC-0359	6	8 1⁄4	Handle	1 1⁄2" SAE	6 x 8 1⁄4; Male SAE Thread	PWW50P3	6CH-940	40	3	6	
LIFESTYLE SPAS (CANADA)											
FC-2386	4 15⁄16	4 5⁄8	2 1⁄8" open	2 1⁄8" open	Rainbow DSF 35, 2/set	PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets	
FC-2387	4 15⁄16	6 5⁄8	2 1⁄8" open	2 1⁄8" open	Rainbow DSF 50, 2/set.	PRB25SF-PAIR/JH	C-4405	50	3	6 sets	
FC-0435	7	9 3⁄4	Handle	1 1⁄2" MPT	7 x 9 3⁄4	PCS40P	7CH-40	40	3	4	
MAAX SPAS (CANADA)/COLEMAN SPAS											
FC-2386	4 15⁄16	4 5⁄8	2 1⁄8" open	2 1⁄8" open	Rainbow DSF 35, 2/set	PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets	
FC-2387	4 15⁄16	6 5⁄8	2 1⁄8" open	2 1⁄8" open	Rainbow DSF 50, 2/set.	PRB25SF-PAIR/JH	C-4405	50	3	6 sets	
FC-2385	4 15⁄16	9 1⁄4	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 35	PRB35-IN	C-4335	35	3	6	
FC-2375	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 25, 3 oz.	PRB25-IN	C-4326	25	3	6	
FC-2390	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 50	PRB50-/-MIN	C-4950	50	3	6	
FC-0300	5 5⁄8	8	Handle	1 1⁄2" MPT	5 5⁄8" x 8	PAS35P	5CH-35	35	3	6	
MAJESTIC INDUSTRIES See Artesian Spas											
MARATHON SPAS											
FC-0141	4 5⁄8	11 5⁄8	Handle	1 1⁄2" MPT	4 5⁄8 x 11 5⁄8	PTL25P-4	4CH-30	30	3	6	
FC-2390	4 15⁄16	13 3⁄16	2 1⁄8" open	2 1⁄8" open	Rainbow Dynamic 50	PRB50-/-MIN	C-4950	50	3	6	
MARQUIS SPAS											
FC-0195	5 5⁄8	12 1⁄2	Handle	2" MPT	Marquis 50, (new design)	370-0237	PPM-350SC-F2M	5CH-502	50	3	6
FC-0196	5 5⁄8	12 1⁄2	Handle	2" MPT	Marquis 35	370-0242	N/A	5CH-352	35	3	6
FC-3623	5 5⁄8	11 5⁄8	Closed	1 5⁄8" open	Pacific Marquis 34, C/top	370-215	PPM35TC	C-5423	35	3	6
FC-3626	5 5⁄8	11 5⁄8	1 1⁄16" open	1 5⁄8" open	Pacific Marquis 25 (old design)		PPM25-4	C-5626	25	4	6
FC-3638	5 5⁄8	14 5⁄8	Closed	1 5⁄8" open	Pacific Marquis, C/Top	370-217	PPM50TC	C-5346	50	3	6
FC-3634	5 5⁄8	19 5⁄8	Closed	1 5⁄8" open	Pacific Marquis 58, C/top	370-216	PPM60TC	C-5434	60	3	6
FC-3637	5 5⁄8	19 5⁄8	1 1⁄16" open	1 5⁄8" open	P.Marquis 40 (old design)		PPM40-4	C-5637	40	3	6
MASTER SPAS											
FC-1001M	4	7 5⁄8	2 5⁄8	2 5⁄8	Eco Pure (INNER) replacement filter antimicrobial Replacement for the factory supplied KDF filter media.	X268055	PMA10-M	N/A	10	3 oz.	6
FC-0125	4 5⁄8	6 3⁄4	Handle	1 1⁄2" MPT	4 5⁄8 x 6 3⁄4		PHC25	4CH-20	20	3	6
FC-0187	4 5⁄8	9 3⁄4	Handle	1 9⁄10" open	4 5⁄8 x 9 3⁄4		PTL20HS/PGS25	C-4324	25	3	6
FC-0330	6	12 1⁄4	Handle	1 1⁄2" MPT	6 x 12 1⁄4		PTL45W-P-4	6CH-45	45	3	1
FC-1003	7	7 1⁄4	4" open	4" open	Master Spas EP-Cylinder (old style)	C-7330	PMA30-2002-R	N/A	30	3 oz.	4

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
MASTER SPAS continued											
FC-1003M	7	7 ¼	4" open	4" open	Master Spas EP-Cylinder antimicrobial (old style)	N/A	PMA30-2002-R-M	N/A	30	3 oz.	4
FC-0418	7	7 ¼	Handle	2" MPT	7 x 7 ¼"-Master Spas		N/A	N/A	30	3	4
FC-1008	7 ⅞	6 ⅝	5 ½" open	4" open	Eco Pure system (outer filter) Eco Pure filtration system 2007 model year and newer.		N/A	N/A	25	3	6
FC-0515	8	9 ¼	Handle	2" MPT	8" x 9 ¼"		PMA60-F2M	8CH-66	60	3	1
FC-0516	8	9 ¼	Handle	2" MPT	8 x 9 ¼" Upgrade		PMA70-F2M	N/A	70	3	1
FC-1004	8 ½	17	N/A	N/A	Master Spas EP Flat filter		PMA50-2002-F	N/A	25	3	4
FC-1004M	8 ½	17	N/A	N/A	Master Spas - antimicrobial		N/A	N/A	40	3	6
FC-1007	8	7 ⅞	4" open	4" open	Master Spas EP (new style) Part of Eco-Pur filtration system, 2002 to present.		PMA45-2004-R	C-8341	40	3	4
FC-1007M	8	7 ⅞	4" open	4" open	Master Spas EP antimicrobial (new style)		PMA45-2004-R-M	N/A	40	3	4
FC-0170M	4 15/16	9 ¼	Handle	1 ½" Fem SAE	Master Spas 30 Teleweir		PMA30SK-M	N/A	30	3	6
MILLENNIUM SPAS											
FC-2915	4 15/16	11 ¼	2 ⅞" open	2 ⅞" open	Waterway 40		PWW40	C-4339	40	3	6
FC-2390	4 15/16	13 ⅝	2 ⅞" open	2 ⅞" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-0359	6	8 ¼	Handle	1 ½" SAE	6 x 8 ¼; Male SAE Thread		PWW50P3	6CH-940	40	3	6
MOONWATER SPAS											
FC-2375	4 15/16	13 ⅝	2 ⅞" open	2 ⅞" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16	13 ⅝	2 ⅞" open	2 ⅞" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
MOOSE MOUNTAIN SPAS											
FC-2387	4 15/16	6 ⅝	2 ⅞" open	2 ⅞" open	Rainbow DSF 50, 2/set.		PRB25SF-PAIR/JH	C-4405	50	3	6 sets
FC-2385	4 15/16	9 ¼	2 ⅞" open	2 ⅞" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	4
MORGAN SPAS											
FC-2380	4 15/16	13 ⅝	2 ⅞" open	2 ⅞" open	Rainbow Dynamic 37		PRB37-IN-4	C-4637	37	3	6
FC-2390	4 15/16	13 ⅝	2 ⅞" open	2 ⅞" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-1437	5	13 ⅝	2 ⅞" open	2 ⅞" open	Jacuzzi CFR 37		PJ37-IN-4	C-5635	35	3	6
MOUNTAIN MEADOWS SPAS											
FC-0131	4 ⅝	9 ¼	Handle	1 ½" MPT	4 ⅝ x 9 ¼		PGS25P4	4CH-24	25	3	6
MOUNTAIN MIST SPAS											
FC-0131	4 ⅝	9 ¼	Handle	1 ½" MPT	4 ⅝ x 9 ¼		PGS25P4	4CH-24	25	3	6
MOUNTAIN SPRING SPAS											
FC-0131	4 ⅝	9 ¼	Handle	1 ½" MPT	4 ⅝ x 9 ¼		PGS25P4	4CH-24	25	3	6
MOUNTAIN STREAM SPAS											
FC-0131	4 ⅝	9 ¼	Handle	1 ½" MPT	4 ⅝ x 9 ¼		PGS25P4	4CH-24	25	3	6
MUSKIN											
FC-3810	4 ⅝	8	2 ⅝	2 ⅝	Muskin 8 Product can also be replaced with FC-3811 (no core).	195-8712, A3818	PMS8N/C	C-4605	6	4	12
FC-3811	4 ⅝	8	2 ⅝	2 ⅝	Muskin 8; no core		PMS8N/C	C-4602	6	4	12
FC-3850	4 ⅝	8	Closed	2 ⅝	Muskin A2300 Closed top skim filter.		PMS8TC	C-4600	10	4	1
FC-1245	7	19 ⅝	3" open	3" open	Hayward CX 550	CX550-RE	PA55	C-7455	55	3	1
FC-1299	9 ¼	19 ⅝	3" open	3" open	Hayward CX 1250	CX1250RE	PA125/-M/-4	C-9499	120	4	1
NAHANNI SPAS BY MAAX											
FC-2395	4 15/16	20 ⅝	2 ⅞" open	2 ⅞" open	Rainbow Dynamic 75		PRB75	C-4975	75	3	6

Nemco Spas –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE	QTY.
NEMCO SPAS												
FC-0131	4%	9 3/4	Handle	1 1/2" MPT	4 3/4 x 9 3/4		PGS25P4	4CH-24	25	3	6	
FC-0151	4%	14 3/4	Handle	1 1/2" MPT	4 3/4 x 14 3/4		PTL50P-4	4CH-50	50	3	6	
FC-3082	4 1/16	10 3/8	2 1/8" open	2 1/8" open	Nemco 30		DSF25-50	C-4429	30	3	6	
NORDIC HOT TUBS												
FC-1610	4 1/16	14 7/8	2 1/8" open	2 1/8" open	Martec 27.5 Model dated before 7/99.		PMT27.5	C-4301	28	3	6	
FC-2375	4 1/16	13 3/8	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz. Model dated after 7/99.		PRB25-IN	C-4326	25	4	6	
NORTHWEST SPAS												
FC-2390	4 1/16	13 3/8	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6	
OPUSPAS/GREAT NORTHERN ENGINEERING												
FC-0141	4%	11 7/8	Handle	1 1/2" MPT			PTL25P-4	4CH-30	30	3	6	
FC-0151	4%	14 3/4	Handle	1 1/2" MPT			PTL50P-4	4CH-50	50	3	6	
ORCA BAY SPAS												
FC-2375	4 1/16	13 3/8	2 1/8	2 1/8	Rainbow Dynamic 25		PRB25-IN	C-4326	25	3	6	
FC-2385	4 1/16	9 1/4	2 1/8	2 1/8	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	6	
FC-2390	4 1/16	13 3/8	2 1/8	2 1/8	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6	
PAC FAB SEE PENTAIR POOL PRODUCTS - PACFAB												
PACIFIC SPAS BY ABER (CANADA)												
FC-0315	6	9	Handle	1 1/2" MPT	6 x 9		PTL47W-P-M	6CH-47	45	3	6	
PAGEANT SPAS												
FC-0121	4%	8	Handle	1 1/2" MPT	4 5/8 x 8		PTL18-4	4CH-21	19	3	6	
FC-2390	4 1/16	13 3/8	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6	
FC-1630	4 1/16	14 7/8	2 1/8" open	2 1/8" open	Martec 50		PMT50	C-4305	45	4	6	
PDC SPAS												
FC-3077	4 1/4	4	1 1/16" open	1 1/16" open	Skim Filter 10		PWW10	C-4310	10	3	6	
FC-2386	4 1/16	4%	2 1/8" open	2 1/8" open	Rainbow DSF 35 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets	
FC-2370	4 1/16	13 3/8	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4325	25	3	6	
FC-1230	7	9 13/16	3" open	3" open	Hayward CX 250		PA25-4/M4	C-7626	25	4	4	
FC-1240	7	19%	3" open	3" open	Hayward CX 500		PA50/-4/-M	C-7656	50	4	1	
PENTAIR POOL PRODUCTS/AMERICAN PRODUCTS												
FC-2308	2 7/8	9 3/4	1 1/16" open	1 1/16" open	Caribe 133/184/368 No broken cases allowed.	57011400	N/A	C-2308	8	4	100	
FC-2315	2 7/8	9 3/4	1 1/16" open	1 1/16" open	Caribe 52/104 No broken cases allowed.	57000500	N/A	C-2606	5	6	100	
FC-3060	2 3/4	9 3/4	1 1/16" open	1 1/16" open	Universal Six	24101-19	PH6-PAK7/-M/PH6-4	T-380	6	4	198	
FC-0640	4 1/16	11 7/8	2 1/16" open	2 1/16" open	Amer. Commander II - 25	570105	N/A	C-4325	25	4	6	
FC-0610	7	9 13/16	3" open	3" open	Amer. Commander 25	R173200, 27-078, 24240-0016, WC108-140SI	PPC25	C-7625	25	6	1	
FC-0615	7	9 13/16	3" open	3" open	Amer. Commander 25, 4 oz. Product can also be replaced with FC-0610, 6oz.	R173201, 57005700, R173208	N/A	C-7425	25	4	1	
FC-0680	7	11 13/16	3" open	3" open	Amer. Quantum 175 cartridges required.	Four 43.7 sq. ft. R173212, 56627400	PCM44-4	C-7437	175	4	1	
FC-0690	7	16 1/2	3" open	3" open	Amer. Quantum 350 cartridges required.	Four 87.5 sq. ft. 56627800	PCM88-4/M4	C-7474	350	4	1	
FC-0620	7	19%	3" open	3" open	Amer. Commander 50	R173409, 27-079	N/A	C-7650	50	6	1	
FC-0625	7	19%	3" open	3" open	Amer. Commander 50, 4 oz. Product can also be replaced with FC-0620 (6oz.).	R173203, 57005800	N/A	C-7450	50	4	1	

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
PENTAIR POOL PRODUCTS/AMERICAN PRODUCTS CONTINUED											
FC-0670	7	19 3/8	3" open	3" open	Amer. Commander 150 Two 75 sq. ft. cartridges required.	R173210, 57014300, 27-080	N/A	C-7453	75	4	1
FC-0675	7	20	3" open	3" open	Amer. Quantum 360 Four 90 sq. ft. cartridges required.	R173574, 56628300	N/A	C-7476	90	4	1
FC-0695	7	26	3" open	3" open	Amer. Quantum 500 Four 125 sq. ft. cartridges required. Model dated before 11/98.	56627900	N/A	C-7498	500	4	1
FC-0630	7	29 3/8	3" open	3" open	Amer. Commander 75	R173204,	N/A	C-7675	75	6	1
FC-0635	7	29 3/8	3" open	3" open	Amer. Commander 75, 4 oz. Product can also be replaced with FC-0630, 6oz.	R173205, 570074	N/A	C-7475	75	4	1
FC-0650	7	29 3/8	3" open	3" open	Amer. Commander 100 Product can also be replaced with one FC-0621 and one FC-0630.	57014400, 27084	PCM100SV	C-7499	100	4	1
FC-0684	10 1/16	8 3/8	6" open	6" open	Predator 50-Clean & Clear 50 Product has orange end caps.	R173213, 59054000	PAP50-4/-M4	C-9405	50	4	1
FC-0685	10 1/16	16 3/8	6" open	6" open	Predator 75-Clean & Clear 75 Product has orange end caps.	R173214, 59054100	PAP75-4/-M4	C-9407	75	4	1
FC-0686	10 1/16	23 3/8	6" open	6" open	Predator 100-Clean & Clear 100 Product has orange end caps.	R173215, 59054200	PAP100-4/M4	C-9410	100	4	1
FC-0696	10 1/16	23 3/8	6" open	6" open	Laguna System 125		N/A	N/A	125	4	1
FC-0688	10 1/16	31 1/8	6" open	6" open	Predator 200-Clean & Clear 200 Product has orange end caps.	R173217, 59054400	PAP200-4/M4	C-9419	200	4	1
PENTAIR POOL PRODUCTS/PAC FAB											
See our Quad Packs for complete sets of Clean & Clear Plus series filters. Save time and money with FILBUR Quad Packs!											
FC-2315	2 3/8	9 3/4	1 1/16" open	1 1/16" open	Six Square Feet; 6 oz.	174819, 174865, 17-2048	N/A	C-2606	6	6	100
FC-1961	6 1/4	20 3/4	3" open	3" open	Quad D.E. 60 Four 15 sq. ft. cartridges required	178654	N/A	C-6960	15		1
FC-1962	6 1/4	26 3/4	3" open	3" open	Quad D.E. 80 Four 20 sq. ft. cartridges required	178655	N/A	C-6980	20		1
FC-1963	6 1/4	32 3/4	3" open	3" open	Quad D.E. 100 Four 25 sq. ft. cartridges required	178656	N/A	C-6900	25		1
FC-1920	7 7/8	11 1/8	3 1/16" open	3 1/16" open	Pac Fab MY 50	17-4981	PFAB50	C-7678	50	4	1
FC-1930	7 7/8	14	3 1/16" open	3 1/16" open	Pac Fab MY 120 Two 60 sq. ft. cartridges required.	17-2810, 4983, 4985, 32050203	PFAB60/-M	C-7660	60	4	1
FC-1940	7 7/8	22 1/8	3 1/16" open	3 1/16" open	Pac Fab MY 80	17-2811, 4984	PFAB80	C-7680	80	4	1
FC-1950	7 7/8	22 1/8	3 1/16" open	3 1/16" open	Pac Fab MY 100	17-2812, 4985, 32050204	PFAB100/-M	C-7699	100	4	1
FC-1960	7 7/8	33 3/8	3 1/16" open	3 1/16" open	Pac Fab MY 150 Product can also be replaced with one FC-1950 and one FC-1920.	17-4980	PFAB150	C-7679	150	4	1
FC-1975	7	14 1/8	3" open	3" open	Clean & Clear Plus 240 Four 60 sq. ft. cartridges required.	178569	PCC60/-M	C-7469	60	4	1
FC-1976	7	20	3" open	3" open	Clean & Clear Plus 320 Four 80 sq. ft. cartridges required.	178580	PCC80/-M/PAK4	C-7470	80	4	1
FC-1977	7	26 1/16	3" open	3" open	Clean & Clear Plus 420 Four 105 sq. ft. cartridges required. Model dated after 11/99.	178584	PCC105/-M/PAK4	C-7471	105	4	1
FC-1978	7	32 1/16	3" open	3" open	Clean & Clear Plus 520 Four 125 sq. ft. cartridges required. Model dated after 11/99.	178585	PCC130/-M/PAK4	C-7472	125	4	1
PENTAIR POOL PRODUCTS/PUREX											
FC-3062	2 3/4	9 3/4	1 1/16" open	1 1/16" open	Residential Six		PH63	C-2306	6	6	100
FC-2130	7	11 1/8	2 15/16" open	2 15/16" open	Purex CF 40 Three 40 sq. ft. cartridges required.	07-0658	PPF40	C-7440	40	4	1
FC-2120	7	14	2 15/16" open	2 15/16" open	Purex CF 66/100 Two or three 33 sq. ft. cartridges required.	P-05237	PPF33	C-7633	33	6	1
FC-2170	7	16	2 15/16" open	2 15/16" open	Purex CF 67.5 Six 67.5 sq. ft. cartridges required.	30-Jul	PPF67.5-4	C-7467	67.5	4	1
FC-2190	7	18 1/16	2 5/8" open	2 5/8" open	Seahorse 300 stainless/fiberglass tank Four 75 sq. ft. cartridges req..	1722840	PFAB75-4	C-7491	75	4	1
FC-2150	7	19 3/8	2 15/16" open	2 15/16" open	Purex CF 60 Three 60 sq. ft. cartridges required.	07-0657	N/A	C-7460	60	4	1
FC-2160	7	19 3/8	2 15/16" open	2 15/16" open	Purex CF 80 Three 80 sq. ft. cartridges required.	07-0656	N/A	C-7480	80	4	1
FC-2192	7	24 1/16	2 5/8" open	2 5/8" open	Seahorse 400 stainless/fiberglass tank Four 100 sq. ft. cartridges req.	1722841	PFAB100SH-4	C-7492	100	4	1
FC-2180	7	25 3/8	2 15/16" open	2 15/16" open	Purex CF 315 Three 105 sq. ft. cartridges required.	07-0231	N/A	C-7496	105	4	1

Pentair Pool Products/Purex continued –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
PENTAIR POOL PRODUCTS/PUREX continued											
FC-2194	7	30 ³ / ₁₆	2 ⁵ / ₁₆ " open	2 ⁵ / ₁₆ " open	Seahorse 500 stainless/fiberglass tank Four 125 sq. ft. cartridges required.	1722849	PFAB125-4	C-7493	125	4	1
FC-1970	8 ⁷ / ₈	19 ¹ / ₂	4" open	4" open	Purex DM 75 Product has white end caps.	R173579, 175689	PDM75	C-8401	75	4	1
PENTAIR POOL PRODUCTS/RAINBOW PLASTICS											
FC-2308	2 ⁷ / ₈	9 ³ / ₄	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	Rainbow 8 sq. ft. Seventeen 8 sq. ft. cartridges required.	17-2055	N/A	C-2308	8	3	100
FC-2310	2 ⁷ / ₈	9 ³ / ₄	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	Lifeguard CL 9 Product can also be replaced with FC-3060 (4oz.).	17-2006	PH6	C-2604	4	6	100
FC-2310	2 ⁷ / ₈	9 ³ / ₄	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	Lifeguard CL 9 Product can also be replaced with FC-3060 (4oz.).	17-2006	PH6	C-2604	4	6	100
FC-2315	2 ⁷ / ₈	9 ³ / ₄	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	Six Square Feet; 6 oz. Eighteen 5.8 sq. ft. cartridges required. Product can also be replaced with FC-3060 (4oz.).	174819, 174865, 17-2048	N/A	C-2606	6	6	100
FC-2365	2 ⁷ / ₈	14 ¹¹ / ₁₆	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	12sq. ft. Rainbow 14 ³ / ₄	17-2056	PW15WC	C-2912	13	3	20
FC-2320	2 ⁷ / ₈	17 ¹ / ₁₆	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	Rainbow 14.5	17-0051	PRB14.5/-M	C-2302	15	3	12
FC-2324	2 ⁷ / ₈	17 ¹ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Chloro.	17-0052	PRB8.5/-M	C-2303	9	3	12
FC-2330	2 ⁷ / ₈	19 ¹ / ₂	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	Lifeguard CL 19	17-2021	N/A	C-2608	8	4	20
FC-2340	2 ⁷ / ₈	19 ¹ / ₂	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	Lifeguard CL 19x	2945000, 17-2047	PRB12-4	C-2612	13	4	20
FC-2350	2 ⁷ / ₈	29 ¹ / ₄	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	Lifeguard CL 29	17-2010	PRB12L-4	C-2613	13	4	20
FC-2360	2 ⁷ / ₈	29 ¹ / ₄	1 ¹ / ₁₆ " open	1 ¹ / ₁₆ " open	Lifeguard CL 29x	17-2046	PRB18-4	C-2618	18	4	20
FC-2386	4 ¹ / ₁₆	4 ⁵ / ₈	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow DSF 35, (set of 2)	17-2606, 817-3510	PRB17.5SF- PAIR/JH	C-4401	35	4	6 sets
FC-2387	4 ¹ / ₁₆	6 ⁵ / ₈	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow DSF 50, (set of 2) Only 1 unit of 2 unit cartridge set needed.	17-2464, 817-5010	PRB25SF- PAIR/JH	C-4405	50	4	6 sets
FC-2387M	4 ¹ / ₁₆	5 ⁵ / ₈	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow DSF (2 filters per set) antimicrobial			C-4405RA	50	3	6 sets
FC-2385	4 ¹ / ₁₆	9 ¹ / ₄	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic 35	03FIL1300, 17-2482, 25393, 303557, 817-3501	PRB35-IN	C-4335	35	3	6
FC-2385M	4 ¹ / ₁₆	9 ¹ / ₄	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic in-line				35	3	6
FC-2370	4 ¹ / ₁₆	13 ³ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic 25	17-2325	PRB25-IN-4	C-4625	25	4	6
FC-2372	4 ¹ / ₁₆	13 ³ / ₁₆	Closed	2 ¹ / ₈ " open	Rainbow Leaf Cartridge	17-2653	PRB25-IN-TC	C-4321	25	3	6
FC-2375	4 ¹ / ₁₆	13 ³ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic 25, 3 oz. Product can also be replaced with FC-2370 (4 oz.).	100586, 33521, 172327, 25392, 303909, M-4326, 817-2500	PRB25-IN	C-4326	25	3	6
FC-2375M	4 ¹ / ₁₆	13 ³ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic in-line - antimicrobial		PRB35-IN-M	C-4335RA	25	3	6
FC-2380	4 ¹ / ₁₆	13 ³ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic 37 37 sq. ft. cartridge is an upgrade for part # FC-2375		PRB37-IN-4	C-4637	37	4	6
FC-2390	4 ¹ / ₁₆	13 ³ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic 50	03FIL1600, 100533, 6540- 471, 17-2380, 25391, 817-5000	PRB50/-MIN	C-4950	50	3	6
FC-2390M	4 ¹ / ₁₆	13 ³ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic in-line				50	3	6
FC-2395	4 ¹ / ₁₆	20 ¹ / ₈	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic 75	17-2632, 25390, 17-2435	PRB75	C-4975	75	3	6
FC-2395M	4 ¹ / ₁₆	20 ¹ / ₈	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow RTL - antimicrobial		PRB75-M	C-4975RA	75	3	6
FC-2397	4 ¹ / ₁₆	26 ¹¹ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic 100	17-2633, 17-3436	PRB100	C-4999	100	3	4
PHOENIX SPAS											
FC-2380	4 ¹ / ₁₆	13 ³ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic 35		PRB37-IN-4	C-4335	35	3	6
FC-2390	4 ¹ / ₁₆	13 ³ / ₁₆	2 ¹ / ₈ " open	2 ¹ / ₈ " open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6
FC-0359	6	8 ¹ / ₄	Handle	1 ¹ / ₂ " SAE	6 x 8 ¹ / ₄ ; Male SAE Thread Two 40 sq. ft. cartridges required (used side by side).		PWW50P3	6CH-940	80	3	6
FC-0360	6	8 ¹ / ₄	Handle	1 ³ / ₄ " Male Slip	6 x 8 ¹ / ₄ ; Male Slip Fitting		PW- W100ST-P3	6CH-941	160	3	6
FC-0361	6	8 ¹ / ₄	Handle	1 ³ / ₄ " SAE	6 x 8 ¹ / ₄ ; Male SAE Thread		PWW100STP3	6CH-942	160	3	6

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
POOLCO INDUSTRIES											
FC-3116	7	19 3/8	3" open	3" open	Poolco 90		PPCO90	N/A	90	4	1
PORTA SPA (S.A.)											
FC-3710	4 3/4	8	1 1/16" open	1 1/16" open	Coleco F-120, DR-7 w/core		PC7-120/PAIR	C-4607	5	3	12
PREMIER/SPRINGWATER											
FC-3060	2 3/4	9 3/4	1 1/16" open	1 1/16" open	Universal Six Product can also be replaced with FC-3060.	24101-19	PH6-PAK7/-M/PH6-4	C-2606	6	6	198
FC-2015	5 3/16	11 7/8	1 1/16" open	1 1/8" open	Premier 22	27-077	PPM25	C-5622	22	6	6
FC-2018	5 3/16	23 1/4	1 3/8" open	1 3/8" open	Premier Maxi Sweep, (3 or 4 required) Three 75 sq. ft. cartridges required.	27-056	PPR75	C-5371	75	3	4
FC-0610	7	9 13/16	3" open	3" open	Hercules II, 25 sq. ft.; 6 oz. Product can also be replaced with FC-0615.	R173200, 27-078, 24240-0016, WC108-140SI	PPC25	C-7625	25	6	1
FC-0615	7	9 13/16	3" open	3" open	Hercules II, 25 sq. ft.; 4 oz.	R173201, 57005700,	N/A	C-7425	25	4	1
FC-0620	7	19 3/8	3" open	3" open	Hercules II, 50 sq. ft.; 6 oz. Product can also be replaced with FC-0625.	R173409, 27-079	N/A	C-7650	50	6	1
FC-0625	7	19 3/8	3" open	3" open	Hercules II, 50 sq. ft.; 4 oz.	R173203, 57005800	N/A	C-7450	50	4	1
FC-0670	7	19 3/8	3" open	3" open	Hercules II, 75 sq. ft.; 6 oz. Two 75 sq. ft. cartridges required.	R173210, 57014300, 27-080	N/A	C-7453	25	4	1
FC-0650	7	29 3/8	3" open	3" open	Hercules II, 100 sq. ft.; 4 oz.	57014400, 27084	PCM100SV	C-7499	100	4	1
PUREX See Pentair Pool Products - PUREX											
QCA SPAS											
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-2940	4 15/16	23 3/8	2 1/8" open	2 1/8" open	Waterway 100		PCAL100	C-4995	95	3	4
QUANTUM SPAS											
FC-0187	4 3/8	9 3/4	Handle	1 1/10" open	4 3/8 x 9 3/4		PTL20HS/PGS25	C-4324	25	3	6
RAINBOW PLASTICS See Pentair Pool Products - RAINBOW PLASTICS											
REC WAREHOUSE See LEISURE BAY											
RISING DRAGON											
FC-0172	4 15/16	13 1/2	Handle	2" Fem SAE			N/A	4CH-949	50	3	6
RIVER VALLEY SPAS											
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
ROGERS SPAS											
FC-2015	5 3/16	11 7/8	1 1/16" open	1 1/8" open	Premier 22		PPM25	C-5622	25	4	6
ROMANESQUE SPAS											
FC-2015	5 3/16	11 7/8	1 1/16" open	1 1/8" open	Premier 22		PPM25	C-5622	25	4	6
FC-3070	5 3/16	14 3/4	1 1/16" open	1 1/8" open	Marlin/Roman		PPM30	C-5627	27	4	6
RUBADUB TUB SPAS											
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
SAFARI SPAS											
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-1330	5 11/16	10 3/8	String Handle	2 1/8" open	Jacuzzi Aero, Caressa, C/top		PJW23-M4	C-5601	25	3	6

Santana Spas –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE	QTY.
SANTANA SPAS												
FC-2620	4 15/16"	9 13/16"	2 1/8" open	2 1/8" open	Santana 25		PPI25-4	C-4428	25	4	6	
FC-2650	4 15/16"	9 13/16"	Closed	2 1/8" open	Santana 25, C/Top Product has closed top.		PP125	C-4328	25	4	6	
FC-2660	4 15/16"	14 7/8"	Closed	2 1/8" open	Santana 45; C/Top Product has closed top.		PST45	C-4345	45	3	6	
SARATOGA SPAS												
FC-0124	4 5/8"	6 3/4"	Handle	1 1/4" SAE	Top Load	PSG13.5	N/A	4CH-920	15	3	6	
FC-0125	4 5/8"	6 3/4"	Handle	1 1/2" MPT	Top Load	PSG13.5	PHC25	4CH-20	15	3	6	
FC-0185	4 5/8"	6 3/4"	Handle	1 1/10" open	Use Pleatco PAD adapters		PSG25P4	N/A	20	3	6	
FC-0121	4 5/8"	8"	Handle	1 1/2" MPT	Top Load		PTL18-4	4CH-21	19	3	6	
FC-0131	4 5/8"	9 3/4"	Handle	1 1/2" MPT	Top Load		PGS25P4	4CH-24	25	3	6	
FC-0131M	4 5/8"	9 3/4"	Handle	1 1/2" MPT	1 1/2" MPT - antimicrobial		PGS25P4-M	4CH-24RA	25	3	6	
FC-0132M	4 5/8"	11 1/4"	Handle	1 1/2" MPT	antimicrobial	PSG27.5-MICROBL	PSG27.5MP4	N/A	27	3	6	
FC-0134M	4 5/8"	11 1/4"	Handle	1 1/4" SAE	antimicrobial	PSG27.5-MICROBL	PSG27.5MP2	N/A	27	3	6	
FC-0141	4 5/8"	11 7/8"	Handle	1 1/2" MPT	Top Load		PTL25P-4	4CH-30	27	3	6	
FC-0173	4 5/8"	11 7/8"	Handle	1 1/4" SAE	Top Load		PDO-UF25P2	4CH-950	27	3	6	
FC-0189	4 5/8"	11 7/8"	Handle	1 1/10" open	Use Pleatco PAD adapters*		N/A	N/A	27	3	4	
FC-0133M	4 5/8"	15 1/4"	Handle	1 1/2" MPT	antimicrobial	PSG40N-MICROBL	N/A	N/A	40	3	6	
FC-0135M	4 5/8"	15 1/4"	Handle	1 1/4" SAE	antimicrobial	PSG40N-MICROBL	PSG49NMP2	N/A	40	3	6	
FC-0177	4 5/8"	15 1/4"	Handle	1 1/4" SAE	Top Load	PSG40N	PDO-UF40P2	4CH-940	40	3	6	
* Factory cartridges use an adapter provided by Saratoga. Remove adapter from suction fitting before installing replacement cartridge. One fitting is SAE and other is MPT thread. Choose the correct cartridge thread to match the suction fitting.												
SEAHORSE SPAS												
FC-2390	4 15/16"	13 5/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6	
SEARS See Muskin												
SEASCAPE SPAS												
FC-0141	4 5/8"	11 7/8"	Handle	1 1/2" MPT	4 5/8" x 11 7/8"		PTL25P-4	4CH-30	30	4	6	
SEASON MASTER/LEISURE WORKSHOP												
FC-3103	5 1/8"	25 3/4"	Handle	Male Slip	Season Master 100/Molded O-ring	PLW100-4	C-5349	100	3	1		
SEQUOIA SPAS												
FC-2370	4 15/16"	13 5/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6	
FC-2390	4 15/16"	13 5/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6	
SEVEN SEAS SPAS												
FC-1425	5"	13 5/16"	2 3/8" open	2 3/8" open	Jacuzzi CFR 25		PJ25-IN-4/-M4	C-5625	25	4	6	
FC-1330	5 11/16"	10 3/8"	String Handle	2 1/8" open	Jacuzzi Aero, Caressa, Closed Top		PJW23-M4	C-5601	25	3	6	
FC-1320	5 11/16"	10 3/8"	String Handle	2 1/8" open	Jacuzzi Whirlpool 50, Closed Top		PJW50	C-5300	50	3	6	
SIGNATURE SPAS												
FC-2387	4 15/16"	6 5/8"	2 1/8" open	2 1/8" open	Rainbow DSF 50 2/set.		PRB25SF-PAIR/JH	C-4405	50	3	6 sets	
FC-2375	4 15/16"	13 5/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6	
FC-2390	4 15/16"	13 5/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6	
SOFTSIDER SPAS												
FC-0183	4 5/8"	4 5/8"	Handle	1 1/10" open	FILBUR replacement needs a 1 1/2" PVC pipe nipple/PAD adapter (not furnished).		PTL18/PSS17.5	C-4302	12	3	6	

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SO. FT.	OZ.	CASE QTY.
SOFTSIDER SPAS continued											
FC-0185	4 5/8	6 3/4	Handle	1 1/10" open	4 5/8 x 6 3/4 FILBUR replacement needs a 1 1/2" PVC pipe nipple/PAD adapter (not furnished).		PSG25P4	C-4303	15	3	6
FC-0483	7	8	Handle	1 1/10" open	7 x 8 FILBUR replacement needs a 1 1/2" PVC pipe nipple/PAD adapter (not furnished).		PCS32	C-7432	32	3	1
FC-0125	4 5/8	6 3/4	Handle	1 1/2" MPT	4 5/8 x 6 3/4		PHC25	4CH-20	20	3	6
FC-0305	6	5 1/2	Handle	1 1/2" MPT	6 x 5 1/2	90-802	PTL20W-SV-P-4	6CH-25	25	3	6
SONFARREL/MARTEC											
FC-1611	4 15/16	11 3/8	2 1/8" open	2 1/8" open	Sonfarrel 25	220022, 220032	N/A	C-4332	20	3	6
FC-1612	4 15/16	11 3/8	2 1/8" open	2 1/8" open	Sonfarrel 30	220022, 220032	PTM25	C-4332	25	3	6
FC-1617	4 15/16	14 7/8	2 1/8" open	2 1/8" open	Sonfarrel 50	220142, 22145, 220152	PTM50	C-4305	45	3	6
SONOMA SPAS											
FC-3077	4 1/4	4	1 15/16" open	1 15/16" open	Skim Filter 10		PWW10	C-4310	10	3	6
FC-1220	4 5/8	11 7/8	2 1/16" open	2 1/16" open	Hayward C-225		PA225-4/M4	C-4325	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6
FC-2397	4 15/16	26 11/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 100		PRB100	C-4999	100	3	4
FC-3097	5 1/2	17	1 15/16" open	2 7/8" open	Ozone 40 w/concentric holes		PDO40-4	C-5404	40	4	1
FC-1230	7	9 13/16	3" open	3" open	Hayward CX 250		PA25-4/M4	C-7626	25	4	4
SOUTHWEST INDUSTRIES											
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6
SPA CREST SPAS											
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6
SPA-IN-A-BOX											
FC-3120	2 3/4	5 1/8	1 1/16" open	1 1/16" open			PSB3.5	C-2305	5	3	9
SPA MANUFACTURER'S INC.											
FC-0187	4 5/8	9 3/4	Handle	1 1/10" open	4 5/8 x 9 3/4		PTL20HS/PGS25	C-4324	25	3	6
SPECK PUMPS											
FC-0903	8 15/16	24 1/2	4" open	4" open	AC2515		PAST150	C-8415	150	4	1
FC-0902	8 15/16	19 1/4	4" open	4" open	AC2510		PAST100	C-8499	100	4	1
SPILLWAY SPAS See Florida Whirlpool											
SPLASH TUB											
FC-3130	4 15/16	5 1/2	Closed	1 1/10" open	Splash Tub 16	ST-315, ST-230	N/A	C-4316	16	3	6
FC-3135	6 3/8	8	Closed	3 3/4" open	Splash Tub 24 Used over suction cover.	ST-230, ST-315	N/A	C-6324	24	3	6
STA-RITE											
FC-3060	2 3/4	9 3/4	1 1/16" open	1 1/16" open	Swimquip 108, 216	24101-19	PH6-PAK7/-M/PH6-4	T-380	6	4	198
FC-2510	4 1/2	9 3/4	1 1/16" open	1 1/16" open	Sta-Rite TX-15		PSR15-4	C-4610	15	4	6
FC-0615	7	9 13/16	3" open	3" open	Posi-Clean TX 25, RCP 25 (4 oz.)	R173201, 57005700, R173208	N/A	C-7425	25	4	1
FC-0610	7	9 13/16	3" open	3" open	Posi-Clean TX 25, RCP 25 Product can also be replaced with FC-0615.	R173200, 27-078, WC108-140SI, 24240-0016	PPC25	C-7625	25	6	1
FC-1235	7	14 3/16	3" open w/ gasket	3" open w/ gasket	PRC System	25200-0150S	" "	C-7447	50	4	1
FC-2580	7	19 3/8	3" open	3" open	Posi-Clean TX 100, TX 50 Two 50 sq.ft. cartridges required.	24241-0016, WC108-141SI	PPC50	C-7652	50	4	1
FC-1260	7	19 3/8	3" open w/ gasket	3" open w/ gasket	PRC System	25200-0175S		C-7477	75	4	1

Sta-Rite continued –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE	QTY.
STA-RITE continued												
FC-2520	8 1/4	9 3/4	4 3/16" open	4 3/16" open	Sta-Rite TX 35	WC108-55S2X	PSR35-4	UHD-SR35	35	4	1	
FC-2530	8 1/4	13 3/16	4 3/16" open	4 3/16" open	Sta-Rite TX 50 Product has blue top end cap and orange bottom cap.	WC108-562SX	PSR50-4/-M4	UHD-SR50	50	4	1	
FC-2540	8 1/4	18 3/16	4 3/16" open	4 3/16" open	Sta-Rite TX 70 Product has blue top end cap and orange bottom cap.	WC108-572SX	PSR70-4/-M4	UHD-SR70	70	4	1	
FC-2550	8 1/4	25 1/16	4 3/16" open	4 3/16" open	Sta-Rite TX 100 Product has blue top end cap and orange bottom cap.	WC108-58S2X	PSR100-4/-M4	UHD-SR100	100	4	1	
FC-2570	8 1/4	31 1/4	4 3/16" open	4 3/16" open	Sta-Rite PTM 135 Product has blue top end cap and orange bottom cap.	WC108-70S2X	PSR137-4	UHD-SR137	137	4	1	
FC-2560	8 1/4	34 1/2	4 3/16" open	4 3/16" open	Sta-Rite TX 135 Discontinued by Sta-Rite. Replacement fits stainless steel tank only. Product has blue top end cap and orange bottom cap.	WC108-59S2X	PSR135-4	UHD-SR135	135	4	1	
FC-1292	8 15/16	17 3/8	4" open	4" open	Posi-Clear PXC 95	25230-0095S	PA90/-M/-4/	C-8409	95	4	1	
FC-1294	8 15/16	28 3/16	4" open	4" open	Posi-Clear PXC 175	25230-0175S	PA175/-M/-4	C-8417	175	4	1	
FC-2575	8 15/16	28 3/16	4" open	4" open	Posi Clear PXC 125	25230-0125S	PWWPC-125B/-M	C-8413	125	4	1	
FC-2576	8 15/16	28 3/16	4" open	4" open	Posi Clear PXC 150	25230-0150S	N/A	C-8416	150	4	1	
STARLIGHT SPAS See U.S. Tooling & Spas												
STREAMLINE SPAS												
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6	
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6	
STRONG INDUSTRIES												
FC-0126	4 3/4	8	Handle	1 1/2" SAE	Antiqua	PSANT20	PDM25P4-M/PSANT20P3	N/A	20	3	6	
SUN RAY SPAS (CANADA)												
FC-2375	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN	C-4326	25	3	6	
FC-2385	4 15/16	9 1/4	2 1/8" open	2 1/8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	6	
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6	
SUNBELT SPAS												
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6	
FC-2930	4 15/16	23 3/8	2 1/8" open	2 1/8" open	Waterway 75		PCAL75	C-4970	75	3	6	
FC-0359	6	8 1/4	Handle	1 1/2" SAE	6 x 8 1/4; Male SAE Thread Two 40 sq. ft. cartridges required (used side by side).		PWW50P3	6CH-940	40	3	6	
FC-0360	6	8 1/4	Handle	1 3/4" Male Slip	6 x 8 1/4; Male Slip Fitting FC-0360 and FC-0361 required (stacked)		PW-W100ST-P3	6CH-941	80	3	6	
FC-0361	6	8 1/4	1 3/4" open	1 1/2" SAE	6 x 8 1/4; Male SAE Thread FC-0360 and FC-0361 required (stacked)		PWW100STP3	6CH-942	80	3	6	
SUNCOUNTRY SPAS												
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6	
SUNDANCE SPAS												
FC-0141	4 5/8	11 1/8	Handle	1 1/2" MPT	4 5/8 x 11 1/8	6540-484	PTL25P-4	4CH-30	25	4	6	
FC-2761	4 5/8	12 1/2	Top handle	2" SAE	J-400 Cartridge 12.5"	2540-387	N/A	N/A	3	35	6	
FC-0161	4 5/8	16	Handle	1 1/2" MPT	4 5/8 x 16	6540-486	PTL35-4	4CH-35	40	3	6	
FC-2710	4 5/8	16 3/4	Castle	2 1/16" open	Sundance 40	6540-495	PSD40-4	C-4440	40	4	4	
FC-2769	5 5/8	18 3/4	open	open	Meltblown 880 MicroClean Ultra Inner	6473-164	N/A	N/A	N/A	N/A	6	
FC-2771	8 1/2	19 5/8	2 1/2 open	Open nipple	Pleated 880 MicroClean Ultra Outer	6473 - 165	N/A	N/A	N/A	3	5	
FC-2772	8 1/2	19 5/8	3 1/2 open	Open nipple	FC-2769 & FC-2771 Kit	6541 - 397	N/A	N/A	N/A	3	5	
FC-2767	4 3/4	4 3/4	closed		50 Micron Meltblown	6473-161	N/A	N/A	N/A	N/A	8	
FC-2386	4 15/16	4 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set Requires one FC-2386 and one FC-2387 for a total of 45 sq. ft.	6000-134	PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets	

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
SUNDANCE SPAS continued											
FC-2387	4 15/16	6 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set.		PRB25SF-PAIR/JH	C-4405	50	3	6 sets
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50	6540-471	PRB50-/-MIN	C-4950	50	3	6
FC-1630	4 15/16	14 7/8	2 1/8" open	2 1/8" open	Martec 50	6540-497	PMT50	C-4305	50	3	6
FC-2763	6	6 1/2	Remov-able Cap	open w/locking tabs	30 SQ FT Pleated	6473-156	N/A	N/A	30	3	6
FC-2764	6	8 1/2	Remov-able Cap	open w/locking tabs	40 SQ FT Pleated	6473-157	N/A	N/A	40	3	6
FC-2765	6	12	Remov-able Cap	open w/locking tabs	50 SQ FT Pleated	6473-158	N/A	N/A	50	3	9
FC-2717	6	13 1/2	Remov-able Cap	2" SAE	Sundance ProClear II	6540-498	N/A	N/A	45	3	1
FC-2718	6	18 3/4	Remov-able Cap	2" SAE	Sundance Removable Cap		N/A	N/A	70	3	
FC-2715M	6 5/8	15 1/2	Remov-able Cap	2" SAE	J-300 series antimicrobial	6540-383MB	N/A	N/A	60	3	1
FC-2770	7	19	2 1/2" open	1 1/2" MPT	Sundance Double End 90	6540-487	PSD90P	7CH-90	90	3	1
FC-2730	7 1/2	14 3/4	Castle	2 1/16" open	Sundance 65; 2 1/16" I.D. 2 1/16" bottom I.D. for 1 1/2" system. Replaces both 7 1/2" and 8" OD Sundance cartridges.	6540-480	PSD65	C-7465	65	3	1
FC-2740	7 1/2	14 3/4	Castle	2 3/8" open	Sundance 65; 2 3/8" I.D. 2 3/8" bottom I.D. for 2" system. Replaces both 7 1/2" and 8" OD Sundance cartridges.	6540-481	PSD65-2	C-7466	65	3	1
FC-2760	7 1/2	18	Castle	2 1/2" open	Sundance 75	6540-483	PSD75	C-7370	75	3	1
FC-2812	7 3/4	5	4 7/8" open	4 7/8" open	Sundance Disposable Depth Filter Replace after 3 months of use. Mates up to FC-2810. No broken case quantities allowed.	6540-502	N/A	N/A	N/A		12
FC-2810	8 1/2	14	Closed w/SAE	2 1/2" open	Sundance Microclean Use with FC-2812.	6540-501	PSD85-2002	C-8380	80	3	1
FC-2810M	8 1/2	14	Closed w/SAE	2 1/2" open	Sundance Microclean - antimicrobial		N/A	C-8380RA	80	3	1
FC-2751	8 1/2	17 3/4	Castle	2 1/2" open	Sundance		N/A	N/A	115	3	
FC-2750	8 1/2	18 1/4	Castle	2 11/16" open	Sundance 120	6540-482	PSD125	C-8320	120	3	1
FC-2780	8 1/2	19	2 1/2" beveled edge	2 1/2" open/nipple	Sundance Double End 120	6540-488	PSD125-2000/-M	C-8326	125	3	1
FC-2790	8 1/2	18	Closed w/step	2 1/2" open	Sundance Universal Length	6540-490	PSD125U	C-8325	125	3	1
FC-2791	8 1/2	19	2 1/2" beveled edge	2 1/2" Slip	MicroClean II Plus OEM product has Gray end caps.	6540-507	N/A	N/A	N/A	N/A	1
FC-2971M	5 5/8	14 11/16	2 1/8" open	2 1/8" open	LP 65 sq. ft.		N/A	C-5374RA	65	3	6
SUNRISE SPAS											
FC-2387	4 15/16	6 5/8	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set.		PRB25SF-PAIR/JH	C-4405	50	3	6 sets
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
FC-0305	6	5 1/2	Handle	1 1/2" MPT	Top Load Cartridge		PTL20W-SV-P-4	6CH-25	25	3	1
FC-0314	6	8	Handle	1 1/2" MPT	Top Load Cartridge - New Models		6CH-49	N/A	35	3	1
FC-0425	7	8	Handle	1 1/2" MPT	32 sq. ft. Top Load		PCS32P	7CH-32	32	3	4
FC-0463	7	14 3/4	Handle	1 1/2" MPT	7 x 14 3/4		PVT50P	7CH-50	50	3	1
FC-0491	7	14 3/4	Handle	1 1/10" open	7 x 14 3/4		N/A	C-7449	50	3	1
SUNSET SPAS											
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/-MIN	C-4950	50	3	6
SUPERIOR SPAS											
FC-3077	4 1/4	4	1 15/16" open	1 15/16" open	Skim Filter 10		PWW10	C-4310	10	3	6

Superior Spas continued –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
SUPERIOR SPAS continued											
FC-2915	4 15/16"	11 1/4"	2 1/8" open	2 1/8" open	Waterway 40		PWW40	C-4339	40	3	6
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
FC-0359	6	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4"; Male SAE Thread		PWW50P3	6CH-940	40	3	6
FC-0360	6	8 1/4"	Handle	1 3/4" Male Slip	6 x 8 1/4"; Male Slip Fitting One 817-0011 (FC-0360) and one 817-0012 (FC-0361) required.(stacked).		PW-W100ST-P3	6CH-941	80	3	6
FC-0361	6	8 1/4"	1 3/4" open	1 1/2" SAE	6 x 8 1/4"; Male SAE Thread One 817-0011 (FC-0360) and one 817-0012 (FC-0361) required.(stacked).		PWW100STP3	6CH-942	80	3	6
TATUM MANUFACTURING											
FC-0359	6	8 1/4"	Handle	1 1/2" SAE	Cool Nights, Gulf Coast Series		PWW50P3	6CH-940	40	3	6
FC-2815	6	10 1/2"	Handle	2" MPT	Laz-Z-Boy®, Freestyler Series Replacement for 6" OD Pleatco filter.		N/A		50	3	4
THERMO SPAS											
FC-3077	4 1/4"	4	1 15/16" open	1 15/16" open	Skim Filter 10		PWW10	C-4310	10	3	6
FC-2387	4 15/16"	6 3/8"	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set.		PRB25SF-PAIR/JH	C-4405	50	3	6 sets
FC-2386	4 15/16"	4 3/8"	2 1/8" open	2 1/8" open	Rainbow DSF 35, 2/set		PRB17.5SF-PAIR/JH	C-4401	35	3	6 sets
FC-2370	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
FC-2375	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-1610	4 15/16"	14 7/8"	2 1/8" open	2 1/8" open	Martec 27.5		PMT27.5	C-4301	30	3	6
FC-0310	6	7	Handle	1 1/2" MPT	6 x 7		PTL25W-SV-P-4	6CH-26	25	3	6
FC-0359	6	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4"; Male SAE Thread		PWW50P3	6CH-940	40	3	6
THE WET SET See Intex											
TIARA SPAS											
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
TIGER RIVER SPAS/HOT SPRINGS											
FC-3960	8 1/2"	10 1/2"	3" open	3" open	Watkins 65	31114	PWK65	C-8465	65	3	1
TUFF SPAS											
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
FC-0359	6	8 1/4"	Handle	1 1/2" SAE			PWW50P3	6CH-940	40	3	6
U.S. TOOLING & SPAS											
FC-3077	4 1/4"	4	1 15/16" open	1 15/16" open	Skim Filter 10		PWW10	C-4310	10	3	6
FC-2387	4 15/16"	6 3/8"	2 1/8" open	2 1/8" open	Rainbow DSF 50, 2/set.		PRB25SF-PAIR/JH	C-4405	50	3	6 sets
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
FC-0518	8	12 3/4"	Handle	2" MPT	Diamante Spas 85		PUST80-F2M	8CH-852	85	3	1
FC-0517	8	18	Handle	2" MPT	Diamante Spas 120		PUST120-F2M	8CH-202	120	3	1
FC-0517M	8	18	Handle	2" MPT	120 sq. ft. Top Load antimicrobial Replacement for Diamante Spas		N/A	8CH-202RA	120	3	1
VIKING SPAS											
FC-3077	4 1/4"	4	2 1/8" open	2 1/8" open	Skim Filter		PWW10	C-4310	10	3	6
FC-1620	4 15/16"	11 7/8"	2 1/8" open	2 1/8" open	Martec 32		PMT25	C-4332	32	3	6
FC-2375	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Rainbow DSF 50		PRB50-/MIN	C-4950	50	3	6
FC-0359	6	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4"; Male SAE Thread		PWW50P3	6CH-940	40	3	6

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SO. FT.	OZ.	CASE QTY.
VITA SPAS											
FC-3029	4 3/8	7 3/4	Closed	1 1/2" MPT	Vita Spas Top Load MPT		N/A	N/A	25	3	10
VITA SPAS continued											
FC-3029M	4 3/8	7 3/4	Closed	1 1/2" MPT	Vita Spas MPT		PVT25N2-P4-M	N/A	25	3	4
FC-0125	4 3/8	6 3/4	Handle	1 1/2" MPT	4 3/8 x 6 3/4 Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting.	PVT-25	PHC25	4CH-20	25	3	6
FC-0121	4 3/8	8	Handle	1 1/2" MPT	4 3/8 x 8 Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting.	PVT-25N	PTL18-4	4CH-21	25	3	6
FC-2385	4 15/16	9 1/4	2 1/8" open	2 1/8" open	Quest	PRB35 IN	PRB35-IN	C-4335	35	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Le Cirque	PRB50 IN	PRB50-/MIN	C-4950	50	3	6
FC-0359	6	8 1/4	Handle	1 1/2" SAE	Reflections Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting.	PWW 50	PWW50P3	6CH-940	40	3	6
FC-0435	7	9 3/4	Handle	1 1/2" MPT	7 x 9 3/4 Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting.	PVT 40	PCS40P	7CH-40	40	3	4
FC-0463	7	14 3/4	Handle	1 1/2" MPT	7 x 14 3/4 Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting.	PVT 50	PVT50P	7CH-50	50	3	1
FC-0491	7	14 3/4	Handle	1 1/10" open	7 x 14 3/4 FILBUR replacement needs a 1 1/2" PVC pipe nipple/PAD adapter (not furnished).	PVT 50	N/A	C-7449	50	4	1
FC-3052	8 1/2	7	Handle	2" MPT	L200/L700 Remove "pad adapter" from skimmer before threading filter into suction fitting.	PVT50W H	PVT50WH-F2L	8CH-502	50	3	4
FC-3052M	8 1/2	7	Handle	2" MPT	Circ Pump, Remove "pad adapter" from skimmer before threading filter into suction fitting. (new style) Product uses antimicrobial filter media	PVT30W H	N/A	N/A	30	3	4
FC-0620	7	19 3/8	3" open	3" open	Amer. Commander 50 Product discontinued by Vita Spas		N/A	C-7450	50	3	1
FC-3053	8 1/2	7 1/4	1 1/10" open	2 3/8" with slot	50 sq. ft. Vita Spa	PVT 50W	PVT50W	C-8350	50	3	1
WARM SPRING SPAS											
FC-2370	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50-/MIN	C-4950	50	3	6
WATERCO											
FC-5125	7 1/4	9 3/8	3 1/16" open	3 1/16" open	Waterco C-25	62040	PWC25/PWC50	C-7427	25	4	1
FC-5180	7 1/4	29 1/2	3 1/16" open	3 1/16" open	Waterco CC-100	62050	PJAN100	C-7497	100	4	1
FC-5185	7 1/4	29 1/2	3 1/16" open	3 1/16" open	Waterco Trimline CC-150	62051	N/A	C-7494	150	4	1
WATERPIK See Jandy											
WATER'S EDGE SPAS											
FC-0425	7	8	Handle	1 1/2" a MPT	7 x 8		PCS32P	7CH-32	35	3	4
FC-2375	4 15/16	13 3/16	2 1/8" open	1 1/2" MPT	Rainbow Dynamic 25, 3 oz.		PRB25-IN	C-4326	25	3	6
WATERWAY PLASTICS											
FC-3077	4 1/4	4	1 15/16" open	1 15/16" open	Waterway Skim Filter 10	817-0010	PWW10	C-4310	10	3	6
FC-2386	4 15/16	4 3/8	2 1/8" open	2 1/8" open	Waterway 4 3/8" Skim, 2/set	817-3510	PRB17.5SF-PAIR/JH	C-4401	35	4	6 sets
FC-2387	4 15/16	6 5/8	2 1/8" open	2 1/8" open	Waterway 6 5/8" Skim, 2/set.	817-5010	PRB25SF-PAIR/JH	C-4405	50	4	6 sets
FC-0169	4 15/16	4 3/8	Handle	2" Fem SAE	Waterway Rising Dragon filter		N/A	N/A	10	3	1
FC-0170	4 15/16	9 1/4	Handle	1 1/2" Fem SAE	Waterway Rising Dragon filter (short)	817-4035	N/A	N/A	30	3	1
FC-2385	4 15/16	9 1/4	2 1/8" open	2 1/8" open	Waterway 35 In-line	817-3501	PRB35-IN	C-4335	35	3	6
FC-2915	4 15/16	11 1/4	2 1/8" open	2 1/8" open	Waterway 40 In-line	817-0040	PWW40	C-4339	40	3	6
FC-2910	4 15/16	12 1/4	2 1/8" open	2 1/8" open	Waterway 25	817-2500	N/A	C-4326	25	3	6

Waterway Plastics continued –

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE	QTY.
WATERWAY PLASTICS continued												
FC-2375	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Waterway 25 In-line	817-2500	PRB25-IN	C-4326	25	3	6	
FC-2390	4 15/16"	13 3/16"	2 1/8" open	2 1/8" open	Waterway 50 In-line	817-5000	PRB50/-MIN	C-4950	50	3	6	
FC-2930	4 15/16"	23 3/8"	2 1/8" open	2 1/8" open	Waterway 75 In-line	817-7500	PCAL75	C-4970	75	3	6	
FC-2940	4 15/16"	23 3/8"	2 1/8" open	2 1/8" open	Waterway 100 In-line	817-1000	PCAL100	C-4995	100	3	4	
FC-2940M	4 15/16"	23 3/8"	2 1/8" open	2 1/8" open	Waterway in-line - antimicrobial		PCAL100-M	C-4995RA	100	3	6	
FC-2970	5 5/16"	10 1/8"	2 1/8" open	2 1/8" open	45 sq. ft. Top Load	817-0014	PLBS50/-M	C-5345	45	3	6	
FC-2976	5 5/16"	30 1/8"	2 1/8" open	2 1/8" open	Top Load (in-line) 135 sq. ft.	817-0147	PCST120	C-5351	135	3	1	
FC-2971	5 5/16"	14 11/16"	2 1/8" open	2 1/8" open	65 sq. ft. Top Load	817-0015	PLBS75/-M	C-5374	65	3	6	
FC-2975	5 5/16"	21 1/16"	2 1/8" open	2 1/8" open	Top Load (in-line) 100 sq. ft.	817-0098	PCST80/-M	C-5396	100	3	1	
FC-2972	5 5/16"	17 3/4"	2 1/8" open	2 1/8" open	100 sq. ft. Top Load	817-0016	PLBS100/-M	C-5397	100	3	6	
FC-0359	6	8 1/4"	Handle	1 1/2" SAE	Front Access Skim Filter Two 40 sq. ft. cartridge required (used side-by-side).	817-0050	PWW50P3	6CH-940	40	3	6	
FC-0360	6	8 1/4"	Handle	1 3/4" Male Slip	Front Access Skim Filter 817-0011 (FC-0360) and 817-0012 (FC-0361) required.(stacked).	817-0011	PW-W100ST-P3	6CH-941	80	3	6	
FC-0361	6	8 1/4"	1 3/4" Cross top	1 1/2" SAE	Front Access Skim Filter 817-0011 (FC-0360) and 817-0012 (FC-0361) required.(stacked).	817-0012	PWW100STP3	6CH-942	80	3	6	
FC-3754	6 5/16"	13 3/16"	2 3/8" open	2 3/8" open	Dyna Flow XL	817-0018	N/A	C-6375	75	3	1	
FC-3755	6 5/16"	17 13/16"	2 3/8" open	2 3/8" open	Dyna Flow XL	817-0019	N/A	C-6310	100	3	1	
FC-1976	7	20	3" open	3" open	Crystal Water 325 Four 80 sq. ft. cartridges required.	817-0081	PCC80/-M/PAK4	C-7470	80	4	1	
FC-1977	7	26 1/8"	3" open	3" open	Crystal Water 425 Four 105 sq. ft. cartridges required.	817-0106	PCC105/-M/PAK4	C-7471	105	4	1	
FC-1978	7	32 1/16"	3" open	3" open	Crystal Water 525 Four 125 sq. ft. cartridges required.	817-0131	PCC130/-M/PAK4	C-7472	125	4	1	
FC-1255	8 15/16"	17 3/8"	4" open	4" open	Clearwater II 75, Pro Clean 75	817-0075N, 817-0075P	N/A	C-8411	75	4	1	
FC-1285	8 15/16"	17 3/8"	4" open	4" open	Clearwater II 100, Pro Clean 100	817-0100N, 817-0100P	PXST100	C-8409	100	4	1	
FC-1286	8 15/16"	23 3/16"	4" open	4" open	Pro Clean 150	817-0150N	PWWPC-150B/-M/-4/	C-8416	150	4	1	
FC-1288	8 15/16"	23 3/16"	4" open	4" open	Clearwater II 200	817-0200N	PWWCT200/PXST200/-M	C-8419	200	4	1	
FC-1293	8 15/16"	23 3/16"	4" open	4" open	Clearwater II 125, Pro Clean 125	817-0125N	PA120/-M/-4	C-8412	125	4	1	
N/A	8 15/16"	28 3/16"	4" open	4" open	Pro Clean 125 Verify length of Pro Clean 125 to determine correct FILBUR replacement.	817-0125P		C-8413	125	4	1	
FC-1211	8 15/16"	28 3/16"	4" open	4" open	Pro Clean 200	817-0200P	PA190/PWWP-C200/-M/-4	C-8420	200	4	1	
FC-1286	8 15/16"	28 3/16"	4" open	4" open	Pro Clean 150 Verify length of Pro Clean 150 to determine correct FILBUR replacement	817-0150P	PWWPC-150B/-M/-4/	C-8416	150	4	1	
FC-1294	8 15/16"	28 3/16"	4" open	4" open	Pro Clean 175	817-0175P	PA175/-M/-4	C-8417	175	4	1	
FC-2960	10	13 1/4"	5 15/16" open	6 1/16" open	Clearwater Pool 2005 and earlier	817-0075	PWW75-4	C-9401	75	4	1	
FC-2965	10	19 1/4"	5 15/16" open	6 1/16" open	Clearwater Pool 2005 and earlier	817-0100	PWW100-4/-M4	C-9402	100	4	1	
FC-2969	10	25 1/4"	5 15/16" open	6 1/16" open	Clearwater Pool 2005 and earlier	817-0150	PWW150-4/-M4	C-9403	150	4	1	
WATKINS MFG See Caldera Spas, Hot Springs, Tiger River												
WET INSTITUTE												
FC-3065	2 1/8"	14 11/16"	1 1/16" open	1 1/16" open	Wet Institute 6	32050201	PW15W/C	C-2607	6	4	20	
FC-1930	7 7/8"	14	3 1/16" open	3 1/16" open	Wet 180 Three 60 sq. ft. cartridges required.	17-2810, 4983, 4985, 32050203	PFAB60/-M	C-7660	60	4	1	
FC-1950	7 7/8"	22 1/8"	3 1/16" open	3 1/16" open	Wet 330 Three 105 sq. ft. cartridges required.	17-2812, 4985, 32050204	PFAB100/-M	C-7699	105	4	1	

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
WET INSTITUTE continued											
FC-1287	8 15/16	23 3/16	4" open	4" open	Clearwater II 150	817-0150N	PW-WCT150/-M/PC150/-M/-4	C-8414	150	4	1
FC-1288	8 15/16	23 3/16	4" open	4" open	Clearwater II 200	817-0200N	PWWCT200/PXST200/-M	C-8419	200	4	1
WHITE SPRING SPAS											
FC-0131	4 5/8	9 3/4	Handle	1 1/2" MPT	4 5/8 x 9 3/4		PGS25P4	4CH-24	25	3	6
WILD WATER SPAS											
FC-0350	6	16 1/4	Handle	1 1/2" MPT	6 x 16 1/4 Remove fitting or coupler to fit cartridge.	PTL60W-P	6CH-60	50	3	1	
WIND RIVER SPAS											
FC-2385	4 15/16	9 1/4	2 1/8" open	2 1/8" open	Rainbow Dynamic 35		PRB35-IN	C-4335	35	3	6
FC-2390	4 15/16	13 3/16	2 1/8" open	2 1/8" open	Rainbow Dynamic 50		PRB50/-MIN	C-4950	50	3	6



PURE 'N CLEAN™

THE ULTIMATE CARTRIDGE & D.E. FILTER CLEANER

Melts away calcium, minerals, dirt and oils.

Pure 'n Clean multi-purpose cleaner removes dirt, oils and scale. Deep penetrating action renews cartridge and D.E. filter efficiency and flow rate.

PROFESSIONAL GRADE

PROFESSIONAL CLEANING SOLUTION

FILBUR #	PER CASE	LBS / CASE	OZ. / BOTTLE
FC-6350	12	27	32

MICRO-KLEAN™ FILL FILTERS

Filter your water before you fill your pool or spa with the Micro-Klean fill cartridges. Available in both a pleated and disposable version these filters reduce total dissolved solids (TDS) from your water and increase the quality of your pool or spa water.

- Attaches to the end of any garden hose.
- Reduces hard mineral deposits.
- Extends filter life.
- Easier to balance chemicals from the start.
- Removes solids from water.



MICRO-KLEAN™ FILL FILTERS								
FILBUR #	DESCRIPTION	O.D.	LENGTH	TOP	BOTTOM	SQ. FT	OZ.	CASE
FC-3125	Pleated sediment filter w/hose adapter	2 3/4	10	Hose Fitting	Closed	4	4	12
FC-3128	Disposable sediment filter w/hose adapter	2 3/4	10	Hose Fitting	Closed	N/A	N/A	12
FC-3129	Big Daddy disposable sediment filter w/hose adapter	4 1/8	13 1/2	Hose Fitting	Closed	N/A	N/A	6



FILBUR®
POOL AND SPA FILTRATION

DEALER REWARD PROGRAM

Rewards – earn reward vouchers for every \$100 spent!

POP – Point of Purchase Materials give your filter cartridge display a professional look with free shelf talkers, hanging signs... and more.

Support – Exclusive Online Support allows access to resources designed specifically to help you become the expert and sell more filters!



Use the
Professional's Choice
and get rewarded!



DIATOMACEOUS EARTH (D.E.) GRIDS






FILBUR genuine replacement grids are designed for Diatomaceous Earth (D.E.) filter applications. All grids are constructed with a special reinforced center core for added durability. Seams are stitched with heavy-duty, chemical-resistant string and are sonic-welded to prevent fraying. Proprietary grid cloth stands up to more backwashing than the competition.

FILBUR #	UNICEL #	DESCRIPTION	LENGTH	WIDTH	QTY
UNIVERSAL-FULL					
FC-9320*	FG-1002	Universal Large 24 NSF/ANSI Standard 50-Health Effects	12	11	10
FC-9330*	FG-1003	Universal Large 36 NSF/ANSI Standard 50-Health Effects	18	11	10
FC-9340*	FG-1004	Universal Large 48 NSF/ANSI Standard 50-Health Effects	24	11	10
FC-9350*	FG-1005	Universal Large 60 NSF/ANSI Standard 50-Health Effects	30	11	10
FC-9360*	FG-1006	Universal Large 72 NSF/ANSI Standard 50-Health Effects	36	11	10
UNIVERSAL-PARTIAL					
FC-9420*	PG-1902	Universal Small 24 NSF/ANSI Standard 50-Health Effects	12	9¾	10
FC-9430*	PG-1903	Universal Small 36 NSF/ANSI Standard 50-Health Effects	18	9¾	10
FC-9440*	PG-1904	Universal Small 48 NSF/ANSI Standard 50-Health Effects	24	9¾	10
FC-9450*	PG-1905	Universal Small 60 NSF/ANSI Standard 50-Health Effects	30	9¾	10
FC-9460*	PG-1906	Universal Small 72 NSF/ANSI Standard 50-Health Effects	36	9¾	10
UNIVERSAL KITS (7 Large + 1 Small Grid)					
FC-9520*	FS-2002	Universal Pro Kit 24	12	N/A	1 set
FC-9530*	FS-2003	Universal Pro Kit 36	18	N/A	1 set
FC-9540*	FS-2004	Universal Pro Kit 48	24	N/A	1 set
FC-9550*	FS-2005	Universal Pro Kit 60	30	N/A	1 set
FC-9560*	FS-2006	Universal Pro Kit 72	36	N/A	1 set
PUREX					
FC-9220	FG-1224	Purex 24	13⅝	10¾	8
FC-9230	FG-1236	Purex 36	19⅝	10¾	8
FC-9240	FG-1248	Purex 48	25⅝	10¾	8
FC-9250	FG-1260	Purex 60	31⅝	10¾	8
FC-9260	FG-1272	Purex 72	37⅝	10¾	8
STA-RITE KITS					
FC-9898	FS-3037	Sta Rite System 3 SD DE grid set 37'		1 set	
Note: Set is made of 11 grids: 1 FC-9875, 2 ea. Of FC-9880, FC-9820, FC-9830, FC-9840, FC-9845					
FC-9899	FS-3053	Sta Rite System 3 SD DE grid set 53'		1 set	
Note: Set is made of 13 grids: 4 FC-9850, 3 FC-9885, 2 ea of FC-9825, FC-9840, FC-9845					

All grids are sold in case quantity only. No broken cases.

* See NSF Statement to the right.

GRID WIDTHS



PUREX NOTCH



UNIVERSAL OPEN SLOT



FILBUR #	UNICEL #	DESCRIPTION	LENGTH	WIDTH	QTY
UNIVERSAL-FULL					
FC-9720	FG-2409	Anthony Flowmaster	24	9	15
FC-9730	FG-2412	Anthony Flowmaster	24	12	15
FC-9740	FG-2413	Anthony Flowmaster	24	13½	15
FC-9750	FG-2417	Anthony Flowmaster	24	17½	15
FC-9760	N/A	VA 38 Grid Set			1 set
<i>Note: Set is made of 8 grids: 6 ea. FC-9740, 2 ea. FC-9750</i>					
FC-9770	N/A	VA 52 Grid Set			1 set
<i>Note: Set is made of 10 grids: 4 ea. FC-9740, 6 ea. FC-9750</i>					
STA-RITE/SWIMQUIP					
FC-9810	FG-3005	Swimquip (center port)	18	5	12
FC-9815	FG-3008	Swimquip (center port)	18	8⅝	12
FC-9820	FG-3009	Sta Rite System 3 S7D75 (center port)	18	9⅞	12
FC-9825	FG-3011	Sta-Rite System 3 S8D110 (center port)	18	11	12
FC-9830	FG-3012	Sta-Rite System 3 S7D75 (center port)	18	12⅞	12
FC-9835	FG-3013	Swimquip (center port)	18	13¾	12
FC-9840	FG-3015	Sta-Rite System 3 S7D75 (center port)	18	15⅝	12
FC-9845	FG-3016	Sta-Rite System 3 S8D110 (center port)	18	16½	12
FC-9850	FG-3019	Sta-Rite System 3 S8D110 (center port)	18	19⅝	12
FC-9860	FG-3020	Swimquip (center port)	18	20¾	12
FC-9865	FG-3022	Swimquip (center port)	18	22	12
FC-9870	FG-3911	Swimquip (offset port)	18	11	12
FC-9875	FG-3912	Sta-Rite System 3 S7D75 (offset port)	18	12⅞	12
FC-9880	FG-3913	Sta-Rite System 3 S7D75 (offset port)	18	13⅝	12
FC-9885	FG-3916	Sta-Rite System 3 S8D110 (offset port)	18	16½	12
FC-9890	FG-3917	Swimquip (offset port)	18	17¾	12
FC-9895	FG-3919	Swimquip (offset port)	18	19⅝	12
FC-9898	FS-3037	Sta Rite System 3 SD DE grid set 37'			1 set
FC-9899	FS-3053	Sta Rite System 3 SD DE grid set 53'			1 set
SPIN FILTERS					
FC-9910	S-1900	Circular Spin Grid- 19" x 2½" hub	N/A	19	20
FC-9920	S-0170	Circular Spin Grid- 17" x 2½" hub	N/A	17	25
FC-9930	S-0160	Circular Spin Grid- 16" x 2½" hub	N/A	16	25
FC-9940	S-0140	Circular Spin Grid- 14½" x 2½" hub	N/A	14½	50
FC-9950	S-0130	Circular Spin Grid- 13" x 2½" hub	N/A	13	50
FC-9960	S-0115	Circular Spin Grid- 11½" x 2½" hub	N/A	11½	50

All grids are sold in case quantity only. No broken cases.



ANTHONY



FILBUR #	DESCRIPTION	Sq. ft.	LENGTH	WIDTH	OEM	UNICEL #
VERTICAL DE GRIDS -FULL						
FC-9220	Purex *	24	13 $\frac{3}{16}$	10 $\frac{3}{4}$	07-4922	FG-1224
FC-9230	Purex *	36	19 $\frac{3}{16}$	10 $\frac{3}{4}$	07-4923	FG-1236
FC-9240	Purex *	48	25 $\frac{3}{16}$	10 $\frac{3}{4}$	07-4924	FG-1248
FC-9250	Purex *	60	31 $\frac{3}{16}$	10 $\frac{3}{4}$	07-4925	FG-1260
FC-9260	Purex *	72	37 $\frac{3}{16}$	10 $\frac{3}{4}$	07-4926	FG-1272
FC-9320†	Universal Large NSF/ANSI Standard 50-Health Effects	24	12	11		FG-1002
FC-9330†	Universal Large NSF/ANSI Standard 50-Health Effects	36	18	11		FG-1003
FC-9340†	Universal Large NSF/ANSI Standard 50-Health Effects	48	24	11		FG-1004
FC-9350†	Universal Large NSF/ANSI Standard 50-Health Effects	60	30	11		FG-1005
FC-9360†	Universal Large NSF/ANSI Standard 50-Health Effects	72	36	11		FG-1006
VERTICAL DE GRIDS -PARTIAL/SMALL						
FC-9420†	Universal Small NSF/ANSI Standard 50-Health Effects	24	12	9 $\frac{3}{4}$		PG-1902
FC-9430†	Universal Small Certified to NSF/ANSI Standard 50	36	18	9 $\frac{3}{4}$		PG-1903
FC-9440†	Universal Small Certified to NSF/ANSI Standard 50	48	24	9 $\frac{3}{4}$		PG-1904
FC-9450†	Universal Small Certified to NSF/ANSI Standard 50	60	30	9 $\frac{3}{4}$		PG-1905
FC-9460†	Universal Small Certified to NSF/ANSI Standard 50	72	36	9 $\frac{3}{4}$		PG-1906
RECTANGULAR DE GRIDS W/ CENTER HUB PORT						
FC-9720	Anthony Flowmaster		24	9	25050	FG-2409
FC-9730	Anthony Flowmaster		24	12	25052	FG-2412
FC-9740	Anthony Flowmaster		24	13 $\frac{1}{2}$	017564	FG-2413
FC-9750	Anthony Flowmaster		24	17 $\frac{1}{2}$	017565	FG-2417
RECTANGULAR DE GRIDS W/ TOP EXIT PORT						
FC-9810	Swimquip (center port)		18	5	23900-0031	FG-3005
FC-9815	Swimquip (center port)		18	8 $\frac{9}{16}$	23900-0141	FG-3008
FC-9820	Sta Rite System 3 S7D75 (center port)		18	9 $\frac{11}{16}$	23900-1173	FG-3009
FC-9825	Sta-Rite System 3 S8D11 0 (center port)		18	11	23900-0032	FG-3011
FC-9830	Sta-Rite System 3 S7D75 (center port)		18	12 $\frac{7}{16}$	23900-1175	FG-3012
FC-9835	Swimquip (center port)		18	13 $\frac{3}{4}$	23900-0052	FG-3013
FC-9840	Sta-Rite System 3 S7D75 (center port)		18	15 $\frac{3}{16}$	23900-1174	FG-3015
FC-9845	Sta-Rite System 3 S8D11 0 (center port)		18	16 $\frac{1}{2}$	23900-0033	FG-3016
FC-9850	Sta-Rite System 3 S8D11 0 (center port)		18	19 $\frac{9}{16}$	23900-0144	FG-3019
FC-9860	Swimquip (center port)		18	20 $\frac{3}{4}$	23900-0143	FG-3020
FC-9865	Swimquip (center port)		18	22	23900-0034	FG-3022
FC-9870	Swimquip (offset port)		18	11	23900-0048	FG-3911
FC-9875	Sta-Rite System 3 S7D75 (offset port)		18	12 $\frac{7}{16}$	23900-1171	FG-3912
FC-9880	Sta-Rite System 3 S7D75 (offset port)		18	13 $\frac{3}{16}$	23900-1170	FG-3913
FC-9885	Sta-Rite System 3 S8D110 (offset port)		18	16 $\frac{1}{2}$	23900-1172	FG-3916
FC-9890	Swimquip (offset port)		18	17 $\frac{3}{4}$	23900-0142	FG-3917
FC-9895	Swimquip (offset port)		18	19 $\frac{9}{16}$	23900-0145	FG-3919

* Do not substitute or mix Premier/Atlas and Purex grids

† See NSF Statement to the right.

Vertical D.E. Grids - Full

DESCRIPTION	Sq. ft.	LENGTH	WIDTH	OEM	FILBUR #
ASTRAL					
18044 Clarity DE	24	12	11		FC-9320
18045 Clarity DE	36	18	11		FC-9330
18046 Clarity DE	48	24	11		FC-9340
18047 Clarity DE	60	30	11		FC-9350
CANTAR					
Earthworks D.E.	36	18	11	42297003	FC-9330
Earthworks D.E.	48	24	11	42297005	FC-9340
Earthworks D.E.	60	30	11	42297007	FC-9350
Earthworks D.E.	72	36	11	42297009	FC-9360
HAYWARD					
Micro-Clear	24	12	11	DEX2400DA (full grid)	FC-9320
Micro-Clear	36	18	11	DEX3600DA (full grid)	FC-9330
Micro-Clear	48	24	11	DEX4800DA (full grid)	FC-9340
Micro-Clear	60	30	11	DEX6000DA (full grid)	FC-9350
Micro-Clear	72	36	11	DEX7200DA (full grid)	FC-9360
JANDY (WATERPIK)					
DEL 48	48	24	11	A0560100	FC-9340
DEL 60	60	30	11	R0359100, S0109200	FC-9350
PENTAIR POOL PRODUCTS - AMERICAN PRODUCTS REPLACEMENTS					
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	24	12	11	59001100 (full grid)	FC-9320
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	36	18	11	59001800 (full grid)	FC-9330
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	48	24	11	59002400 (full grid)	FC-9340
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	60	30	11	59003000 (full grid)	FC-9350
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	72	36	11	59003600 (full grid)	FC-9360
FNS Plus, FNS 24 (Nautilus FNS Polymeric)	24	12	11	59001100 (full grid), 19-2186 (full grid)	FC-9320
NS24 (Nautilus), NSP-24 (Nautilus Plus)					
FNS Plus, FNS 36 (Nautilus FNS Polymeric)	36	18	11	59001800 (full grid), 19-2187 (full grid)	FC-9330
NS36 (Nautilus), NSP-36 (Nautilus Plus)					
FNS Plus, FNS 48 (Nautilus FNS Polymeric)	48	24	11	59002400 (full grid), 19-2188 (full grid)	FC-9340
NS48 (Nautilus), NSP-48 (Nautilus Plus)					
FNS Plus, FNS 60 (Nautilus FNS Polymeric)	60	30	11	59003000 (full grid), 19-2189 (full grid)	FC-9350
NS60 (Nautilus), NSP-60 (Nautilus Plus)					
NS72 (Nautilus), NSP-72 (Nautilus Plus)	72	36	11	19-5058 (full grid)	FC-9360
PENTAIR POOL PRODUCTS - PUREX					
SM/SMBW 2024/4024	24	13 $\frac{3}{4}$	10 $\frac{3}{4}$	07-4922	FC-9220
SM/SMBW 2036/4036	36	19 $\frac{3}{4}$	10 $\frac{3}{4}$	07-4923	FC-9230
SM/SMBW 2048/4048	48	25 $\frac{3}{4}$	10 $\frac{3}{4}$	07-4924	FC-9240
SM/SMBW 2060/4060	60	31 $\frac{3}{4}$	10 $\frac{3}{4}$	07-4925	FC-9250
SM/SMBW 2072	72	37 $\frac{3}{4}$	10 $\frac{3}{4}$	07-4926	FC-9260
STA-RITE					
Universal Large 24	24	12	11	WC208-74	FC-9320
Universal 36	36	18	11	WC208-75	FC-9330
Universal 48	48	24	11	WC208-76	FC-9340
Universal 60	60	30	11	WC208-77	FC-9350
Universal 72	72	36	11	WC208-78	FC-9360
WATERWAY PLASTICS					
Crystal Water	36	18	11	818-3950	FC-9330
Crystal Water	48	24	11	818-3910	FC-9340
Crystal Water	60	30	11	818-3930	FC-9350

Vertical D.E. Grids - Partial/Small

DESCRIPTION	Sq. ft.	LENGTH	WIDTH	OEM	FILBUR #
ASTRAL					
18044 Clarity DE	24	12	9¾		FC-9420
18045 Clarity DE	36	18	9¾		FC-9430
18046 Clarity DE	48	24	9¾		FC-9440
18047 Clarity DE	60	30	9¾		FC-9450
HAYWARD					
Micro-Clear	24	12	9¾	DEX2400DS (partial/small grid)	FC-9420
Micro-Clear	36	18	9¾	DEX3600DS (partial/small grid)	FC-9430
Micro-Clear	48	24	9¾	DEX4800DS (partial/small grid)	FC-9440
Micro-Clear	60	30	9¾	DEX6000DS (partial/small grid)	FC-9450
Micro-Clear	72	36	9¾	DEX7200DS (partial/small grid)	FC-9460
JANDY (WATERPIK)					
DEL 48	48	24	9¾	A0560200	FC-9440
DEL 60	60	30	9¾	S0109300, R0359200	FC-9450
PENTAIR POOL PRODUCTS - AMERICAN PRODUCTS REPLACEMENTS					
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	24	12	9¾	59001000 (partial/small grid)	FC-9420
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	36	18	9¾	590017 (partial/small grid)	FC-9430
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	48	24	9¾	590023 (partial/small grid)	FC-9440
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	60	30	9¾	59002900 (partial/small grid)	FC-9450
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	72	36	9¾	59003500 (partial/small grid)	FC-9460
PENTAIR POOL PRODUCTS - PAC FAB REPLACEMENTS					
FNS Plus, FNS 24 (Nautilus FNS Polymeric)	24	12	9¾	59001000 (partial/small grid)	FC-9420
NS24 (Nautilus), NSP-24 (Nautilus Plus)				19-2328 (partial/small grid)	
FNS Plus, FNS 36 (Nautilus FNS Polymeric)	36	18	9¾	59001700 (partial/small grid)	FC-9430
NS36 (Nautilus), NSP-36 (Nautilus Plus)				19-2330 (partial/small grid)	23900-1172
FNS Plus, FNS 48 (Nautilus FNS Polymeric)	48	24	9¾	59002300 (partial/small grid)	FC-9440
NS48 (Nautilus), NSP-48 (Nautilus Plus)				19-2332 (partial/small grid)	23900-0145
FNS Plus, FNS 60 (Nautilus FNS Polymeric)	60	30	9¾	59002900 (partial/small grid)	FC-9450
NS60 (Nautilus), NSP-60 (Nautilus Plus)				19-2334 (partial/small grid)	
NS72 (Nautilus), NSP-72 (Nautilus Plus)	72	36	9¾	19-5059 (partial/small grid)	FC-9460
WATERWAY PLASTICS					
Crystal Water	36	18	9¾	818-3940	FC-9430
Crystal Water	48	24	9¾	818-3900	FC-9440
Crystal Water	60	30	9¾	818-3920	FC-9450

REVERSE CROSS REFERENCE

UNICEL  FILBUR*

*Cross-references are based on the best available information at the time of publication. FILBUR does not consider all cross-references of equal quality/construction due to media deviations from OEM specifications.

UNICEL #	FILBUR #
C-2302	FC-2320
C-2303	FC-2324
C-2304	FC-3027
C-2305	FC-3120
C-2306	FC-3062
C-2308	FC-2308
C-2604	FC-2310
C-2606	FC-2315
C-2606	FC-3066
C-2607	FC-3065
C-2608	FC-2330
C-2610	FC-3067
C-2612	FC-2340
C-2613	FC-2350
C-2618	FC-2360
C-2699	FC-3125
C-2912	FC-2365
C-3302	FC-3751
C-3608	FC-3076
C-3612	FC-3069
C-4301	FC-1610
C-4302	FC-0183
C-4304	FC-3711
C-4305	FC-1617
C-4305	FC-1630
C-4306	FC-3742
C-4307	FC-3744
C-4308	FC-6305
C-4309	FC-3743
C-4310	FC-3077
C-4310RA	FC-3077M
C-4311	FC-2394
C-4312	FC-1210
C-4313	FC-3750
C-4313	FC-3753
C-4316	FC-3130
C-4320	FC-1215
C-4321	FC-2372
C-4324	FC-0187
C-4324	FC-1004
C-4325	FC-0640
C-4325	FC-1220
C-4326	FC-2375
C-4326RA	FC-2375M
C-4328	FC-2650
C-4332	FC-1612
C-4332	FC-1620
C-4335	FC-2385
C-4335RA	FC-2385M

UNICEL #	FILBUR #
C-4339	FC-1611
C-4339	FC-2915
C-4340	FC-3081
C-4345	FC-2660
C-4349	FC-6310
C-4351	FC-0184
C-4360	FC-0179
C-4401	FC-2386
C-4401RA	FC-2386M
C-4402	FC-3071
C-4428	FC-2620
C-4429	FC-3082
C-4431	FC-3078
C-4440	FC-2710
C-4449	FC-2640
C-4600	FC-3850
C-4602	FC-3811
C-4605	FC-3810
C-4606	FC-3709
C-4607	FC-3710
C-4610	FC-2510
C-4611	FC-3730
C-4620	FC-0645
C-4625	FC-2370
C-4637	FC-2380
C-4950	FC-2390
C-4950RA	FC-2390M
C-4970	FC-2930
C-4975	FC-2395
C-4975RA	FC-2395M
C-4995	FC-2940
C-4995RA	FC-2940M
C-4999	FC-2397
C-5300	FC-1320
C-5315	FC-3752
C-5325	FC-3100
C-5326	FC-3107
C-5345	FC-2970
C-5346	FC-3638
C-5349	FC-3108
C-5350	FC-3101
C-5351	FC-2976
C-5371	FC-2018
C-5374	FC-2971
C-5375	FC-3103
C-5396	FC-2975
C-5396RA	FC-2975M
C-5397	FC-2972
C-5398	FC-3110

UNICEL #	FILBUR #
C-5404	FC-3097
C-5405	FC-3090
C-5423	FC-3623
C-5431	FC-3910
C-5434	FC-3634
C-5601	FC-1330
C-5601RA	FC-1330M
C-5615	FC-1415
C-5621	FC-3091
C-5622	FC-2015
C-5624	FC-1305
C-5625	FC-1425
C-5626	FC-3626
C-5627	FC-3070
C-5635	FC-1437
C-5637	FC-3637
C-6310	FC-3755
C-6300	FC-1340
C-6300	FC-3915
C-6324	FC-3135
C-6430	FC-3915
C-6430RA	FC-3915M
C-6433	FC-3920
C-6475	FC-3089
C-6600	FC-3930
C-6601	FC-3083
C-6625	FC-1426
C-6960	FC-1961
C-6980	FC-1962
C-6900	FC-1963
C-7301	FC-6315
C-7302	FC-6320
C-7303	FC-6325
C-7304	FC-1450
C-7306	FC-1455
C-7330	FC-1003
C-7335	FC-3058
C-7350	FC-3963
C-7350RA	FC-3963M
C-7367	FC-3059
C-7370	FC-2760
C-7375	FC-3964
C-7375RA	FC-3964M
C-7400	FC-3098
C-7401	FC-4005
C-7402	FC-4010
C-7403	FC-4015
C-7406	FC-0770
C-7407	FC-0780

UNICEL #	FILBUR #
C-7408	FC-0790
C-7409	FC-4020
C-7414	FC-3560
C-7418	FC-3540
C-7425	FC-0615
C-7427	FC-5125
C-7432	FC-0483
C-7433	FC-2115
C-7437	FC-0680
C-7440	FC-2130
C-7442	FC-1228
C-7447	FC-1235
C-7448	FC-5155
C-7449	FC-0491
C-7450	FC-0625
C-7451	FC-3084
C-7453	FC-0670
C-7455	FC-1245
C-7458	FC-1223
C-7459	FC-0800
C-7460	FC-2150
C-7463	FC-3112
C-7465	FC-2730
C-7466	FC-2740
C-7467	FC-2170
C-7468	FC-0810
C-7469	FC-1975
C-7470	FC-1976
C-7471	FC-1977
C-7472	FC-1978
C-7474	FC-0690
C-7475	FC-0635
C-7476	FC-0675
C-7477	FC-1260
C-7479	FC-3085
C-7480	FC-2160
C-7481	FC-2165
C-7482	FC-0820
C-7483	FC-1225
C-7487	FC-1270
C-7488	FC-1226
C-7489	FC-1275
C-7490	FC-1297
C-7491	FC-2190
C-7492	FC-2192
C-7493	FC-2194
C-7494	FC-1227
C-7495	FC-1296
C-7496	FC-2180
C-7497	FC-5180

UNICEL #	FILBUR #
C-7498	FC-0695
C-7499	FC-0650
C-7604	FC-0710
C-7605	FC-0720
C-7606	FC-0730
C-7607	FC-0740
C-7625	FC-0610
C-7626	FC-1230
C-7633	FC-2120
C-7650	FC-0620
C-7651	FC-2140
C-7652	FC-2580
C-7655	FC-6105
C-7660	FC-1930
C-7674	FC-6107
C-7675	FC-0630
C-7676	FC-1250
C-7678	FC-1920
C-7679	FC-1960
C-7680	FC-1940
C-7685	FC-6010 FC-6110
C-7697	FC-6015 FC-6115
C-7698	FC-1291
C-7699	FC-1950
C-8310	FC-3570
C-8311	FC-1285
C-8315	FC-3575
C-8316	FC-1286
C-8320	FC-2750
C-8325	FC-2790
C-8326	FC-2780
C-8341	FC-1007
C-8350	FC-3053
C-8380	FC-2810
C-8399	FC-3965
C-8399RA	FC-3965M
C-8401	FC-1970
C-8409	FC-1292
C-8410	FC-0821
C-8411	FC-1255
C-8412	FC-1293
C-8413	FC-2575
C-8414	FC-0822
C-8415	FC-0903
C-8416	FC-2576
C-8417	FC-1294
C-8418	FC-0823
C-8419	FC-1288
C-8420	FC-1211
C-8425	FC-0824

UNICEL #	FILBUR #
C-8450	FC-3310
C-8465	FC-3960
C-8475	FC-3320
C-8499	FC-0902
C-8600	FC-1280
C-8610	FC-1290
C-9401	FC-2960
C-9402	FC-2965
C-9403	FC-2969
C-9405	FC-0684
C-9407	FC-0685
C-9410	FC-0686
C-9412	FC-0696
C-9419	FC-0688
C-9420	FC-1498
C-9421	FC-0825
C-9422	FC-0830
C-9475	FC-1480
C-9478	FC-1495
C-9480	FC-1400
C-9481	FC-1401
C-9482	FC-1402
C-9483	FC-1403
C-9485	FC-1298
C-9498	FC-0840
C-9499	FC-1299
C-9603	FC-6255
C-9650	FC-1460
C-9699	FC-1490
C-9999	FC-3106
T-380	FC-3060
T-380R	FC-3061
UHD-SR100	FC-2550
UHD-SR135	FC-2560
UHD-SR137	FC-2570
UHD-SR35	FC-2520
UHD-SR50	FC-2530
UHD-SR70	FC-2540
4CH-19	FC-0122
4CH-20	FC-0125
4CH-20	FC-0185
4CH-21	FC-0121
4CH-22	FC-2399
4CH-23	FC-2400
4CH-24	FC-0131
4CH-24RA	FC-0131M
4CH-30	FC-0141
4CH-30RA	FC-0141M
4CH-35	FC-0161
4CH-50	FC-0151

UNICEL #	FILBUR #
4CH-50RA	FC-0151M
4CH-920	FC-0124
4HCH-925	FC-0126
4CH-940	FC-0177
4CH-949	FC-0172
4CH-950	FC-0173
5CH-203	FC-0303
5CH-35	FC-0300
5CH-352	FC-0196
5CH-352RA	FC-0196M
5CH-35RA	FC-0300M
5CH-402	FC-2811
5CH-45	FC-2401
5CH-502	FC-0195
6CH-25	FC-0305
6CH-26	FC-0310
6CH-35	FC-0320
6CH-352	FC-0312
6CH-45	FC-0330
6CH-47	FC-0315
6CH-47RA	FC-0315M
6CH-49	FC-0314
6CH-50	FC-0340

UNICEL #	FILBUR #
6CH-502	FC-0311
6CH-60	FC-0350
6CH-940	FC-0359
6CH-940RA	FC-0359M
6CH-941	FC-0360
6CH-942	FC-0361
6CH-960	FC-2800
6CH-960RA	FC-2800M
6CH-961	FC-2715
7CH-32	FC-0425
7CH-322	FC-0420
7CH-40	FC-0435
7CH-402	FC-0430
7CH-50	FC-0463
7CH-502	FC-0460
7CH-752	FC-0470
7CH-90	FC-2770
7CH-975	FC-0475
8CH-102	FC-2781
8CH-202	FC-0517

UNICEL ➤ FILBUR | CROSS REFERENCE

D.E. Grids

UNICEL #	FILBUR #
FG-1002	FC-9320
FG-1003	FC-9330
FG-1004	FC-9340
FG-1005	FC-9350
FG-1006	FC-9360
FG-1224	FC-9220
FG-1236	FC-9230
FG-1248	FC-9240
FG-1260	FC-9250
FG-1272	FC-9260
FG-2409	FC-9720
FG-2412	FC-9730
FG-2413	FC-9740
FG-2417	FC-9750
FG-3005	FC-9810
FG-3008	FC-9815
FG-3009	FC-9820

UNICEL #	FILBUR #
FG-3011	FC-9825
FG-3012	FC-9830
FG-3013	FC-9835
FG-3015	FC-9840
FG-3016	FC-9845
FG-3019	FC-9850
FG-3020	FC-9860
FG-3022	FC-9865
FG-3911	FC-9870
FG-3912	FC-9875
FG-3913	FC-9880
FG-3916	FC-9885
FG-3917	FC-9890
FG-3919	FC-9895
FS-2002	FC-9520
FS-2003	FC-9530
FS-2004	FC-9540

UNICEL #	FILBUR #
FS-2005	FC-9550
FS-2006	FC-9560
FS-3037	FC-9898
FS-3053	FC-9899
PG-1902	FC-9420
PG-1903	FC-9430
PG-1904	FC-9440
PG-1905	FC-9450
PG-1906	FC-9460
S-0115	FC-9960
S-0130	FC-9950
S-0140	FC-9940

ENGINEERING DATA & MEASUREMENTS

Flow Rate =
Volume/Time

Volume =
 $L \times W \times H$

Area of a
rectangle = $L \times W$

Area of a Circle = πr^2

$\pi = 3.141592...$

Circumference of a
Circle = $2 \pi r$

Volume of a Cylinder = $\pi r^2 h$



Understanding Micron Ratings for Fluid Filters

A micron rating for a fluid filter is a generalized way of indicating the ability of the filter to remove contaminants by the size of the particles. **AIR FILTERS ARE NOT RATED BY MICRON SIZE.**

The micron rating does not properly and fully describe either the efficiency or the contaminant-holding capacity of the filter.

What does the word micron mean?

It is a unit of linear measure in the metric system used to measure distance from one point to another. It is used like the inch, foot, centimeter and millimeter to measure the length, width, or diameter of objects.

A filter that is marked "10 microns" has some capability in capturing particles as small as 10 microns. However, there is no one accepted method to measure and describe the size of particles that a filter can capture or the total amount of particles that the filter can hold.

When you see the filter marked "10 microns," you will not know exactly what this means unless you also have a description of the test and standards used to determine the filter rating.

Filter micron ratings are often based on one of these methods, but with possible variations:

- A. Nominal Micron Ratings
- B. Absolute Micron Ratings
- C. Multi-Pass Beta Ratings

- A. **Nominal Micron Rating** usually means the filter can capture a given percentage of particles of the stated size. For example, a filter might be said to have a nominal rating of 90%, 10 micron size.
- B. **Absolute Micron Rating** is a single pass test and is usually obtained by passing fluid containing glass beads through a flat sheet of the filter material. Any beads that pass through are captured and measured.
- C. **Multi-Pass Beta Rating** has been accepted by many machinery manufacturers, as well as filter manufacturers, especially for filters used in fluid power applications; hydraulics, controls, transmissions, power steering and so forth.


The test uses contaminant specially graded by particle sizes added regularly in measured quantities to the fluid which is pumped continuously through the filter.

Measured samples of fluid are taken at timed intervals upstream and downstream of the filter. The contaminant in these samples is measured for particle sizes and the quantity of each size or ranges of sizes.


A ratio is then made for the intended micron rating:
An example: Particles upstream 10 microns and larger
Particles downstream 10 microns and larger
The Beta ratio would then be stated as Beta = 20

The multi-pass Beta ratio is accepted by many machinery manufacturers but not used in a public way by most of them to identify or specify their filters. Some suggestions:

1. Use filters of high quality.
2. Obtain filters by catalog listing, not just by "micron rating". Other important qualities should also be considered.
3. Pay close attention to service intervals and good service practices for the greatest economy of operation.



Estimating Total Gallons in a Pool or Spa




Example


Pool Length = 40 ft
 Pool Width = 20 ft
 Shallow Depth = 3 ft
 Deep Depth = 8 ft
 Total Depth = 11 ft

Using formula A:


- 1) $40 \times 20 = 800 \text{ sq ft}$
- 2) $800 \times 5.5 = 4400 \text{ cubic ft}$
- 3) $4400 \times 7.5 = 33000 \text{ gallons}$




$$\text{AREA} = A \times B$$



$$\text{AREA} = .45 \times (A + B) C$$



$$\text{AREA} = 3.14 \times R \times R$$



$$\text{AREA} = A \times B \div 2$$

The area in square feet for pools and spas can be determined by using one or more of the above formulas.

UNITS OF LENGTH

UNIT	INCH	FOOT	YARD	METER
INCH	1.0	0.0833	0.0278	0.0254
FOOT	12.0	1.0	0.333	0.305
YARD	36.0	3.0	1.0	0.9144
METER	39.37	3.25	1.094	1.0

UNITS OF AREA

UNIT	SQUARE INCH	SQUARE FOOT	SQUARE YARD	SQUARE METER
SQUARE INCH	1.0	0.00694	0.000772	0.000645
SQUARE FOOT	144.0	1.0	1111	0.0929
SQUARE YARD	1296.0	9.0	1.0	0.836
SQUARE METER	1550.0	10.76	1.196	1.0

UNITS OF VOLUME

UNIT	U.S. GALLON	IMPERIAL GALLON	CUBIC FEET	POUNDS OF WATER	CUBIC METERS
U. S. GALLON	1.0	0.833	0.1337	8.33	0.003785
IMPERIAL GALLON	1.2	1.0	0.1605	10.0	0.004546
CUBIC FEET	7.481	6.232	1.0	62.37	0.0283
POUNDS OF WATER	0.12	0.09996	0.0160	1.0	0.00045
CUBIC METERS	264.2	220.0	35.31	2204.0	1.0

UNITS OF FLOW

UNIT	U.S. G.P.M.	IMPERIAL G.P.M.	CUBIC FEET/ SECOND	CUBIC FEET/HOUR	LITERS/SECOND
U.S. G.P.M.	1.0	0.833	0.00223	8.02	0.0631
IMPERIAL G.P.M.	1.2	1.0	0.00268	0.272	0.0757
CUBIC FT. PER SECOND	448.8	374.0	1.0	3.600	28.32
CUBIC FT. PER HOUR	4.403	3.67	0.00981	1.0	0.2778
LITERS PER SECOND	15.85	13.21	0.0353	3.60	1.0

UNITS OF PRESSURE					
UNIT	INCHES OF WATER	FEET OF WATER	LBS. PER SQUARE INCH	INCHES OF MERCURY	LITERS PER SECOND
U.S. G.P.M.	1.0	0.833	0.00223	8.02	0.0631
IMPERIAL G.P.M.	1.2	1.0	0.00268	0.272	0.0757
CUBIC FT. PER SECOND	448.8	374.0	1.0	3.600	28.32
CUBIC FT. PER HOUR	4.403	3.67	0.00981	1.0	0.2778
LITERS PER SECOND	15.85	13.21	0.0353	3.60	1.0

EQUIVALENT VALUES OF PRESSURE								
INCHES OF MERCURY	FEET OF WATER	LBS. PER SQ. INCH	INCHES OF MERCURY	FEET OF WATER	LBS. PER SQ. INCH	INCHES OF MERCURY	FEET OF WATER	LBS. PER SQ. INCH
1	1.13	0.49	11	12.45	5.39	21	23.78	10.3
2	2.26	0.98	12	13.57	5.87	22	24.88	10.8
3	3.39	1.47	13	14.70	6.37	23	26.00	11.28
4	4.52	1.95	14	15.82	6.86	24	27.15	11.75
5	5.65	2.44	15	16.96	7.35	25	28.26	12.25
6	6.78	2.93	16	18.09	7.84	26	29.40	12.73
7	7.91	3.42	17	19.22	8.33	27	30.52	13.23
8	9.04	3.91	18	20.35	8.82	28	31.65	13.73
9	10.17	4.40	19	21.75	9.31	29	32.80	14.22
10	11.30	4.89	20	22.60	9.80	29.929	33.947	14.6969

PRESSURE AND EQUIVALENT FEET HEAD OF WATER							
LBS. PER SQ. INCH	FEET HEAD	LBS. PER SQ. INCH	FEET HEAD	LBS. PER SQ. INCH	FEET HEAD	LBS. PER SQ. INCH	FEET HEAD
1	2.31	20	46.18	120	277.07	225	519.51
2	4.62	25	57.72	125	288.62	250	577.24
3	6.93	30	69.27	130	300.16	275	643.03
4	9.24	40	92.36	140	323.25	300	692.69
5	11.54	50	115.45	150	346.34	325	750.41
6	13.85	60	138.54	160	369.43	350	808.13
7	16.16	70	161.63	170	392.52	375	865.89
8	18.47	80	184.72	180	415.61	400	922.58
9	20.78	90	207.81	190	438.90	500	1154.48
10	23.09	100	230.90	200	461.78	1000	2309.00
15	34.63	110	253.98				

COMMON PLUMBING ABBREVIATIONS

AGA	American Gas Association	IPS	Iron Pipe Size
Brs.	Brass	MGH	Male Garden Hose
CP	Chrome Plated	MHT	Male Hose Thread
CC	Copper x Copper	MIP	Male Iron Pipe
CWT	Copper Water Tube	MIP	Male Iron Pipe
Dia.	Diameter	Mips	Male Iron Pipe Size
DC	Die Cast	MPT	Male Pipe Thread
Fct.	Faucet	Mil.	1/1000 Inch
FGH	Female Garden Hose	Nom.	Nominal
FHT	Female Hose Thread	NPT	Standard Pipe Thread
FIP	Female Iron Pipe	Oz.	Ounce
Fips	Female Iron Pipe Size	OD	Outside Diameter
FPT	Female Pipe Thread	PSI	Pounds per Square Inch
Gal.	Gallon	Pln.	Plain
GPF	Gallons Per Flush	Pt.	Point
GPM	Gallons Per Minute	PB	Polished Brass
Ga.	Gauge	SF	Satin Finish
Hdl.	Handle	SS	Stainless Steel
Hd.	Head	SWT	Sweat
Hgt.	Height	THD	Thread
ID	Inside Diameter		

DEFINITION OF PIPE THREAD ACRONYMS

NPT National Pipe Thread

FPT Female Pipe Thread

MPT Male Pipe Thread

PTF SAE short tape pipe thread

NPTF American National taper pipe thread
for dryseal pressure-tight jointsNPSM American National straight pipe thread
for mechanical joints

STANDARD NIPPLES AND PIPE SIZING

PIPE SIZE	OUTSIDE DIAMETER	CIRCUMFERENCE
1/2"	0.840"	2.639"
3/4"	1.050"	3.299"
1"	1.315"	4.131"
1 1/4"	1.660"	5.215"
1 1/2"	1.900"	5.969"
2"	2.375"	7.461"
2 1/2"	2.875"	9.032"
3"	3.500"	10.995"
4"	4.500"	14.137"
5"	5.563"	17.476"
6"	6.625"	20.812"
8"	8.625"	27.095"
10"	10.750"	33.771"
12"	12.750"	40.045"

Circumference = distance around outside of pipe

$$\text{AMPERAGE} = \text{WATTS} \div \text{VOLTS}$$

$$\text{WATTS} = \text{VOLTS} \times \text{AMPERAGE}$$

FILBUR PRODUCT INDEX



FC-0121	18, 28, 29, 44, 48, 53, 65	FC-0418	22, 43	FC-1210	18, 37, 64
FC-0122	17, 34, 41, 42, 65	FC-0419	22, 29	FC-1211	25, 37, 54, 65
FC-0124	18, 48, 65	FC-0420	22, 32, 66	FC-1215	18, 37, 64
FC-0125	18, 42, 48, 49, 53, 65	FC-0425	22, 32, 51, 53, 66	FC-1220	18, 28, 35, 37, 49, 64
FC-0126	18, 50, 65	FC-0430	22, 32, 66	FC-1223	22, 37, 65
FC-0131	18, 30, 33, 34, 36, 37, 38 39, 41, 43, 44, 48, 55, 65	FC-0435	22, 32, 42, 53, 66	FC-1225	23, 37, 65
FC-0136	18, 34	FC-0460	22, 32, 66	FC-1226	23, 37, 65
FC-0137	18, 33	FC-0463	22, 32, 51, 53, 66	FC-1227	23, 37, 65
FC-0141	18, 30, 31, 34, 35, 42, 44, 48, 50, 65	FC-0470	22, 34, 66	FC-1228	22, 37, 65
FC-0142	19	FC-0475	22, 34, 66	FC-1230	22, 37, 38, 44, 49, 65
FC-0151	18, 27, 28, 34, 35, 41, 44, 65	FC-0483	22, 49, 65	FC-1235	22, 37, 49, 65
FC-0161	38, 50, 65	FC-0486	22	FC-1240	31, 38, 44
FC-0168	18	FC-0491	22, 51, 53, 65	FC-1245	23, 37, 43, 65
FC-0169	18, 53	FC-0515	24, 43, 66	FC-1250	23, 37, 38, 65
FC-0170	18, 53	FC-0516	24, 43	FC-1255	25, 37, 54, 65
FC-0172	19, 47, 66	FC-0517	24, 52, 66	FC-1260	23, 37, 49, 65
FC-0173	18, 34, 48, 66	FC-0518	52, 66	FC-1270	23, 37, 65
FC-0177	18, 34, 48, 66	FC-0536	24, 30, 66	FC-1273	25
FC-0179	17, 38, 64	FC-0610	22, 44, 47, 49, 65	FC-1274	25
FC-0180	17	FC-0615	22, 44, 47, 49, 65	FC-1275	23, 37, 65
FC-0183	17, 33, 48, 64	FC-0620	22, 44, 47, 53, 65	FC-1280	24, 31, 37, 65
FC-0184	17, 38, 64	FC-0621	45	FC-1285	25, 37, 54, 65
FC-0185	18, 48, 49, 65	FC-0625	22, 44, 47, 65	FC-1286	25, 37, 54, 65
FC-0187	18, 36, 42, 47, 49, 64	FC-0630	23, 45, 65	FC-1287	55
FC-0189	18, 48	FC-0635	23, 45, 65	FC-1288	25, 54, 55, 65
FC-0194	18	FC-0640	18, 28, 44, 64	FC-1290	25, 31, 37, 65
FC-0195	20, 31, 42, 66	FC-0645	64	FC-1291	23, 37, 65
FC-0196	20, 42, 66	FC-0650	23, 45, 47, 65	FC-1292	25, 37, 50, 65
FC-0197	18	FC-0670	22, 45, 47, 65	FC-1293	37, 54, 65
FC-0202	20, 31	FC-0675	23, 45, 65	FC-1294	25, 37, 50, 54, 65
FC-0206	19	FC-0680	22, 44, 65	FC-1296	23, 37, 65
FC-0207	19	FC-0684	26, 35, 45, 65	FC-1297	23, 37, 65
FC-0208	19	FC-0685	26, 45, 65	FC-1298	25, 37, 65
FC-0209	19	FC-0686	26, 45, 65	FC-1299	25, 37, 43, 65
FC-0211	19	FC-0688	26, 45, 65	FC-1301	24
FC-0300	20, 32, 35, 42, 66	FC-0690	22, 44, 65	FC-1302	24
FC-0301	20, 41	FC-0695	23, 45, 65	FC-1305	20, 40, 64
FC-0302	20, 41	FC-0696	26, 45, 65	FC-1320	20, 32, 35, 40, 48, 64
FC-0303	19, 41, 66	FC-0710	22, 30, 65	FC-1330	20, 28, 33, 36, 40, 47, 48, 64
FC-0305	20, 49, 51, 66	FC-0720	22, 30, 65	FC-1340	21, 40, 64
FC-0306	20	FC-0730	23, 30, 65	FC-1400	25, 39, 65
FC-0310	20, 28, 29, 40, 52, 66	FC-0740	23, 30, 65	FC-1401	25, 39, 65
FC-0311	21, 29, 66	FC-0770	22, 30, 64	FC-1402	26, 39, 65
FC-0312	20, 29, 66	FC-0780	23, 30, 64	FC-1403	26, 39, 65
FC-0313	21, 29	FC-0790	23, 30, 64	FC-1415	19, 39, 64
FC-0314	21, 51, 66	FC-0800	23, 40, 65	FC-1425	19, 35, 39, 40, 48, 64
FC-0315	21, 27, 38, 41, 44, 66	FC-0810	23, 40, 65	FC-1426	21, 39, 64
FC-0317	20	FC-0820	23, 40, 65	FC-1437	19, 39, 43, 64
FC-0318	21	FC-0821	25, 40, 65	FC-1450	22, 39, 64
FC-0320	21, 29, 66	FC-0822	25, 40, 65	FC-1455	22, 39, 64
FC-0330	21, 35, 42, 66	FC-0823	25, 40, 65	FC-1460	25, 39, 41, 65
FC-0340	21, 29, 30, 31, 35, 41, 66	FC-0824	25, 40, 65	FC-1480	25, 39, 65
FC-0350	21, 41, 55, 66	FC-0825	26, 40, 65	FC-1490	25, 39, 65
FC-0359	21, 27, 28, 29, 30, 31, 32, 33, 34, 36 37, 41, 42, 43, 46, 50, 52, 53, 54, 66	FC-0830	26, 40, 65	FC-1492	24, 39
FC-0360	21, 33, 36, 46, 50, 52, 54, 66	FC-0840	26, 40, 65	FC-1493	24, 39
FC-0361	21, 33, 36, 46, 50, 52, 54, 66	FC-0902	25, 29, 49, 65	FC-1494	24, 39
FC-0416	21	FC-0903	25, 29, 49, 65	FC-1495	25, 39, 65
FC-0417	21	FC-1003	22, 42, 64	FC-1498	25, 39, 65
		FC-1004	24, 43, 64	FC-1610	19, 27, 44, 52, 64FC-1611 19, 49, 64
		FC-1007	24, 43, 65		
		FC-1008	24, 43		

FC-1612	19, 49, 64	FC-2397	19, 29, 32, 46, 49, 64	FC-2976	20, 32, 54, 64
FC-1617	19, 49, 64	FC-2399	18, 35, 65	FC-2978	26
FC-1620	19, 29, 35, 52, 64	FC-2400	18, 35, 65	FC-3027	17, 38, 64
FC-1630	19, 30, 34, 44, 51, 64	FC-2401	20, 35, 66	FC-3029	53
FC-1930	24, 45, 54, 65	FC-2402	20, 35	FC-3052	24, 53, 66
FC-1940	24, 45, 65	FC-2510	17, 49, 64	FC-3053	24, 53, 65
FC-1950	24, 45, 54, 65	FC-2520	25, 50, 65	FC-3055	21
FC-1960	24, 45, 65	FC-2530	25, 50, 65	FC-3058	23, 34, 64
FC-1961	21, 45, 64	FC-2540	25, 50, 65	FC-3059	23, 34, 64
FC-1962	21, 45, 64	FC-2550	25, 50, 65	FC-3060	17, 36, 44, 46, 47, 49, 65
FC-1963	21, 45, 64	FC-2551	25	FC-3061	17, 36, 65
FC-1970	25, 46, 65	FC-2560	25, 50, 65	FC-3062	17, 45, 64
FC-1975	22, 45, 65	FC-2570	25, 50, 65	FC-3065	17, 54, 64
FC-1976	23, 45, 54, 65	FC-2575	25, 50, 65	FC-3066	17, 64
FC-1977	23, 45, 54, 65	FC-2576	25, 50, 65	FC-3067	17, 64
FC-1978	23, 45, 54, 65	FC-2580	22, 49, 65	FC-3069	17, 64
FC-2015	19, 47, 64	FC-2620	19, 48, 64	FC-3070	20, 47, 64
FC-2018	20, 47, 64	FC-2640	64	FC-3071	18, 28, 64
FC-2115	65	FC-2650	19, 48, 64	FC-3076	17, 28, 64
FC-2120	22, 45, 65	FC-2660	19, 48, 64	FC-3077	17, 27, 31, 33, 38, 41, 42 44, 49, 51, 52, 53, 64
FC-2130	22, 45, 65	FC-2710	18, 50, 64	FC-3078	19, 34, 36, 64
FC-2140	65	FC-2715	21, 40, 66	FC-3081	19, 34, 64
FC-2150	23, 45, 65	FC-2716	21, 40	FC-3082	19, 44, 64
FC-2160	23, 45, 65	FC-2717	21, 40, 51	FC-3083	64
FC-2165	65	FC-2718	21, 51	FC-3084	22, 31, 65
FC-2170	22, 45, 65	FC-2730	23, 51, 65	FC-3085	22, 31, 65
FC-2180	23, 45, 65	FC-2740	23, 65	FC-3089	21, 64
FC-2190	22, 45, 65	FC-2750	25, 33, 51, 65	FC-3090	64
FC-2192	23, 45, 65	FC-2751	25, 51	FC-3091	19, 41, 64
FC-2194	23, 46, 65	FC-2760	23, 51, 64	FC-3094	24, 35
FC-2305	17	FC-2761	18, 50	FC-3097	20, 34, 49, 64
FC-2308	17, 44, 46, 64	FC-2763	20, 51	FC-3098	22, 36, 64
FC-2310	17, 46, 64	FC-2764	21, 51	FC-3100	64
FC-2315	17, 44, 45, 46, 64	FC-2765	21, 51	FC-3101	20, 64
FC-2320	17, 35, 46, 64	FC-2767	18, 50	FC-3103	20, 48, 64
FC-2324	17, 35, 46, 64	FC-2769	20, 24, 50	FC-3106	26, 65
FC-2330	17, 46, 64	FC-2770	22, 51, 66	FC-3107	64
FC-2340	17, 40, 46, 64	FC-2771	24, 50	FC-3108	64
FC-2350	17, 46, 64	FC-2772	24, 50	FC-3110	64
FC-2360	17, 46, 64	FC-2780	25, 51, 65	FC-3112	24, 35, 65
FC-2365	17, 46, 64	FC-2781	24, 40, 66	FC-3116	23, 47
FC-2370	19, 28, 29, 30, 35, 36, 38, 40, 44, 46, 48, 52, 53, 64	FC-2790	25, 51, 65	FC-3117	23
FC-2372	19, 46, 64	FC-2791	25, 51	FC-3120	17, 49, 64
FC-2375	19, 27, 28, 29, 30, 32, 33, 35, 36, 38, 39 41, 42, 43, 44, 46, 47, 48, 50, 52, 53, 54, 64	FC-2800	21, 40, 66	FC-3125	12, 17, 26, 55, 64
FC-2380	19, 27, 35, 41, 43, 46, 64	FC-2809	20	FC-3128	12, 17, 26, 55
FC-2385	18, 27, 30, 32, 33, 36, 38, 41 42, 43, 44, 46, 50, 53, 55, 64	FC-2810	24, 51, 65	FC-3129	12, 19, 26, 55
FC-2386	18, 28, 29, 30, 31, 32, 34, 35, 36 38, 41, 42, 44, 46, 50, 52, 53, 64	FC-2811	20, 33, 40, 66	FC-3130	18, 49, 64
FC-2387	18, 29, 30, 31, 32, 34, 35, 36, 41 42, 43, 46, 48, 50, 51, 52, 53	FC-2812	23, 51	FC-3135	21, 49, 64
FC-2388	18	FC-2815	20, 52	FC-3310	24, 32, 65
FC-2390	19, 27, 28, 29, 30, 31, 32, 33, 34, 35 36, 37, 38, 39, 40, 41, 42, 43, 44, 46 47, 48, 49, 50, 51, 52, 53, 54, 55, 64	FC-2910	19, 53	FC-3320	24, 32, 65
FC-2392	19, 29, 30	FC-2915	19, 27, 32, 34, 43, 52, 53, 64	FC-3540	23, 41, 65
FC-2394	19, 33, 64	FC-2930	19, 30, 41, 42, 50, 54, 64	FC-3560	23, 41, 64
FC-2395	19, 33, 35, 38, 43, 46, 64	FC-2940	19, 27, 31, 32, 40, 47, 54, 64	FC-3570	24, 40, 41, 65
		FC-2960	25, 41, 54, 65	FC-3575	25, 40, 41, 65
		FC-2965	25, 41, 54, 65	FC-3623	20, 28, 42, 64
		FC-2969	26, 41, 54, 65	FC-3626	20, 28, 42, 64
		FC-2970	20, 34, 36, 41, 42, 54, 64	FC-3634	20, 28, 42, 64
		FC-2971	20, 31, 41, 42, 54, 64	FC-3637	20, 28, 42, 64
		FC-2972	20, 41, 42, 54, 64	FC-3638	20, 42, 64
		FC-2975	20, 32, 54, 64		

FC-3709.....	17, 32, 64	FC-6310.....	19, 27, 64	FC-9550.....	58, 66
FC-3710.....	17, 32, 39, 47, 64	FC-6315.....	23, 27, 64	FC-9560.....	58, 66
FC-3711.....	64	FC-6320.....	23, 27, 64	FC-9720.....	59, 60, 66
FC-3730.....	18, 32, 64	FC-6325.....	23, 27, 64	FC-9730.....	59, 60, 66
FC-3742.....	17, 36, 64	FC-6350.....	12, 55	FC-9740.....	59, 60, 66
FC-3743.....	18, 36, 64	FC-6351.....	12, 55	FC-9750.....	59, 60, 66
FC-3744.....	18, 36, 64	FC-6355.....	12	FC-9760.....	59
FC-3748.....	20, 39	FC-6356.....	12	FC-9770.....	59
FC-3750.....	17, 28, 64	FC-6405.....	16	FC-9810.....	59, 60, 66
FC-3751.....	17, 39, 64	FC-6410.....	16	FC-9815.....	59, 60, 66
FC-3752.....	20, 39, 64	FC-6415.....	16	FC-9820.....	58, 59, 60, 66
FC-3753.....	17, 28, 39, 64	FC-6420.....	16	FC-9825.....	58, 59, 60, 66
FC-3754.....	21, 54	FC-6425.....	16	FC-9830.....	58, 59, 60, 66
FC-3755.....	21, 54, 64	FC-6430.....	16	FC-9835.....	59, 60, 66
FC-3810.....	17, 43, 64	FC-6435.....	16	FC-9840.....	58, 59, 60, 66
FC-3811.....	17, 43, 64	FC-6440.....	16	FC-9845.....	58, 59, 60, 66
FC-3850.....	17, 43, 64	FC-6445.....	16	FC-9850.....	58, 59, 60, 66
FC-3910.....	19, 38, 64	FC-6450.....	16	FC-9860.....	59, 60, 66
FC-3915.....	21, 38, 64	FC-6455.....	16	FC-9865.....	59, 60, 66
FC-3920.....	21, 38, 64	FC-6460.....	16	FC-9870.....	59, 60, 66
FC-3929.....	24	FC-6465.....	16	FC-9875.....	58, 59, 60, 66
FC-3930.....	21, 38, 64	FC-6470.....	16	FC-9880.....	58, 59, 60, 66
FC-3960.....	24, 38, 52, 65	FC-6475.....	16	FC-9885.....	58, 59, 60, 66
FC-3963.....	22, 31, 64	FC-6480.....	16	FC-9890.....	59, 60, 66
FC-3964.....	22, 31, 64	FC-6482.....	16	FC-9895.....	59, 60, 66
FC-3965.....	24, 31, 65	FC-6484.....	16	FC-9898.....	58, 59, 66
FC-3966.....	24, 31	FC-9220.....	58, 60, 61, 66	FC-9899.....	58, 59, 66
FC-4005.....	21, 34, 64	FC-9230.....	58, 60, 61, 66	FC-9910.....	59, 66
FC-4010.....	22, 34, 64	FC-9240.....	58, 60, 61, 66	FC-9920.....	59, 66
FC-4015.....	22, 34, 64	FC-9250.....	58, 60, 61, 66	FC-9930.....	59, 66
FC-4020.....	23, 34, 64	FC-9260.....	58, 60, 61, 66	FC-9940.....	59, 66
FC-5125.....	23, 53, 65	FC-9320.....	58, 60, 61, 66	FC-9950.....	59, 66
FC-5155.....	65	FC-9330.....	58, 60, 61, 66	FC-9960.....	59, 66
FC-5180.....	23, 40, 53, 65	FC-9340.....	58, 60, 61, 66	FC-0131M.....	15, 18, 48, 65
FC-5185.....	23, 53	FC-9350.....	58, 60, 61, 66	FC-0132M.....	15, 18, 48
FC-6010.....	24, 36, 65	FC-9360.....	58, 60, 61, 66	FC-0133M.....	15, 18, 48
FC-6015.....	24, 36, 65	FC-9420.....	58, 60, 62, 66	FC-0134M.....	15, 18, 48
FC-6105.....	23, 36, 65	FC-9430.....	58, 60, 62, 66	FC-0135M.....	48
FC-6107.....	24, 36, 65	FC-9440.....	58, 60, 62, 66	FC-0141M.....	15, 18, 65
FC-6110.....	24, 36, 65	FC-9450.....	58, 60, 62, 66	FC-0142M.....	15
FC-6115.....	24, 36, 65	FC-9460.....	58, 60, 62, 66	FC-0151M.....	15, 18, 65
FC-6255.....	25, 28, 65	FC-9520.....	58, 66	FC-0170M.....	15, 18, 43
FC-6305.....	19, 27, 64	FC-9530.....	58, 66	FC-0172M.....	15
		FC-9540.....	58, 66	FC-0175M.....	15

FILBUR® Freedom™ Cartridges with Microban®

FC-0189M	15	FC-0517M	15, 52, 66	FC-2716M	15, 21, 40
FC-0195M	15, 20, 31	FC-0536M	15, 24, 30	FC-2800M	15, 21, 40, 66
FC-0196M	15, 20, 31, 66	FC-1001M	15, 17, 42	FC-2810M	15, 24, 51
FC-0202M	15, 19, 29, 31, 32	FC-1003M	15, 22, 43	FC-2940M	15, 19, 54, 64
FC-0203M	15, 20, 31	FC-1004M	15, 24, 43	FC-2971M	15, 20, 31, 42, 51
FC-0204M	15, 20, 31	FC-1007M	15, 24, 43	FC-2975M	15, 20, 32, 64
FC-0300M	15, 20, 32, 66	FC-1265M	15, 25	FC-3029M	15, 17, 53
FC-0304M	15	FC-1286M	25, 37	FC-3052M	16, 24, 53
FC-0311M	15, 21, 29	FC-1330M	15, 20, 40, 64	FC-3077M	16, 17, 64
FC-0315M	15, 21, 66	FC-2375M	15, 19, 46, 64	FC-3310M	16, 24, 32
FC-0317M	15, 20	FC-2385M	15, 18, 46, 64	FC-3320M	16, 24, 32
FC-0359M	15, 21, 66	FC-2386M	15, 18, 64	FC-3915M	16, 21, 38, 64
FC-0360M	15, 21	FC-2387M	15, 18, 46	FC-3960M	16, 24, 38
FC-0361M	15, 21	FC-2390M	15, 19, 30, 46, 64	FC-3963M	16, 22, 31, 64
FC-0415M	15, 21	FC-2395M	15, 19, 46, 64	FC-3964M	16, 22, 31, 64
FC-0421M	15, 22	FC-2715M	15, 21, 40, 51	FC-3965M	16, 24, 31, 65





CAN CUSTOMER LOYALTY SOMETIMES SEEM A LITTLE RADICAL?



There are a lot of reasons that our customers hit the road with FILBUR's DirtMaster filter cartridges. Reasons like stronger, reinforced cores; antimicrobial end caps; wider support bands; and high-quality, dirt-holding polyester media. All of which add up to make DirtMaster cartridges better built, longer lasting, number one with OEMs, and radically superior.




Join our DirtMaster Dealer Program and get rewarded on every pool cartridge sold.

www.dmdealer.com

FILBUR®
POOL AND SPA FILTRATION

(888) 424-9185
Lake Oswego, Oregon
www.filburmfg.com

SALES REPRESENTATIVES



Alpha West

Tim Dougherty – President
Paul Mathews – Vice President
tdougherty@alphawest.com
pmathews@alphawest.com



Mullarky Associates

Marty Mullarkey
marty@mullarkeyassoc.com
mullarkeyassociates.com



Waterlines, Inc.

Damon Bickell
damon@waterlinesinc.com
waterlinesinc.com



WEK & Associates

Charlie Gunter
cgunter@wekreps.com
wekreps.com

USE THE FILTER CARTRIDGES THAT HOLD MORE DIRT.



FILBUR Pool & Spa Cartridges with DirtMaster Technology are number one with OEMs. The professional grade, OEM-specified fabric is heavier and thicker, with more fibers to collect dirt. Better dirt-holding cartridges mean less debris in the water, fewer chemicals, and shorter pump runs. And that means less cartridge cleaning, less energy used, and less money spent – for much happier customers.

Also available: filter media with Microban® antimicrobial protection.



(888) 424-9185
Lake Oswego, Oregon
www.filburmfg.com

©2020 FILBUR Manufacturing DMT-1-1
Microban® is a registered trademark of Microban International



(888) 424-9185
Lake Oswego, Oregon
www.filburmfg.com



©2020 FILBUR Manufacturing FPS-CAT MR20