# FILTER PARTS

Product Catalog 2021

# CLEAN & CLEAR® PLUS FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS REINFORCED POLYPROPYLENE TANK




| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| CLEAN & CLEAR PLUS FILTERS | | | | |
| 1 | 190058Z | Gauge, pressure, 1/4 in. | CALL | CALL |
| 2 | 98209800 | High Flow manual air relief valve, HFMARV | 38.82 | 46.65 |
| 4 | 178616 | Spring, compression [2] | 7.30 | 8.77 |
| 5 | 170026 | Manifold, top assembly, 240 sq. ft. [2] | 89.70 | 107.78 |
| 5 | 170027 | Manifold, top assembly, 320, 420 & 520 sq. ft. [2] | 84.66 | 101.73 |
| 6 | R173572 | Cartridge element, 240 sq. ft., 4 req. | 115.19 | 138.41 |
| 6 | R173573 | Cartridge element, 320 sq. ft., 4 req. | 147.30 | 177.00 |
| 6 | R173576 | Cartridge, 420 sq. ft., 4 req. [2] | 180.73 | 217.17 |
| 6 | R173578 | Cartridge, 520 sq. ft., 4 req. [2] | 207.13 | 248.89 |
| 6 | 179133 | CNC Plus 240 Cartridge (4/pk) | CALL | CALL |
| 6 | 179134 | CNC Plus 320 Cartridge (4/pk) | CALL | CALL |
| 6 | 179135 | CNC Plus 420 Cartridge (4/pk) | CALL | CALL |
| 6 | 179136 | CNC Plus 520 Cartridge (4/pk) | CALL | CALL |
| 7 | 170030 | Air bleed tube assembly, 240 sq. ft. | 51.31 | 61.65 |
| 7 | 55028500 | Air bleed tube assembly, 360, 420 sq. ft. [1] | CALL | CALL |
| 7 | 170029 | Air bleed tube assembly, 320 sq. ft. [2] | 52.04 | 62.53 |
| 7 | 170028 | Air bleed tube assembly, 420 sq. ft. [2] | 52.90 | 63.56 |
| 7 | 55028400 | Air bleed tube assembly, 500 sq. ft. [1] | CALL | CALL |
| 7 | 178583 | Air bleed tube assembly, 520 sq. ft. [2] | 51.31 | 61.65 |
| 8 | 170035 | Manifold, bottom/pipe assembly, outlet [3] | 241.94 | 290.72 |
| 8 | 170040 | Manifold, bottom [4] | 67.40 | 80.99 |
| 10 | 39010200Z | O-ring, clamp | 63.22 | 75.97 |
| 11 | 190003 | Clamp kit, tension control | 361.31 | 434.15 |
| 12 | 53006300Z | Washer, .325 i.d. for filter clamp | 5.01 | 6.02 |
| 12 | 195610 | Washer, sm. i.d. | 7.65 | 9.19 |
| 13 | 53108900Z | Spring/barrel nut assembly | 53.98 | 64.86 |
| 14 | 190039 | Baffle, bulkhead assembly [2] | 110.40 | 132.66 |
| 15 | 86006900 | O-ring, bulkhead, lower | 7.06 | 8.48 |
| 16 | 98960311 | Bulkhead union, set [1] | 72.39 | 86.98 |
| 16 | 271096 | Bulkhead adapter kit, 2 in. O.D. white | 69.06 | 82.98 |
| 16 | 270004 | Bulkhead adapter kit, 2 in. O.D. black | 72.97 | 87.68 |
| 16 | 270100 | Bulkhead union kit, 2 in. I.D. Black | 75.65 | 90.90 |
| 16 | 274426 | Bulkhead adapter kit, 2-1/2 in. x 2 in. I.D. White | CALL | CALL |
| 17 | 170035 | Pipe assembly, outlet/manifold, bottom (includes bulkhead 178575 and O-rings 86006900 & 3544571) [2] | 241.94 | 290.72 |
| 18 | 86300500 | Drain cap gasket [1] | 5.79 | 6.96 |
| 18 | 51005000 | O-ring for drain plug [2] | 7.84 | 9.42 |
| 18 | 191474 | O-ring for drain plug [8] | 1.00 | 1.20 |
| 19 | 51516200 | Drain cap [1] | 27.83 | 33.44 |
| 19 | 86202000 | Plug, 1-1/2 in. drain with O-ring [2] | 21.56 | 25.91 |
| 19 | 190030Z | Cap plug [8] | 33.78 | 40.59 |
| 20 | 170023 | Tank, lid assembly, 240 sq. ft. | 270.22 | 324.70 |
| 20 | 170024 | Tank, lid assembly, 320 sq. ft. | 329.07 | 395.41 |
| 20 | 178581 | Tank, lid assembly, 420 sq. ft. [2] | 376.09 | 451.91 |
| 20 | 178550 | Tank, lid assembly, 500 sq. ft. [1] | CALL | CALL |
| 20 | 178582 | Tank, lid assembly, 520 sq. ft. [2] | 443.05 | 532.37 |
| 21 | 178578 | Tank, bottom assembly [2] | 612.00 | 735.38 |
| 22 | 192320 | O-ring, bulkhead, upper [2] | 4.29 | 5.15 |
| 22 | 86006900 | O-ring, bulkhead, upper & lower [1, 7] | 7.06 | 8.48 |
| 23 | 195339 | SS back-up ring [5] | 82.18 | 98.75 |
| 24 | 194801 | Bulkhead, 2-3/8, 8 buttress thread [2] | 115.58 | 138.88 |
| 25 | 190106Z | Air Screen | 30.27 | 36.37 |
| 26 | 195339 | RNG Backup Ring SS | 82.18 | 98.75 |
| NOT SHOWN | | | | |
| | 192019 | Drain plug wrench | 110.29 | 132.52 |
| | 178708 | Parts Bag - includes warranty card, instructions, and items 1, 2, and 16. | CALL | CALL |

[1] Used on filters manufactured before 11/98.
[2] Used on filters manufactured after 11/98.
[3] Used on filters manufactured between 11/98 thru 12/00.
[4] Used on filters manufactured after 12/00.
[5] Used on filters manufactured after 3/03.
[6] Used on filters manufactured between 3/03, thru 7/1/03.
[7] Used on filters manufactured after 10/04.
[8] Used on filters manufactured after 5/21/05.

Product on page 61.

# CLEAN & CLEAR® RP FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS REINFORCED POLYPROPYLENE TANK

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | CLEAN & CLEAR RP FILTERS | | |
| 1 | 98209800 | High flow manual air relief valve | 38.82 | 46.65 |
| 2 | 190058Z | Pressure gauge | CALL | CALL |
| 3 | 178548Z | Lid, 100 sq. ft. filter | 168.91 | 202.96 |
| 4 | 178546Z | Lid, 150, 200 sq. ft. filter | 168.91 | 202.96 |
| 5 | 59052900 | Locking ring assembly | 111.17 | 133.58 |
| 6 | 87300400Z | Body O-ring | CALL | CALL |
| 7 | 59016200 | Air bleed sock kit | 14.88 | 17.88 |
| 8 | 59053700 | Center core, 100 sq. ft. filter | 154.83 | 186.04 |
| 9 | 59053800 | Center core, 150, 200 sq. ft. filter | 237.30 | 285.14 |
| 10 | R173215 | Cartridge element, 100 sq. ft. filter | 163.84 | 196.87 |
| 11 | R173216 | Cartridge element, 150 sq. ft. filter | 215.85 | 259.37 |
| 12 | R173217 | Cartridge element, 200 sq. ft. filter | 269.41 | 323.72 |
| 13 | 178731Z | Tank bottom | 392.61 | 471.76 |
| 14 | 154712Z | Drain cap assembly | 34.09 | 40.96 |
| 14 | 191474 | O-ring | 1.00 | 1.20 |
| 14 | 190030Z | Drain Cap Plug | 33.78 | 40.59 |
| 15 | 178732Z | Union nut “C” clip | 8.70 | 10.45 |
| 16 | U11-200PSZ | Union nut | 12.29 | 14.77 |
| 17 | 178746Z | Union diamond seal | 4.70 | 5.65 |
| 18 | 178733Z | Union, threaded half | 49.87 | 59.92 |
| 19 | 170096 | Air relief kit | 103.02 | 123.79 |
| | | NOT SHOWN | | |
| | 154715 | Drain cap gasket | 6.42 | 7.71 |




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

Product on page 63.

# CLEAN & CLEAR® / PREDATOR™ FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS REINFORCED POLYPROPYLENE TANK




| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| CLEAN & CLEAR / PREDATOR FILTERS | | | | |
| 1 | 98209800 | High Flow manual air relief valve | 38.82 | 46.65 |
| 2 | 190058Z | Gauge, pressure | CALL | CALL |
| 3 | 178553 | Lid, 50, 100 sq. ft., almond | 181.17 | 217.69 |
| 3 | 178561 | Lid, 75, 150, 200 sq. ft., almond | 168.91 | 202.96 |
| 4 | 59052900 | Locking ring assembly | 111.17 | 133.58 |
| 5 | 87300400Z | Body O-ring | CALL | CALL |
| 6 | 59016200 | Air bleed sock kit | 14.88 | 17.88 |
| 7 | 59053500 | Center core 50 sq. ft. | 131.77 | 158.33 |
| 7 | 59053600 | Center core 75 sq. ft. | 132.82 | 159.60 |
| 7 | 59053700 | Center core 100 sq. ft. | 154.83 | 186.04 |
| 7 | 59053800 | Center core 150, 200 sq. ft. | 237.30 | 285.14 |
| 8 | R173213 | Cartridge element 50 sq. ft. | 103.08 | 123.86 |
| 8 | R173214 | Cartridge element 75 sq. ft. | 133.57 | 160.50 |
| 8 | R173215 | Cartridge element 100 sq. ft. | 163.84 | 196.87 |
| 8 | R173216 | Cartridge element 150 sq. ft. | 215.85 | 259.37 |
| 8 | R173217 | Cartridge element 200 sq. ft. | 269.41 | 323.72 |
| 9 | 178562 | Bottom 50 sq. ft., almond | 319.79 | 384.26 |
| 9 | 178554 | Bottom 75 sq. ft., almond | 317.82 | 381.89 |
| 9 | 178563 | Bottom 100 sq. ft., almond | 407.53 | 489.69 |
| 9 | 178560 | Bottom 150, 200 sq. ft., almond | 397.88 | 478.09 |
| 10 | 51516200 | Drain cap [1] | 27.83 | 33.44 |
| 10 | 86202000 | Plug, 1-1/2 in. drain, w/ O-ring [2] | 21.56 | 25.91 |
| 11 | 86300500 | Drain cap gasket [1] | 5.79 | 6.96 |
| 11 | 51005000 | O-ring, drain cap [2] | 7.84 | 9.42 |
| 12 | 39104500 | Union nut “C” clip | 2.13 | 2.56 |
| 13 | 98212200 | Union nut | 12.29 | 14.77 |
| 14 | 071426 | O-ring, union | 1.82 | 2.19 |
| 15 | 79304600 | Body, swivel | 25.07 | 30.12 |

[1] Used on filters manufactured before 11/98.

[2] Used on filters manufactured after 11/98.

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 20027A.A



Product on page 62.

# DYNAMIC® FILTER SERIES I - MODEL RDC

## REPLACEMENT PARTS

| Item | Part No. | Qty. | Description | US List | Can. List |
|---|---|---|---|---|---|
| DYNAMIC SERIES 1 INLINE CARTRIDGE FILTER MODELS: RDC-25 & RDC-25S, RDC-50 & RDC-50S | | | | | |
| 1 | R172213 | 1 | Manifold only, 1-1/2 in. FPT | 28.86 | 34.68 |
| 1 | R172213S | 1 | Manifold only, 1-1/2 in. socket | 30.09 | 36.16 |
| 1 | R172213XT | 1 | Manifold only, black, 1-1/2 in. FPT | 28.71 | 34.50 |
| 1 | R172213X | 1 | Manifold only, black , 1-1/2 in. socket | 28.71 | 34.50 |
| 1A | R172213C | 1 | Complete manifold, 1-1/2 in. FPT [1] | 39.26 | 47.17 |
| 1A | R172213SC | 1 | Complete manifold, 1-1/2 in. socket [1] | 39.15 | 47.04 |
| 1A | R172213PT | 1 | Complete manifold, black, 1-1/2 in. FPT [1] | 39.26 | 47.17 |
| 1A | R172213P | 1 | Complete manifold, black, 1-1/2 in. FPT [1] | 39.26 | 47.17 |
| 2 | R172221 | 2 | O-ring for drain & vent valve | 1.64 | 1.97 |
| 3 | R172224X | 2 | Drain and vent valve, black | 6.46 | 7.76 |
| 4 | R172226X | 1 | By-pass assembly, black | 4.87 | 5.85 |
| 5 | R172225X | 1 | Plug to disable by-pass, black | 1.68 | 2.02 |
| 6 | R172222 | 2 | Cartridge gasket | 3.13 | 3.76 |
| 7 | R173428 | 1 | 25 sq. ft. cartridge, 6 oz. | 58.82 | 70.68 |
| 7B | R173434 | 1 | Cartridge, 3 oz., 13-1/4 in., 50 sq. ft. | 74.60 | 89.64 |
| 8 | R172223 | 1 | O-ring for cartridge housing | 6.46 | 7.76 |
| 9 | R172212 | 1 | Cartridge housing | 44.67 | 53.68 |
| 9 | R172212X | 1 | Cartridge housing, black | 44.67 | 53.68 |
| 10 | R172214 | 1 | Lock ring | 19.84 | 23.84 |
| 11 | R172036Z | Opt. | Silicone lubricant | 10.98 | 13.19 |
| 12 | R172232X | 2 | Support ring, black | 1.68 | 2.02 |

[1] Complete manifold includes No. 1, No. 2, No. 3, No. 4, No. 6 and No. 12.




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 2001767-A

# DYNAMIC® FILTER SERIES II & III RTL/RCF

## REPLACEMENT PARTS









| Item | Part No. | Qty. | Description | US List | Can. List |
|---|---|---|---|---|---|
| TOP LOAD IN LINE CARTRIDGE FILTER MODEL RTL/RCF 1-1/2 IN. & 2 IN. HIGH FLOW | | | | | |
| 1 | R172214 | 1 | Lock ring | 19.84 | 23.84 |
| 2 | R172224X | 1 | Air vent valve | 6.46 | 7.76 |
| 3 | R172221 | 1 | O-ring for air vent valve | 1.64 | 1.97 |
| 4 | R172222 | 2 | Gasket, cartridge | 3.13 | 3.76 |
| 5 | R172223 | 1 | O-ring lid to housing | 6.46 | 7.76 |
| 6 | R173428 | 1 | 25 sq. ft. cartridge, 6 oz. [1] | 58.82 | 70.68 |
| 6A | R172327 | 1 | 25 sq. ft. cartridge, 3 oz. [1] | 35.02 | 42.08 |
| 6B | R173434 | 1 | 50 sq. ft. cartridge [1] | 74.60 | 89.64 |
| 6C | R173435 | 1 | 75 sq. ft. cartridge | 92.00 | 110.55 |
| 6D | R172633 | | 100 sq. ft. cartridge | 106.77 | 128.29 |
| 7 | R172225X | 1 | 1-1/2 in. Plug to disable by-pass | 1.68 | 2.02 |
| 7A | R172679 | 1 | 2 in. Plug to disable by-pass | 6.64 | 7.98 |
| 8 | R172226X | 1 | 1-1/2 in. By-pass assembly | 4.87 | 5.85 |
| 8A | R172684 | 1 | 2 in. By-pass assembly | 10.61 | 12.75 |
| 8B | R172226XF | 1 | 1-1/2 in. By-pass assembly, low flow | 5.73 | 6.89 |
| 9 | R172392 | 2 | 1/4 in. Access plug, earlier models | 6.46 | 7.76 |
| 9A | R172393 | 2 | Access plug O-ring, earlier models | 6.46 | 7.76 |
| 10 | R172370 | 1 | Bottom locking flange | 14.40 | 17.30 |
| 10A | R170070 | Opt. | O-ring, locking flange | 7.08 | 8.51 |
| 11 | R172036Z | Opt. | Silicone lubricant | 10.98 | 13.19 |
| 12 | R172374 | 1 | Lock spring | 6.46 | 7.76 |
| 13 | R172375 | 1 | Lock screw | 1.64 | 1.97 |

| Item | Part No. | Qty. | Description | US List | Can. List |
|---|---|---|---|---|---|
| 14 | R172386 | 1 | RTL/RCF-25 housing assembly 1-1/2 in., slip [2] | 99.54 | 119.61 |
| 14A | R172387 | 1 | RTL/RCF-25 housing assembly 1-1/2 in., FPT [2] | 99.54 | 119.61 |
| 14B | R172388 | 1 | RTL/RCF-50 housing assembly 1-1/2 in., slip [2] | 99.53 | 119.60 |
| 14C | R172389 | 1 | RTL/RCF-50 housing assembly, 1-1/2 in., FPT [2] | 94.77 | 113.88 |
| 14E | R172421 | 1 | RTL/RCF-25 housing assembly, 2 in. slip [2] | 94.77 | 113.88 |
| 14F | R172428 | 1 | RTL/RCF-50 housing assembly, 2 in. slip [2] | 105.87 | 127.21 |
| 14G | R172638 | 1 | RTL/RCF-75 housing assembly, 2 in. slip [2] | 106.26 | 127.68 |
| 14H | R172639 | 1 | RTL/RCF-100 housing assembly, 2 in. slip [2] | 28.53 | 34.28 |
| 15 | R172385 | 1 | Lid assembly, complete | 82.29 | 98.88 |
| 16 | R172540 | 1 | Chlorine/bromine dispenser, complete, RCF | CALL | CALL |
| RTL AND RCF NICHE ASSEMBLY (R172542) | | | | | |
| 1 | R172610DG | 1 | Niche only, dark grey | 17.25 | 20.73 |
| 3 | R172612 | 8 | No. 10 x 3/4, SS flat head screw | 1.64 | 1.97 |
| 4 | R170072 | Opt. | O-ring, niche to spa | 7.83 | 9.41 |
| 5 | R170070 | Opt. | O-ring, filter to niche | 7.08 | 8.51 |
| NOT SHOWN | | | | | |
| | R172452 | Opt. | Free standing base | 13.85 | 16.64 |
| | R170070 | Opt. | O-ring, filter to niche | 7.08 | 8.51 |
| | R170072 | Opt. | O-ring, niche to spa | 7.83 | 9.41 |

[1] All three cartridges are interchangeable.

[2] Only one applies to your filter, check model number when ordering.

Note: Specify color of cover and niche desired by adding letters after part no., as follows: SS (sterling silver), WH (white), BLK (black).

Product on pages 64–65.

# DYNAMIC® FILTER SERIES IV - MODEL DSF

## REPLACEMENT PARTS




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

| Item | Part No. | Qty. | Description | US List | Can. List |
|---|---|---|---|---|---|
| | | | SKIM FILTER | | |
| 1 | R172468 | 1 | Cover | 9.33 | 11.21 |
| 2 | R172467 | 1 | Basket assembly | 6.64 | 7.98 |
| 4 | R172465 | 1 | Cartridge plug | 6.47 | 7.77 |
| 6 | R172477 | 1 | Cartridge puller, DSF 50 only | 6.47 | 7.77 |
| 6A | R172608 | 1 | Cartridge puller, DSF 35 only | 6.25 | 7.51 |
| 7 | R172226X | 1 | By-pass assembly, 1-1/2 in. | 4.87 | 5.85 |
| 7A | R172684 | 1 | By-pass assembly, 2 in. | 10.61 | 12.75 |
| | R172393 | 2 | O-ring, access plug, earlier models | 6.46 | 7.76 |
| | R172392 | 2 | 1/4 in. Access plug, earlier models | 6.46 | 7.76 |
| 10 | R172480 | 1 | 90° Vac plate adapter | 10.35 | 12.44 |
| 11 | R172479 | 1 | Vac plate | 6.64 | 7.98 |

| Item | Part No. | Qty. | Description | US List | Can. List |
|---|---|---|---|---|---|
| | | | FACE PLATE KIT | | |
| 12 | R172470 | 1 | Gasket-rear | 6.64 | 7.98 |
| 13 | R172475 | 2 | Screw, 13-16 x 3/4 in. hi-lo pan head | 1.68 | 2.02 |
| 14 | R172471 | 1 | Gasket-front face plate | 6.64 | 7.98 |
| 15 | R172472 | 1 | Face plate | 9.65 | 11.60 |
| 16 | R172474 | 8 | Screw, 13-16 x 1-1/4 in. hi-lo flat head | 1.64 | 1.97 |
| 17 | R172469 | 1 | Weir gate assembly | 10.71 | 12.87 |
| 18 | R172473 | 1 | Safety face plate cover, white | 10.15 | 12.20 |
| 19 | R172483 | 2 | Screw, 13-16 x 1-5/8 in. hi-lo flat head | CALL | CALL |
| 20 | R172605 | 2 | Screw hole plug | 6.46 | 7.76 |
| 21 | R172036Z | Opt. | Silicone lubricant | 10.98 | 13.19 |
| 22 | R172560 | Opt. | DSF Chlorine/bromine dispenser | 56.55 | 67.95 |
| 23 | R172624 | 1 | Extension Flange 1.5" | CALL | CALL |

# DYNAMIC® FILTER SERIES IV – DFM, DFML

## REPLACEMENT PARTS




| Item | Part No. | Qty. | Description | US List | Can. List |
|---|---|---|---|---|---|
| DFML 25C, 25, 35, 50 LILY PAD SKIM FILTER | | | | | |
| 1 | R172660 | 1 | Lily skimmer float assembly | CALL | CALL |
| 2 | R172661 | 1 | Lily basket w/ restrictor assembly | 16.72 | 20.09 |
| 3 | R172662 | 1 | Lily chemical dispenser w/ basket and restrictor assembly | CALL | CALL |
| 4A | R172327 | 1 | Cartridge, 25 sq. ft., 13-1/4 | 35.02 | 42.08 |
| 4B | R173431 | 1 | Cartridge, 35 sq. ft., 9-1/4 | 60.65 | 72.88 |
| 4C | R173434 | 1 | Cartridge, 50 sq. ft., 13-1/4 | 74.60 | 89.64 |
| 5 | R172665X | 1 | Housing only DFML-25 WH compact w/safety flange | 114.23 | 137.26 |
| 7 | R172682 | 1 | 2 in. By-pass assembly | 8.07 | 9.70 |
| 8 | R172370 | 1 | Bottom locking flange | 14.40 | 17.30 |
| DFM 50 LOW PROFILE, NO WEIR | | | | | |
| 9 | R172562 | 1 | Chemical dispenser w/ short basket | 67.66 | 81.30 |
| 10 | R22113 | 1 | Basket assembly, short | 6.95 | 8.35 |
| 10A | R172686 | Opt | Basket short w/ restrictor assembly | 17.27 | 20.75 |

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 280274-A



Product on pages 64–65.

# DYNAMIC® FILTER SERIES V - DSC/SWS SAFETY WALL SKIMMER

## REPLACEMENT PARTS

| Item | Part No. | Qty. | Description | US List | Can. List |
|---|---|---|---|---|---|
| DSC 75, DSC 100 TOP LOAD IN LINE CARTRIDGE FILTER | | | | | |
| 1 | R172214 | 1 | Lock ring | 19.84 | 23.84 |
| 3 | R172222 | 2 | Gasket, cartridge | 3.13 | 3.76 |
| 4 | R172223 | 1 | O-ring, lid to housing | 6.46 | 7.76 |
| 5 | R173435 | 1 | 75 sq. ft. cartridge | 92.00 | 110.55 |
| 6 | R172374 | 1 | Lock spring | 6.46 | 7.76 |
| 7 | R172375 | 1 | Lock screw | 1.64 | 1.97 |
| 10 | R172385A | 1 | Lid assembly, complete | 27.48 | 33.02 |
| 21 | R172036Z | Opt. | Silicone lubricant | 10.98 | 13.19 |
| SAFETY WALL SKIMMER | | | | | |
| 1 | R172468 | 1 | Cover | 9.33 | 11.21 |
| 2 | R172467 | 1 | Basket assembly | 6.64 | 7.98 |
| 10 | R172480 | 1 | 90° Vac plate adapter | 10.35 | 12.44 |
| 11 | R172479 | 1 | Vac plate | 6.64 | 7.98 |
| FACE PLATE KIT | | | | | |
| 12 | R172470 | 1 | Gasket, rear | 6.64 | 7.98 |
| 13 | R172475 | 2 | Screw, 13-16 x 3/4 in. hi-lo pan head | 1.68 | 2.02 |
| 14 | R172471 | 1 | Gasket, front face plate | 6.64 | 7.98 |
| 15 | R172472 | 1 | Face plate | 9.65 | 11.60 |
| 16 | R172474 | 8 | Screw, 13-16 x 1-1/4 in. hi-lo flat head | 1.64 | 1.97 |
| 17 | R172469 | 1 | Weir gate assembly | 10.71 | 12.87 |
| 18 | R172473 | 1 | Safety face plate cover, white | 10.15 | 12.20 |
| 19 | R172483 | 2 | Screw, 13-16 x 1-5/8 in. hi-lo flat head | CALL | CALL |
| 20 | R172605 | 2 | Screw hole plug | 6.46 | 7.76 |
| 21 | R172036Z | Opt. | Silicone lubricant | 10.98 | 13.19 |




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

# DYNAMIC® FILTER SERIES CHLORINE/BROMINE DISPENSERS

## REPLACEMENT PARTS

**RCF-RTL**




**DSF-DFM**




**DFML**




| Item | Part No. | Qty. | Description | US List | Can. List |
|---|---|---|---|---|---|
| | | | **CHLORINE/BROMINE DISPENSER (R172540/R172540F FOR RCF-RTL)** | | |
| 1 | R172399 | 1 | Control valve stem | 6.46 | 7.76 |
| 2 | R33017 | 2 | O-ring, control valve | 0.43 | 0.52 |
| 3 | R18854 | 1 | Stop pin | 1.68 | 2.02 |
| 4 | R172224X | 1 | Air vent valve | 6.46 | 7.76 |
| 5 | R172221 | 1 | O-ring for air vent valve | 1.64 | 1.97 |
| 6 | R172400 | 1 | Inlet screen[1] | 1.68 | 2.02 |
| 7 | R172223 | 1 | O-ring lid to housing | 6.46 | 7.76 |
| 8 | R172222 | 1 | Gasket, cartridge | 3.13 | 3.76 |
| 9 | R172457 | 1 | Replacement inner chamber | 8.65 | 10.39 |
| 10 | R172451 | 1 | O-ring, check valve | 1.64 | 1.97 |
| 11 | R172401 | 1 | Screen, check valve[1] | 1.68 | 2.02 |
| 12 | R172406 | 1 | Check valve assembly | CALL | CALL |
| 13 | R172036Z | Opt. | Silicone lubricant | 10.98 | 13.19 |
| | | | **CHLORINE/BROMINE DISPENSER (R172560 FOR DSF-DFM)** | | |
| 1 | R172399 | 1 | Control valve stem | 6.46 | 7.76 |
| 2 | R33017 | 2 | O-ring, control valve | 0.43 | 0.52 |
| 3 | R18854 | 1 | Stop pin | 1.68 | 2.02 |
| 6 | R172400 | 1 | Inlet screen[1] | 1.68 | 2.02 |
| 9 | R172457 | 1 | Replacement inner chamber | 8.65 | 10.39 |
| 10 | R172451 | 1 | O-ring, check valve | 1.64 | 1.97 |
| 11 | R172401 | 1 | Screen, check valve[1] | 1.68 | 2.02 |
| 12 | R172406 | 1 | Check valve assembly | CALL | CALL |
| 13 | R172036Z | Opt. | Silicone lubricant | 10.98 | 13.19 |
| | | | **CHLORINE/BROMINE DISPENSER WITH BASKET (R172662 FOR DFML)** | | |
| 1 | R172399 | 1 | Control valve stem | 6.46 | 7.76 |
| 2 | R33017 | 2 | O-ring, control valve | 0.43 | 0.52 |
| 3 | R18854 | 1 | Stop pin | 1.68 | 2.02 |
| 6 | R172400 | 1 | Inlet screen[1] | 1.68 | 2.02 |
| 9 | R172457 | 1 | Replacement inner chamber | 8.65 | 10.39 |
| 10 | R172451 | 1 | O-ring, check valve | 1.64 | 1.97 |
| 11 | R172401 | 1 | Screen, check valve[1] | 1.68 | 2.02 |
| 12 | R172406 | 1 | Check valve assembly | CALL | CALL |
| 13 | R172036Z | Opt. | Silicone lubricant | 10.98 | 13.19 |

[1] Item No. 6 and No. 11 screens are snapped into place and can easily be removed for cleaning or replacement.

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

Product on pages 64–65.

# SYSTEM:3® MODULAR MEDIA FILTERS

## SM SERIES REPLACEMENT PARTS

**MODELS**

S7M120

S7M400

S8M150

S8M500




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov.

[1] Model S7M120 requires 7 clamps and clamp bolts. Model S8M 150 requires 8 clamps and clamp bolts.

[2] Includes all decals and labels.

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| SYSTEM:3 MODULAR MEDIA FILTERS | | | | |
| 1 | 33600-0023T | 2 in. Gauge | 50.83 | 61.08 |
| 2 | 154689Z | Air Release Valve | CALL | CALL |
| 3 | 35202-0959 | Nipple | 14.91 | 17.92 |
| 4 | 24900-0504 | Adapter Bushing | 19.86 | 23.86 |
| 5 | 35505-1423 | O-Ring | 2.13 | 2.56 |
| 6 | 25022-0201S | Large Cartridge (S7M120, 21 in. Filter) | 566.87 | 681.15 |
| 6 | 25022-0224S | Large Cartridge (S7M400, 21 in. Filter) | 775.83 | 932.24 |
| 6 | 25022-0203S | Large Cartridge (S8M150, 25 in. Filter) | 768.55 | 923.49 |
| 6 | 25022-0225S | Large Cartridge (S8M500, 25 in. Filter) | 793.99 | 954.06 |
| 7 | 25021-0200S | Small Cartridge (S7M120) | 285.26 | 342.77 |
| 7 | 25021-0223S | Small Cartridge (S7M400) | 316.15 | 379.89 |
| 7 | 25021-0202S | Small Cartridge (S8M150) | 472.38 | 567.61 |
| 7 | 25021-0224S | Small Cartridge (S8M500) | 570.51 | 685.52 |
| 8 | WC8-126Z | Air Bleed Filter | 16.33 | 19.62 |
| 9 | 25021-0003 | Air Bleed Tube | 10.37 | 12.46 |
| 10 | 25021-0101 | Baffle and Bulkhead Fitting | 76.49 | 91.91 |
| 11 | 35505-1428 | O-Ring | 6.15 | 7.39 |
| 12 | 35505-1429 | O-Ring | 4.94 | 5.94 |
| 13 | 25021-0100 | Elbow and Bulkhead Assembly | 113.94 | 136.91 |
| 14 | 35505-1425 | O-Ring | 16.44 | 19.75 |
| 15 | 35505-1424 | O-Ring | 9.86 | 11.85 |
| 16 | 24900-0509 | Adapter Fitting | 30.55 | 36.71 |
| 17 | 27001-0022 | 1-1/2 in. NPT Plug | 3.14 | 3.77 |
| 18 | 24900-0503 | Drain Plug | 30.38 | 36.50 |

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| 19 | 24752-0050 | Bulkhead Retaining Nut | 26.24 | 31.53 |
| 20 | 24850-0200 | Clamp Assembly [1] | 138.94 | 166.95 |
| 21 | 24850-0010 | Clamp Bolt [1] | 33.64 | 40.42 |
| 22 | 24850-0102S | Lower Tank Half, 21 in. Filter | 1188.38 | 1427.96 |
| 22 | 24851-0103S | Lower Tank Half, 25 in. Filter | 1342.73 | 1613.42 |
| 23 | 24850-0008 | Cord Ring, 21 in. Filter | 68.11 | 81.84 |
| 23 | 24850-0009 | Cord Ring, 25 in. Filter | 77.93 | 93.64 |
| 24 | 24851-9000 | Upper Tank Half Kit, 21 in. Filter [2] | 1064.21 | 1278.75 |
| 24 | 24851-9001 | Upper Tank Half Kit, 25 in. Filter [2] | 1309.01 | 1572.91 |
| 25 | 24850-0105 | Valve & Gauge Assembly (Includes #1, 2, 3, 4, 5) | 106.36 | 127.80 |
| 26 | 170145 | S7M120 Inner/Outer Cartridge Pack | 570.56 | 685.58 |
| 26 | 170146 | S7M400 Inner/Outer Cartridge Pack | 784.52 | 942.68 |
| 26 | 170147 | S8M150 Inner/Outer Cartridge Pack | 927.16 | 1114.08 |
| 26 | 170148 | S8M500 Inner/Outer Cartridge Pack | 1212.44 | 1456.87 |
| NOT SHOWN | | | | |
| | 24850-0016 | Clamp Retaining Ring [1] | 7.16 | 8.60 |
| | U212-252DS | Brass Deluxe Air Bleed (optional) | CALL | CALL |
| | U11-196PSZ | Adapter Union 2 in. Slip | 10.16 | 12.21 |
| | U11-200PSZ | Union Collar 2 in. | 12.29 | 14.77 |
| | PKG 188Z | 2 in. Slip 1/2 Union Kit | 34.40 | 41.34 |
| | U9-362 | O-Ring | 5.56 | 6.68 |
| | 25021-0021 | Modular media Conversion Kit (Includes #10, 11, 12, 13, 14, 19. Must also purchase item 6 and 7 separately) | 340.39 | 409.01 |

Product on pages 66–67.

# SYSTEM:2™ MODULAR MEDIA FILTERS

## PLM SERIES REPLACEMENT PARTS

STA-RITE

**MODELS**

PLM100

PLM125

PLM150

PLM175

PLM200

PLM300




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| SYSTEM:2 MODULAR MEDIA FILTERS | | | | |
| 1 | 27001-0054S | Posi-Lok™ ring | 224.75 | 270.06 |
| 2 | U9-359 | O-ring | 0.85 | 1.02 |
| 2A | 25010-0200 | Air release valve assy. w/ O-ring P/N U9-359 | 20.19 | 24.26 |
| 2B | 24206-0103S | Air vent stem w/ O-ring P/N 35505-7439 | 11.45 | 13.76 |
| 3A | 27001-0020S | Tank shell upper half [1, 5] Models PLM100, PLM125, PLM150, PLM175, PLM200 | 336.60 | 404.46 |
| 3B | 27001-0030S | Tank shell upper half [1, 5] Model PLM300 | 529.45 | 636.19 |
| 4 | 27001-0061S | Cord-ring | 58.64 | 70.46 |
| 4 | 27001-0060S | Cord-ring (Pre 3/97) Models PLM100, PLM150 | 58.12 | 69.84 |
| 5 | 27001-0009S | Tank shell lower half [4, 5] | 571.80 | 687.07 |
| 6 | 27001-0051 | Safety latch for ring | 15.82 | 19.01 |
| 7A | 27001-0022 | 1-1/2 in. NPT plug | 3.14 | 3.77 |
| 7B | 24900-0510 | Adapter fitting | 30.55 | 36.71 |
| 8 | 35505-1424 | O-ring | 9.86 | 11.85 |

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| 9 | U78-820P | 2 in. x 1-1/2 in. Pipe reducer [2] | 14.48 | 17.40 |
| 10 | 15060-0000T | Pressure gauge [3] | 49.15 | 59.06 |
| 11 | 24800-0121 | Air bleed assembly | 19.51 | 23.44 |
| 12 | 27002-0100S | Filter module - Model PLM100 | 298.79 | 359.03 |
| 12 | 27002-0125S | Filter module - Model PLM125 | 360.03 | 432.61 |
| 12 | 27002-0150S | Filter module - Model PLM150 | 443.54 | 532.96 |
| 12 | 27002-0175S | Filter module - Model PLM175 | 499.19 | 599.83 |
| 12 | 27002-0200S | Filter module - Model PLM200 | 556.76 | 669.00 |
| 12 | 27002-0300S | Filter module - Model PLM300 | 716.34 | 860.75 |
| 13 | 27001-0130S | Spring check valve [2] | 24.39 | 29.31 |
| NOT SHOWN | | | | |
| | 33455-1050 | Spring check valve gasket | 4.39 | 5.28 |

[1] Includes all decals and labels.

[2] Optional Equipment.

[3] Shipped in accessory package.

[4] Includes 24900-0510 adapter fitting, 27001-0051 safety latch, & 27001-0054 PosiLok™ ring.

[5] Filters manufactured before 2005 should also purchase a top and bottom.



Product on pages 68–69.

# POSI-CLEAR™ RP FILTERS

## PXC SERIES REPLACEMENT PARTS




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov.

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | POSI-CLEAR RP FILTERS | | |
| 1 | 98209800 | High flow manual air relief valve | 38.82 | 46.65 |
| 2 | 190058Z | Pressure gauge | CALL | CALL |
| 3 | 59053001Z | Lid, 100 sq. ft. filter | 181.17 | 217.69 |
| 4 | 178745Z | Lid, 150, 200 sq. ft. filter | 168.91 | 202.96 |
| 5 | 59052900 | Locking ring assembly | 111.17 | 133.58 |
| 6 | 87300400Z | Body O-ring | CALL | CALL |
| 7 | 59016200 | Air bleed sock kit | 14.88 | 17.88 |
| 8 | 59053700 | Center core, 100 sq. ft. filter | 154.83 | 186.04 |
| 9 | 59053800 | Center core, 150, 200 sq. ft. filter | 237.30 | 285.14 |
| 10 | R173215 | Cartridge element, 100 sq. ft. filter | 163.84 | 196.87 |
| 11 | R173216 | Cartridge element, 150 sq. ft. filter | 215.85 | 259.37 |
| 12 | R173217 | Cartridge element, 200 sq. ft. filter | 269.41 | 323.72 |
| 13 | 178743Z | Tank bottom | 392.61 | 471.76 |
| 14 | 190030Z | Drain | 33.78 | 40.59 |
| 14 | 191474 | O-ring | 1.00 | 1.20 |
| 15 | 178732Z | Union nut “C” clip | 8.70 | 10.45 |
| 16 | U11-200PSZ | Union nut | 12.29 | 14.77 |
| 17 | 178746Z | Union diamond seal | 4.70 | 5.65 |
| 18 | 178733Z | Union, threaded half | 49.87 | 59.92 |
| 19 | 170097 | Air Relief Parts Kits | 103.02 | 123.79 |

Product on page 70.

# EASYCLEAN™ D.E. FILTERS

## REPLACEMENT PARTS




| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| EASYCLEAN FILTER SYSTEMS | | | | |
| 1 | 98209800 | High Flow Manual Air Relief Valve | 38.82 | 46.65 |
| 2 | 190058Z | Pressure Gauge | CALL | CALL |
| 3 | 178561 | Lid, Almond | 168.91 | 202.96 |
| 4 | 59052900 | Locking Ring Assy | 111.17 | 133.58 |
| 5 | 87300400Z | Body O-Ring | CALL | CALL |
| 6 | 178616 | Compression Spring | 7.30 | 8.77 |
| 7 | 190106Z | Air Bleeder | 30.27 | 36.37 |
| 8 | 178626 | Center Core Top, EC | 20.62 | 24.78 |
| 9 | U37-3/8P | Air Bleeder Tube, EC60 | CALL | CALL |
| 9 | U37-3/8P | Air Bleeder Tube, EC90 | CALL | CALL |
| 10 | 178757 | Cartridge Element, EC60 | 96.14 | 115.52 |
| 10 | 178656 | Cartridge Element, EC90 | 196.32 | 235.90 |
| 11 | 178627 | Center Core Bottom, EC | 18.01 | 21.64 |
| 12 | 071422 | O-Ring, Center Core | 7.84 | 9.42 |
| 13 | 178562 | Tank Bottom, EC60 | 319.79 | 384.26 |
| 13 | 178563 | Tank Bottom, EC90 | 407.53 | 489.69 |
| 14 | 51516100 | Check Valve Kit | 45.08 | 54.17 |
| 15 | 39104500 | C-Clip (Union Nut) | 2.13 | 2.56 |
| 16 | 98212200 | Union Nut | 12.29 | 14.77 |
| 17 | 071426 | O-Ring, Union | 1.82 | 2.19 |
| 18 | 79304600 | Body Swivel | 25.07 | 30.12 |
| 19 | 86202000 | Drain Cap with O-Ring | 21.56 | 25.91 |
| 20 | 51005000 | O-Ring Drain Cap | 7.84 | 9.42 |
| 21 [1] | 196060 | Element Retro Kit, EC60 | 154.53 | 185.68 |
| 21 [1] | 196090 | Element Retro Kit, EC90 | 223.21 | 268.21 |
| NOT SHOWN | | | | |
| | 155151 | Flex Hose Kit (6 ft.) * | 111.74 | 134.27 |
| | 155005 | Flex Hose Kit (12 ft.) * | 147.46 | 177.19 |

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov.

[1] Item 21 includes items 6 through 12. Item 21 replaces the Center Core, Cartridge Element, and Air Bleeder Sock Kit on filters manufactured before 2014.

* Replacement Hose Kits include two (2) hoses, four (4) hose adapters and four (4) hose clamps.



Product on page 72.

# FNS® PLUS FILTERS

## REPLACEMENT PARTS FOR VERTICAL GRID FILTERS




| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | FNS PLUS FILTERS | | |
| 1 | 190058Z | Gauge, pressure | CALL | CALL |
| 2 | 98209800 | High Flow manual air relief valve, HFMARV | 38.82 | 46.65 |
| 4 | 071404Z | Wing nut | 16.06 | 19.30 |
| 5 | 59000800 | Tie rod, 24 sq. ft. filter | 41.58 | 49.96 |
| 5 | 59001500 | Tie rod, 36 sq. ft. filter | 44.49 | 53.46 |
| 5 | 59002100 | Tie rod, 48 sq. ft. filter | 48.59 | 58.39 |
| 5 | 59002700 | Tie rod, 60 sq. ft. filter | 48.59 | 58.39 |
| 6 | 59023700 | Manifold, top w/air bleed | 167.76 | 201.58 |
| 7 | 190092 | Internal ail bleed assembly<br>Pre 10/09 - porous white material<br>After 10/09 - stainless steel mesh | 30.42 | 36.55 |
| 8 | 98725800 | Template, filter | 8.69 | 10.44 |
| 9 | 59001100 | Grid, lg. 12 in., 24 sq. ft. filter, 7 req. | 25.54 | 30.69 |
| 9 | 59001800 | Grid, lg. 18 in., 36 sq. ft. filter, 7 req. | 31.19 | 37.48 |
| 9 | 59002400 | Grid, lg. 24 in., 48 sq. ft. filter, 7 req. | 39.13 | 47.02 |
| 9 | 59003000 | Grid, lg. 30 in., 60 sq. ft. filter, 7 req. | 48.92 | 58.78 |
| 10 | 59001000 | Grid, sm. 12 in., 24 sq. ft. filter, 1 req. | 27.06 | 32.52 |
| 10 | 59002300 | Grid, sm. 24 in., 48 sq. ft. filter, 1 req. | 41.79 | 50.21 |
| 10 | 59002900 | Grid, sm. 30 in., 60 sq. ft. filter, 1 req. | 50.16 | 60.27 |
| 10 | 59001700 | Grid, sm. 18 in., 36 sq. ft. filter, 1 req. | 33.22 | 39.92 |
| 11 | 59023800 | Assembly, element grid, complete, 24 sq. ft. filter | 497.04 | 597.24 |
| 11 | 59023500 | Assembly, element grid, complete, 36 sq. ft. filter | 443.12 | 532.45 |
| 11 | 59023400 | Assembly, element grid, complete, - 48 sq. ft. filter | 502.12 | 603.35 |
| 11 | 59023300 | Assembly, element grid, complete, - 60 sq. ft. filter | 531.78 | 638.99 |
| 12 | 98211400 | Nut, 1/4-20, plated brass | 2.89 | 3.47 |
| 13 | 59000500 | Spider, grid locator | 89.70 | 107.78 |
| 14 | 58001000 | Nut, lock, hex, nylon | 2.34 | 2.81 |
| 15 | 39010200Z | O-ring, tank clamp, .470 O.D. | 63.22 | 75.97 |
| 16 | 190003 | Clamp, kit | 361.31 | 434.15 |
| 17 | 195610 | Washer, .325 i.d. for filter clamp | 7.65 | 9.19 |
| 18 | 53108900Z | Spring/barrel nut assembly | 53.98 | 64.86 |
| 19 | 190034 | Assembly, standpipe, outlet, 24 sq. ft. filter, 4-3/8 in. tall | 72.97 | 87.68 |
| 19 | 190035 | Assembly, standpipe, outlet, 36 sq. ft. filter, 10-3/8 in. tall | 78.21 | 93.98 |
| 19 | 190036 | Assembly, standpipe, outlet, 48 sq. ft. filter, 16-3/8 in. tall | 90.46 | 108.70 |
| 19 | 190037 | Assembly, standpipe, outlet, 60 sq. ft. filter, 22-3/8 in. tall | 85.23 | 102.41 |
| 20 | 86006900 | O-ring, bulkhead | 7.06 | 8.48 |
| 21 | 271096 | Bulkhead union, set (Optional) | 69.06 | 82.98 |
| 21 | 270100 | Valve Adapter Kit, 2 in. Black (Optional) | 75.65 | 90.90 |
| 22 | 190043 | Assembly, pipe, inlet, includes bulkhead | 121.12 | 145.54 |
| 23 | 51005000 | O-ring for drain plug | 7.84 | 9.42 |
| 23 | 191474 | O-ring for drain plug [3] | 1.00 | 1.20 |
| 24 | 86202000 | Plug, 1-1/2 in. drain, w/ O-ring | 21.56 | 25.91 |
| 24 | 190030Z | Cap drain [3] | 33.78 | 40.59 |
| 25 | 170015 | Tank bottom, assembly, 24 sq. ft. filter | 575.95 | 692.06 |
| 25 | 170016 | Tank bottom, assembly, 36 sq. ft. filter | 571.27 | 686.44 |
| 25 | 170017 | Tank bottom, assembly, 48 sq. ft. filter | 576.89 | 693.19 |
| 25 | 170018 | Tank bottom, assembly, 60 sq. ft. filter | 579.53 | 696.36 |
| 26 | 170019 | Tank lid, 24 sq. ft. filter | 267.83 | 321.82 |
| 26 | 170020 | Tank lid, 36 sq. ft. filter | 326.30 | 392.08 |
| 26 | 170021 | Tank lid, 48 sq. ft. filter | 395.05 | 474.69 |
| 26 | 170022 | Tank lid, 60 sq. ft. filter | 460.75 | 553.64 |
| 27 | 59000600 | O-ring, bulkhead | 7.06 | 8.48 |
| 28 | 192320 | O-ring 2-137 Buna N 70SH [1] | 4.29 | 5.15 |
| 28 | 86006900 | O-ring bulkhead [2] | 7.06 | 8.48 |
| 29 | 190141 | Bulkhead Kit, 2 in. w/ O-ring [2] | 120.60 | 144.91 |
| 30 | 195339 | SS back-up ring [4] | 82.18 | 98.75 |
| 31 | 198080 | 24 Grid Element Pack (7 large, 1 small) | CALL | CALL |
| 31 | 198081 | 36 Grid Element Pack (7 large, 1 small) | CALL | CALL |
| 31 | 198082 | 48 Grid Element Pack (7 large, 1 small) | CALL | CALL |
| 31 | 198083 | 60 Grid Element Pack (7 large, 1 small) | CALL | CALL |
| | | NOT SHOWN | | |
| | 192019 | Wrench, drain plug | 56.28 | 67.63 |
| | 196019 | Parts Bag (Includes warranty card, instruction book, and items 1 and 2) | 78.04 | 93.77 |

[1] Used on filters manufactured before 10/04.

[2] Used on filters manufactured after 10/04.

[3] Used on filters manufactured after 5/21/05.

[4] Used on filters manufactured after 2/03.

Product on page 71.

# QUAD D.E.® FILTERS

## REPLACEMENT PARTS




| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | QUAD D.E. FILTERS | | |
| 1 | 98209800 | Assy. Manual air relief valve | 38.82 | 46.65 |
| 2 | 170024 | Lid, Quad 60 | 329.07 | 395.41 |
| 2 | 178581 | Lid, Quad 80 | 376.09 | 451.91 |
| 2 | 178582 | Lid, Quad 100 | 443.05 | 532.37 |
| 3 | 178616 | Spring compression | 7.30 | 8.77 |
| 4 | 170026 | Manifold top assembly | 89.70 | 107.78 |
| 5 | 170029 | Air bleeder assy., Quad 60 | 52.04 | 62.53 |
| 5 | 170028 | Air bleeder assy., Quad 80 | 52.90 | 63.56 |
| 5 | 178583 | Air bleeder assy., Quad 100 | 51.31 | 61.65 |
| 6 | 178656 | Cartridge, Quad 100 * | 196.32 | 235.90 |
| 6 | 178655 | Cartridge, Quad 80 * | 160.63 | 193.01 |
| 6 | 178654 | Cartridge, Quad 60 * | 99.96 | 120.11 |
| 7 | 170059 | Manifold assy. Bottom | 187.24 | 224.99 |
| 8 | 190003 | Kit Clamp Band | 361.31 | 434.15 |
| 9 | 39010200Z | O-ring RPM tank clamp | 63.22 | 75.97 |
| 10 | 195339 | Ring back-up - FNS Pls | 82.18 | 98.75 |
| 11 | 196024S | Divertor Assembly, Retro Kit | 110.38 | 132.63 |
| 12 | 354571 | O-ring | 3.94 | 4.73 |
| 13 | 170036 | Pipe outlet - RPM fltr | 105.96 | 127.32 |
| 14 | 195999 | Bottom tank w/ drain plug 7-1/2 in. | 638.04 | 766.67 |
| 15 | 178575 | Bulkhead bottom | 27.70 | 33.28 |
| 16 | 178711 | Parts Bag - includes warranty card, instruction Book, Adapter Kit (270100) and Pressure Gauge (190058Z) | 112.22 | 134.84 |
| 17 | 194801 | Bulkhead - 2-3/8-8 butt | 115.58 | 138.88 |
| 18 | 86006900 | O-ring 2-329 bulkhead RPM | 7.06 | 8.48 |
| 19 | 194997 | Nut - Spl | 15.24 | 18.31 |
| 20 | 195611 | Washer - lg id | 8.22 | 9.88 |
| 21 | 195612 | Spring | 27.02 | 32.47 |
| 22 | 195610 | Washer - sm id | 7.65 | 9.19 |
| 24 | 191474 | O-ring for Drain Plug | 1.00 | 1.20 |
| 25 | 190030Z | Cap Drain | 33.78 | 40.59 |
| | | NOT SHOWN | | |
| * | 190106Z | Repl. Screen Cap for Air Bleeder Assy. | 30.27 | 36.37 |
| | 274426 | Adapter Kit - 2-1/2 in. x 2 in. | CALL | CALL |

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

Product on page 73.

# SM & SMBW 4000 SERIES™ FILTERS

## REPLACEMENT PARTS FOR SHEET MOLDED FILTERS

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | SM & SMBW 4000 SERIES FILTERS | | |
| 1 | 073027 | Complete gauge assembly includes: [3] | 125.95 | 151.34 |
| | 98209800 | Hi Flow Air Relief [4] | 38.82 | 46.65 |
| | 190058Z | Gauge, 1/4 in., 60 lbs. | CALL | CALL |
| | 071390 | Nipple, plastic, 1/4 in. | 7.30 | 8.77 |
| 2 | 197136 | Lid SM/SMBW 4048 replacement | 774.60 | 930.76 |
| 2 | 197137 | Lid SM/SMBW 4060 replacement | 846.09 | 1016.66 |
| 3 | 197020 | Clamp ring assembly | 382.47 | 459.58 |
| 3 | 076033 | Knob clamping band [2] | 14.24 | 17.11 |
| 3 | 071136Z | Knob clamping band [1] | 26.10 | 31.36 |
| 4 | 071019Z | Holding wheel 4024, 4036, 4048 | 39.26 | 47.17 |
| 4 | 197120 | Holding wheel 4060 | 44.70 | 53.71 |
| 5 | 071404Z | Nut wing, 1/4 in. 20 SS | 16.06 | 19.30 |
| 6 | 072173 | Washer 5/16 in. i.d. x 3/4 in. o.d. | 2.00 | 2.40 |
| 7 | 072870 | Center rod SM/SMBW 4024 21 in. | 49.31 | 59.25 |
| 7 | 072869 | Center rod SM/SMBW 4036 27 in. | 43.41 | 52.16 |
| 7 | 072880 | Center rod SM/SMBW 4048 33 in. | 44.83 | 53.87 |
| 7 | 072867 | Center rod SM/SMBW 4060 39 in. | 47.41 | 56.97 |
| 8 | 074922 | Element 4024 12 in., 8 req. | 28.99 | 34.83 |
| 8 | 074923 | Element 4036 18 in., 8 req. | 38.58 | 46.36 |
| 8 | 074924 | Element 4048 24 in., 8 req. | 48.39 | 58.15 |
| 8 | 074925 | Element 4060 30 in., 8 req. | 58.10 | 69.81 |
| 9 | 073270Z | Manifold 2000/4000 series 8 holes | 30.95 | 37.19 |
| 10 | 071439 | O-ring, 4000 series lid | 78.30 | 94.09 |
| 11 | 071720 | Seal BW valve rotor tapered | 21.78 | 26.17 |
| 12 | 073370 | Rotor valve Noryl w/ seal, includes No. 11 & 13 | 165.13 | 198.42 |
| 13 | JV18 | O-ring 2113 | 1.25 | 1.50 |
| 14 | 197130 | Tank bottom, SMBW | 691.05 | 830.37 |
| 15 | 197126 | Tank bottom, SM | 972.61 | 1168.69 |
| 16 | 071559 | Plug PVC 2 in., SM only | 11.30 | 13.58 |
| 17 | 190026 | Handle SMBW rotor SS | 36.37 | 43.70 |
| 18 | 070971 | Handle extension BW, brass | 156.34 | 187.86 |
| 19 | 070979 | Handle stud bolt SS, 1/4-20 x 1-3/4 in. | CALL | CALL |
| 20 | 072172 | Washer lock, 1/4 in. SS | 0.28 | 0.34 |
| 21 | 071406 | Nut, 1/4-20 SS hex | 1.74 | 2.09 |
| 22 | 075279 | Vent tube 1/4 in., 46 in. all models | 15.24 | 18.31 |

[1] Used on filters manufactured before 1998.

[2] Used on filters manufactured after 1998.

[3] Used on filters manufactured before 1999.

[4] Used on filters manufactured after 1999.

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 350274.A




Did you know that…if you order a tapered rotor seal and attempt to install it into a straight sided casting, the seal will be cut. If you install a straight seal in a tapered casting, the valve will leak. The tapered seal can be identified by a mark on each of the vertical legs signifying the top of the seal. Since the straight seals are not directional, they have no marks on the vertical legs. The tapered seal P/N is 071720. The straight seal P/N is 071719, which we no longer manufacture. Both 2000/4000 series filters with backwash now use the same Noryl rotor and the tapered seal. The product number for the rotor and seal assembly P/N is 073370. Tapered castings have a letter "T" stamped into the underside of the middle, pump port. Don't confuse this with a letter "T" in felt pen, which means the assembly has been pressure tested.

Product on page 82.

# SYSTEM:2™ MODULAR D.E. FILTERS

## PLD SERIES REPLACEMENT PARTS

**MODELS**

PLD50 - DE

PLD70 - DE




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 200214.A

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| SYSTEM:2 MODULAR D.E. FILTERS | | | | |
| 1 | 27001-0054S | Posi-Lok® ring | 224.75 | 270.06 |
| 2 | 25010-0200 | Air release valve assembly | 20.19 | 24.26 |
| 3 | 27001-0020S | Tank shell upper half [1, 5] | 336.60 | 404.46 |
| 4 | 27001-0061S | Cord-ring | 58.64 | 70.46 |
| 4 | 27001-0060S | Cord-ring (Pre 3/97), PLD50 | 58.12 | 69.84 |
| 5 | 27001-0009S | Tank shell lower half w/ ring [4, 5] | 571.80 | 687.07 |
| 6 | 27001-0051 | Safety latch for ring | 15.82 | 19.01 |
| 7A | 27001-0022 | 1-1/2 in. NPT plug w/ O-Ring | 3.14 | 3.77 |
| 7B | 24900-0509 | Adapter fitting (Pre 10/03) | 30.55 | 36.71 |
| 7B | 24900-0510 | Adapter fitting | 30.55 | 36.71 |
| 9 | U78-820P | 2 in. x 1-1/2 in. Pipe reducer [2] | 14.48 | 17.40 |
| 10 | 15060-0000T | Pressure gauge [3] | 49.15 | 59.06 |
| 11 | 24800-0120 | Air bleed assembly | 23.48 | 28.21 |
| 12 | 27002-0030S | Filter module, PLD50 | 374.88 | 450.46 |
| 12 | 27002-0036S | Filter module, PLD70 | 436.11 | 524.03 |
| 13 | 27001-0011 | Flapper valve | 17.66 | 21.22 |
| 14 | 27001-0130S | Spring check valve [2] | 24.39 | 29.31 |
| NOT SHOWN | | | | |
| | 33455-1050 | Spring check valve gasket | 4.39 | 5.28 |

[1] Includes all decals and labels.

[2] Optional Equipment.

[3] Shipped in accessory package.

[4] Includes 27001-0051 safety latch, & 27001-0054 Posi-Lok ring™ ring.

[5] Filters made before 2005 should replace the top and bottom together.

Product on pages 74–75.

# SYSTEM:2™ MODULAR D.E. FILTERS

## PLDE SERIES REPLACEMENT PARTS

**MODELS**

PLDE36 - DE

PLDE48 - DE




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov.

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | SYSTEM:2 MODULAR D.E. FILTERS | | |
| 1 | 27001-0054S | Posi-Lok® Ring | 224.75 | 270.06 |
| 2 | 25010-0200 | Air Release Valve with O-ring, PLDE36 | 20.19 | 24.26 |
| 2 | 24206-0103S | Air Release Valve with O-ring, PLDE48 | 11.45 | 13.76 |
| 3 | 15060-0000T | Pressure Gauge | 49.15 | 59.06 |
| 4 | 27001-0020S | Tank Upper Half with Air Relief Valve, PLDE36 [2] | 336.60 | 404.46 |
| 4 | 27001-0030S | Tank Upper Half with Air Relief Valve, PLDE48 [2] | 529.45 | 636.19 |
| 5 | 27001-0061S | Tank O-Ring | 58.64 | 70.46 |
| 6 | 27002-0036S | Filter Module, PLDE36 | 436.11 | 524.03 |
| 6 | 27002-0048S | Filter Module, PLDE48 | 547.45 | 657.82 |
| 6A | 24800-0120 | Air Bleed Assembly | 23.48 | 28.21 |
| 7 | 27001-0015S | Diverter | 32.21 | 38.70 |
| 8 | 27001-0016S | Tank Lower Half [1, 2] | 284.85 | 342.28 |
| 9 | 27001-0022 | Drain Plug | 3.14 | 3.77 |
| 10 | 27001-0051 | Safety Latch | 15.82 | 19.01 |
| 11 | 27001-0018S | Tank Support Base | 149.51 | 179.65 |
| 12 | PKG 188Z | 2 in. Union Adapter Package (includes 2) | 34.40 | 41.34 |

[1] Includes Item Nos. 7, 8, 9, 10.

[2] Filters manufactured before 2005 should replace the top and bottom together.

Product on pages 76–77.

# SYSTEM 3® D.E. FILTERS

## SD SERIES REPLACEMENT PARTS

STA-RITE®




**MODELS**

S7D75

S8D110

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | SYSTEM 3 D.E. FILTERS | | |
| 1 | 33600-0023T | 2 in. Gauge | 50.83 | 61.08 |
| 2 | 154689Z | Air Release Valve | CALL | CALL |
| 3 | 35202-0959 | Nipple | 14.91 | 17.92 |
| 4 | 24900-0504 | Adapter Bushing | 19.86 | 23.86 |
| 5 | 35505-1423 | O-Ring | 2.13 | 2.56 |
| 6 | 24851-9000 | Upper Tank Shell Kit, S7D75 | 1064.21 | 1278.75 |
| 6 | 24851-9001 | Upper Tank Shell Kit, S8D110 | 1309.01 | 1572.91 |
| 7 | 23900-1220S | Filter Assembly, S7D75 | 1286.99 | 1546.45 |
| 7 | 23900-1221S | Filter Assembly, S8D110 | 1663.36 | 1998.69 |
| 8 | U9-362 | O-Ring | 5.56 | 6.68 |
| 9 | 23911-0102 | Outlet Assembly | 150.30 | 180.60 |
| 10 | 23911-0100 | Inlet Assembly, S7D75 | 110.64 | 132.95 |
| 10 | 23911-0101 | Inlet Assembly, S8D110 | 112.21 | 134.83 |
| 11 | 35505-1425 | O-Ring | 16.44 | 19.75 |
| 12 | 27001-0022 | 1-1/2 in. NPT Plug | 3.14 | 3.77 |
| 13 | 24900-0509 | Adapter Fitting | 30.55 | 36.71 |
| 14 | 35505-1424 | O-Ring | 9.86 | 11.85 |
| 15 | 24900-0503 | Drain Plug | 30.38 | 36.50 |
| 16 | 24752-0050 | Bulkhead Retaining Nut | 26.24 | 31.53 |
| 17 | 24850-0200 | Clamp Assembly [1] | 138.94 | 166.95 |
| 18 | 24850-0010 | Clamp Bolt [1] | 33.64 | 40.42 |
| 19 | 24850-0102S | Lower Tank Shell, S7D75 | 1188.38 | 1427.96 |
| 19 | 24851-0103S | Lower Tank Shell, S8D110 | 1342.73 | 1613.42 |
| 20 | 24850-0008 | Cord Ring, S7D75 | 68.11 | 81.84 |
| 20 | 24850-0009 | Cord Ring, S8D110 | 77.93 | 93.64 |
| 21 | 24850-0105 | Valve & Gauge Assembly (Includes #8, 9, 11, 16) | 106.36 | 127.80 |
| | | NOT SHOWN | | |
| | 24850-0016 | Clamp Retaining Ring | 7.16 | 8.60 |
| | U212-252DS | Brass Deluxe Air Bleed (optional) | CALL | CALL |
| | 25021-1021 | System3 DE Conversion Kit (Includes #8, 9, 10, 11, 16) - S7D75 - should also purchase item #7 separately. | 364.59 | 438.09 |
| | 25021-1025 | System3 DE Conversion Kit (Includes #8, 9, 10, 11, 16) - S8D110 - should also purchase item #7 separately. | 364.59 | 438.09 |

[1] Model S7D75 uses seven (7) clamps and bolts; Model S8D110 uses eight (8).

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 350274 A



Product on pages 78–79.

# SYSTEM 3® D.E. FILTER ELEMENT ASSEMBLIES

## SD SERIES REPLACEMENT PARTS

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| FILTER ELEMENT ASSEMBLY FOR S7D75 | | | | |
| 1 | 35402-0074Z | Wing Nut (2 reg.) | 16.29 | 19.57 |
| 2 | 24800-0120 | Air Bleed Assembly | 23.48 | 28.21 |
| 3 | 24800-0100 | Manifold | 193.86 | 232.94 |
| 4 | 23900-1171 | Covered Element 12-7/16 in. (1 req.) | 76.82 | 92.31 |
| 5 | 23900-1170 | Covered Element 13-13/16 in. (2 req.) | 78.13 | 93.88 |
| 6 | 23900-0033 | Covered Element 16-1/2 in. (2 req.) | 84.03 | 100.97 |
| 7 | 23900-1174 | Covered Element 15-3/16 in. (2 req.) | 80.95 | 97.27 |
| 8 | 23900-1175 | Covered Element 12-7/16 in. (2 req.) | 76.82 | 92.31 |
| 9 | 23900-1173 | Covered Element 9-11/16 in. (2 req.) | 70.91 | 85.21 |
| 10 | 23900-0350 | Element Grid Support | 51.65 | 62.06 |
| 11 | 23900-0039 | Rod (2 req.) | 40.22 | 48.33 |
| FILTER ELEMENT ASSEMBLY FOR S8D110 | | | | |
| 1 | 35402-0074Z | Wing Nut (2 req.) | 16.29 | 19.57 |
| 2 | 24800-0120 | Air Bleed Assembly | 23.48 | 28.21 |
| 3 | 24801-0101 | Manifold | 200.02 | 240.34 |
| 4 | 23900-1172 | Covered Element 16-1/2 in. (3 req.) | 101.00 | 121.36 |
| 5 | 23900-0144 | Covered Element 19-5/16 in. (4 req.) | 147.30 | 177.00 |
| 6 | 23900-0033 | Covered Element 16-1/2 in. (2 req.) | 84.03 | 100.97 |
| 7 | 23900-1174 | Covered Element 15-3/16 in. (2 req.) | 80.95 | 97.27 |
| 8 | 23900-0032 | Covered Element 11 in. (2 req.) | 70.53 | 84.75 |
| 9 | 23901-0350 | Element Grid Support | 54.95 | 66.03 |
| 10 | 23900-0039 | Rod (2 req.) | 40.22 | 48.33 |







CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 208174-A

Product on pages 78–79.

# SYSTEM⁝3® MODULAR D.E. FILTERS

## SMD SERIES REPLACEMENT PARTS

STA-RITE®



| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| SYSTEM⁝3 MODULAR D.E. FILTERS | | | | |
| 1 | 33600-0023T | 2 in. Gauge | 50.83 | 61.08 |
| 3 | 154689Z | Air Release Valve | CALL | CALL |
| 4 | 35202-0959 | Close Nipple, 1/4 in. | 14.91 | 17.92 |
| 5 | 24900-0504 | Adapter Bushing | 19.86 | 23.86 |
| 6 | 35505-1423 | O-Ring | 2.13 | 2.56 |
| 7 | 24851-9000 | Upper Tank Shell Kit [1] | 1064.21 | 1278.75 |
| 8 | 24850-0008 | Tank O-Ring | 68.11 | 81.84 |
| 9A | 25023-0160S | Replacement Module | 671.81 | 807.25 |
| 9A | 25023-0172S | Replacement Module | 1113.46 | 1337.93 |
| 9B | 24800-0120 | Air Bleed Assembly [2] | 23.48 | 28.21 |
| 10 | 23910-0013S | Baffle Kit (with Screws) [2] | 38.10 | 45.78 |
| 11 | 37207-0728 | Baffle Screws [2] | CALL | CALL |
| 12 | 23910-0100S | Elbow and Bulkhead Assembly [3] | 133.38 | 160.27 |
| 13 | 35505-7438 | O-Ring | 10.31 | 12.39 |
| 14 | 23910-0101S | Deflector and Bulkhead Assembly | 88.92 | 106.85 |
| 15 | 35505-1425 | O-Ring | 16.44 | 19.75 |
| 16 | 27001-0022 | 1-1/2 in. Plug with O-Ring | 3.14 | 3.77 |
| 17 | 24900-0509 | Adapter Fitting | 30.55 | 36.71 |
| 18 | 35505-1424 | O-Ring | 9.86 | 11.85 |
| 19 | 24900-0503 | Drain Plug | 30.38 | 36.50 |
| 20 | 24752-0050 | Bulkhead Retaining Nut | 26.24 | 31.53 |
| 21 | 24850-0102S | Lower Tank Shell | 1188.38 | 1427.96 |
| 22 | 24850-0010 | Clamp Bolt | 33.64 | 40.42 |
| 23 | 24850-0200 | Clamp Assembly | 138.94 | 166.95 |
| NOT SHOWN | | | | |
| | 23910-1100S | System⁝3 Modular DE Conversion Kit (Includes Key #'s 12, 13, 14, 15, 16) - must also buy Item 9A separately | 203.27 | 244.25 |

[1] Includes all decals and labels.

[2] Included with Key No. 9A Replacement Module.

[3] Includes O-Ring (Key No. 13).

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 2002743

Product on pages 80–81.

# SAND DOLLAR® FILTERS

## REPLACEMENT PARTS FOR BLOW MOLDED FILTERS




| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | SAND DOLLAR SAND FILTERS | | |
| 1 | 262506 | Valve 1-1/2 in. 6-way | CALL | CALL |
| 1 | 263085 | Valve 2 in. | CALL | CALL |
| 1 | 262525 | Valve 2 in. with unions | CALL | CALL |
| 2 | 272541 | O-ring valve body | 9.04 | 10.86 |
| 3 | 152165 | Assembly, plastic clamp 2 piece | 27.70 | 33.28 |
| 4 | 155504 | Piping assembly SD35, dim D = 16 in. | 55.89 | 67.16 |
| 4 | 152229 | Pipe assembly SD35 [2] | 138.83 | 166.82 |
| 4 | 155062 | Piping assembly SD40, dim D = 20-1/8 in. | 53.65 | 64.47 |
| 4 | 152228 | Pipe assembly SD40 [2] | 128.17 | 154.01 |
| 4 | 155532 | Piping assembly SD60, dim D = 25-1/4 in. | 135.38 | 162.67 |
| 4 | 152227 | Pipe assembly SD60 [2] | 149.01 | 179.05 |
| 4 | 152000 | Pipe assembly, SD70 | 148.27 | 178.16 |
| 4 | 152226 | Pipe assembly SD80 | 116.82 | 140.37 |
| 4 | 152238 | Pipe assembly SD80 2 in. | 123.74 | 148.69 |

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov.

Product on page 85.

# SAND DOLLAR® FILTERS

## REPLACEMENT PARTS FOR BLOW MOLDED FILTERS

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | SAND DOLLAR SAND FILTERS | | |
| 5 | 155007 | Lateral 5, 11/32 in. long, almond, SD35, 8 req. | 8.11 | 9.74 |
| 5 | 152290Z | Lateral 6, 11/16 in. long, almond, SD40/SD60, 8 req. | CALL | CALL |
| 5 | 150084 | Lateral, SD35, SD40, black [2] | 7.71 | 9.26 |
| 5 | 150085 | Lateral XLong, SD60, SD70, SD80, black [2] | 9.68 | 11.63 |
| 5 | 150088 | Lateral, ClearPro 6 req | 120.06 | 144.26 |
| 6 | 154926 | Foot, SD35 | 110.78 | 133.11 |
| 6 | 154520 | Foot, SD40, SD60, SD70, & SD80 [1] | 114.18 | 137.20 |
| 7 | 154712Z | Drain Cap | 34.09 | 40.96 |
| 8 | 154715 | Gasket | 6.42 | 7.71 |
| 9 | 154711Z | Drain | CALL | CALL |
| 10 | 150055 | Complete Drain Assembly | 57.91 | 69.58 |
| 11 | 145339 | Tank with drain SD35, almond | 316.50 | 380.31 |
| 11 | 145341 | Tank with drain SD40, almond | 419.89 | 504.54 |
| 11 | 145343 | Tank with drain SD60, almond | 581.34 | 698.54 |
| 11 | 145368 | Tank with drain SD70, almond | 680.86 | 818.12 |
| 11 | 145334 | Tank with drain SD80, almond | 826.18 | 992.74 |
| 12 | 190059Z | Gauge, pressure | CALL | CALL |
| | | NOT SHOWN | | |
| | 272569 | Kit Union for 2 in. Valve | CALL | CALL |
| | 150119 | Kit Union for 1-1/2 in. Valve | 84.40 | 101.42 |

[1] Used on filters manufactured before 2/02.

[2] Filters manufactured after 10/04.

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov. P/N 280174.A



Product on page 85.

# TAGELUS® FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS FILTERS

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | TAGELUS FILTERS WITH THD. & CLAMP VALVES | | |
| 1A | 262506 | Valve, 1-1/2 in. 6-way clamp style [1, 4, 6, 8, 10] | CALL | CALL |
| 1A | 261185 | Valve, 2 in. 6-way clamp style [11A, 11B] | CALL | CALL |
| 1A | 262525 | Valve, 2 in. for TA60 with unions | CALL | CALL |
| 1B | 261124 | Valve, 1-1/2 in. 6-way “V” thread -TA, [17] | CALL | CALL |
| 2A | 272541 | O-ring valve body, 3/16 in. x 4-3/4 in. i.d. [2, 4, 6, 8, 10] | 9.04 | 10.86 |
| 2A | 275333 | O-ring valve body, 3/16 in. x 6-1/2 in. i.d. [11A, 11B] | 7.68 | 9.23 |
| 2B | 154493 | O-ring valve body, .157 in. x 5.75 in. i.d. [1, 3, 5, 7, 9] | 6.00 | 7.21 |
| 3A | 355330 | O-ring standup, 1/8 in. x 2-3/8 in. i.d. [11A, 11B] | 2.00 | 2.40 |
| 3B | 155064 | O-ring standup, 1/8 in. x 1-7/8 in. i.d. [1, 3, 5, 7, 9, 12] | 1.36 | 1.63 |
| 4 | 152165 | Clamp, 6-1/2 in. dia. SS, plastic [2, 4, 6, 8, 10] | 27.70 | 33.28 |
| 4 | 152130 | Clamp, 8.35 in. dia. [11A, 11B] | 117.48 | 141.16 |
| 5 | 190059Z | Gauge back mount pressure | CALL | CALL |
| 6 | 152520Z | Adapter, Quad Seal | 121.86 | 146.43 |
| 6 | 155225 | Adapter, 6 in. “V” thread [2, 6, 8, 10, 15, 19] | 43.02 | 51.69 |
| 6 | 154521 | Adapter, 8-1/2 in. btr. thread [11A, 11B] | 76.49 | 91.91 |
| 7 | 154494 | O-ring valve adptr., 1/8 in. x 6-1/4 in. i.d. [2, 4, 6, 8, 10] | CALL | CALL |
| 7 | 355619Z | O-ring valve adptr., 3/16 in. x 7-3/4 in. i.d. [11A, 11B] | 12.24 | 14.71 |
| 7 | 152516 | Quad Seal | 5.99 | 7.20 |
| 8 | 155002 | Stabilizer, center pipe (TA100 Only) | 22.82 | 27.42 |
| 9 | 155276 | Tank & ft. assembly w/ valve adptr. [6, 13, 18, 19] | 1187.49 | 1426.89 |
| 9 | 155269 | Tank & ft. assembly w/ valve adptr. [10, 13, 18, 19] | 1336.41 | 1605.83 |
| 9 | 155324 | Tank & ft. assembly w/ valve adptr. [11A. 11B, 13, 18, 19] | 1920.44 | 2307.60 |
| 9 | 155342 | Tank & ft. assembly btr. thread style [5, 16, 17] | 1153.61 | 1386.18 |
| 9 | 155358 | Tank & ft. assembly btr. thread style [9, 16, 17] | 953.70 | 1145.97 |
| 10 | 155060 | Piping assembly, (dim. D = 12-7/8 in.) [1, 2] | 50.34 | 60.49 |
| 10 | 153455 | Piping assembly, (dim. D = 14-7/8 in.) [3, 4] | 52.90 | 63.56 |
| 10 | 155061 | Piping assembly, (dim. D = 17-3/4 in.) [5, 6] | 52.65 | 63.26 |
| 10 | 155062 | Piping assembly, (dim. D = 19-7/8 in.) [7, 8] | 53.65 | 64.47 |
| 10 | 155063 | Piping assembly, (dim. D = 22-5/8 in.) [9, 10] | 54.60 | 65.61 |
| 10 | 155340 | Piping assembly, less hub, (dim. D = 27-1/4 in.) [11A, 11B] | 50.88 | 61.14 |
| 10 | 155323 | Piping assembly, w/ hub, (dim. D = 27-1/4 in.) [11A, 11B] | 114.24 | 137.27 |
| 10 | 155299 | Piping assembly, w/ hub, w/ 1/4 turn lateral [10, 20] | 54.07 | 64.97 |
| 10 | 152237 | Piping assembly, w/ hub, TA60 2 in. | 119.79 | 143.94 |




20






Detail A,, after 12/1/91
6 in. btr. Thread.

Detail B,, before 12/1/91
6 in. “V” Thread.

Product on page 86.

# TAGELUS® FILTERS (CONT'D)

## REPLACEMENT PARTS FOR FIBERGLASS FILTERS

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | TAGELUS FILTERS WITH THREAD & CLAMP VALVES | | |
| 11 | 155007 | Lateral, 5-11/32 in. long, 8 req. [1, 2, 3, 4] | 8.11 | 9.74 |
| 11 | 152290Z | Lateral, 6-11/16 in. long, 8 req. [5, 9, 6, 10] | CALL | CALL |
| 11 | 152202Z | Lateral, 9-1/8 in. long [11A, 11B] | CALL | CALL |
| 11 | 150085 | Lateral, 1/4 turn, 6 req. [7, 8, 10, 20] | 9.68 | 11.63 |
| 11 | 150088 | Lateral, ClearPro - 6 req | 120.06 | 144.26 |
| 12 | 154926 | Foot tank [3, 5, 7, 9, 4, 6, 8, 10] | 110.78 | 133.11 |
| 12 | 154596 | Foot tank [11A, 14] | 168.24 | 202.16 |
| 13 | 154698 | Spigot, 3/4 in. NPT sand drain [2, 4, 6, 8, 10] | 29.52 | 35.47 |
| 13 | 152220Z | Spigot, 2 in. NPT sand drain [11A] (Left-hand thread) | 49.97 | 60.04 |
| 14 | 192115Z | O-ring drain plug, 1/16 in. x 1/2 in. i.d. | 2.86 | 3.44 |
| 14 | 154871 | 2 in. drain cap (1-1/2 in. threads)[11A, 11B] | 9.53 | 11.45 |
| 15 | 357161Z | Plug, 1/4 in. NPT drain | 5.71 | 6.86 |
| 16 | 154512 | Wrench, 6-1/2 in. across flats [2, 6, 8, 10] | 29.13 | 35.00 |
| 16 | 151608 | Wrench, 9 in. across flats [14] | CALL | CALL |
| 18 | 272599 | Label top mount valve | 6.46 | 7.76 |
| 19 | 274494 | Sand drain O-ring TA100 | 5.46 | 6.56 |
| 20 | 152220Z | Drain assy for TA100/TR100/TR140 | 49.97 | 60.04 |
| | | NOT SHOWN | | |
| | 154402 | Tape ft. mounting, [1-10] | 7.30 | 8.77 |
| | 154407 | Tape ft. mounting, [11A, 11B] | 10.02 | 12.04 |
| | 155051 | Sand guide only [11A, 11B] | 8.07 | 9.70 |
| | 150119 | Union Kit 1-1/2 in. Valve | 84.40 | 101.42 |
| | 272569 | Union Kit 2 in. Valve for TA 60D 2" only | CALL | CALL |

[1] TA 30

[2] TA 30D

[3] TA 35

[4] TA 35D

[5] TA 40

[6] TA 40D

[7] TA 50

[8] TA 50D

[9] TA 60

[10] TA 60D

[11A] TA 100

[11B] TA 100D

[12] Item 3A O-ring, standpipe is used on model TA100D Filters only. Item 3B O-ring, standpipe is used on Tagelus Filter models TA30, 40, 50, 60, manufactured before April, 1993. Item 3B is not used on Tagelus Clamp Filter models TA30D, 35D, 40D, 50D, 60D or on any Tagelus models manufactured after April, 1993.

[13] Tagelus Clamp Filter models tank & ft. assembly have valve adptr., Item 6 factory installed.

[14] Replacement of tank ft. requires the use of mounting tape. See part number listed.

[15] Lubricate O-ring liberally w/ silicone lubricant and tighten to following spec: TA30D, 35D, 40D, 50D, 60D. Handtight plus 1/4 turn min. TA100 D Handtight plus 3/4 turn min.

[16] Tagelus Filter models TA30, 35, 40, 50, 60 manufactured after Nov. 1, 1991 were manufactured w/a btr. thread top opening and utilize a btr. style valve which is black in color. A change was made to the port arrangement in April, 1993 which will require that minor changes be made to the valve plumbing connections when replacing valves on filters manufactured between Nov. 1991 and Mar. 1993. DO NOT ATTEMPT TO INTERCHANGE THREAD TYPES.

[17] Tagelus Filter models TA30, 40, 50, 60 manufactured before Nov. 1, 1991 were manufactured w/a "V" thread style valve that is white or brown in color. These valves may be replaced only w/ "V" thread style valve P/N 261124, see Detail B. DO NOT ATTEMPT TO INTERCHANGE THREAD TYPES.

[18] Tagelus Clamp Filter models TA30D, 35D, 40D, 50D, 60D manufactured after Nov. 1, 1991 were manufactured w/a btr. thread top opening and utilize a btr. thread valve adptr. P/N 154555, see Detail A. DO NOT ATTEMPT TO INTERCHANGE THREAD TYPES.

[19] Tagelus Clamp Filter models TA30D, 40D, 50D, 60D manufactured before Nov. 1, 1991 were manufactured w/a "V" thread top opening and utilize a "V" thread valve adptr. P/N 155225, see Detail B. DO NOT ATTEMPT TO INTERCHANGE THREAD TYPES.

[20] TA60D Filters manufactured after June 1, 2007 have new 1/4 turn laterals.

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 200274.A



Product on page 86.

# TRITON® II FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS FILTERS



| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| TRITON II SAND FILTERS | | | | |
| 1 | 154689Z | Air bleeder/tee assembly [13] | CALL | CALL |
| 2 | 154700 | Adapter, brass air bleeder [13] | 13.40 | 16.10 |
| 3 | 190059Z | Gauge, back mount pressure [13] | CALL | CALL |
| 4 | 154661 | O-ring, air bleeder adapter [13] | 2.00 | 2.40 |
| 5 | 154664 | Nut, 3/8 in., 16 SS [13] | 1.94 | 2.33 |
| 6 | 152519Z | | 121.86 | 146.43 |
| 6 | 154559 | Closure 6 in. “V” thread, black, see Detail B [13] | 62.37 | 74.94 |
| 7 | 154493 | O-ring closure, 6 in., white [13] | 6.00 | 7.21 |
| 7 | 152516 | Quad Seal | 5.99 | 7.20 |
| 8 | 154578 | Strainer air relief, 1/4 in. [3] | 15.75 | 18.93 |
| 8 | 150035 | Strainer air relief, 3/8 in. [4] | 10.71 | 12.87 |
| 9 | 154435 | Tube air relief TR40 [3] | 18.63 | 22.39 |
| 9 | 150039 | Tube air relief TR40 [4] | 21.90 | 26.32 |
| 9 | 154436 | Tube air relief TR50/60 [3] | 18.63 | 22.39 |
| 9 | 150040 | Tube air relief TR50/60 [4] | 21.90 | 26.32 |
| 9 | 154437 | Tube air relief TR100 [3] | 20.29 | 24.38 |
| 9 | 150041 | Tube air relief TR100 [4] | 17.25 | 20.73 |
| 9 | 154438 | Tube air relief TR140 [3] | 26.23 | 31.52 |
| 9 | 150042 | Tube air relief TR140 [4] | 16.06 | 19.30 |
| 10 | 154598 | Diffuser assembly TR40/50 | 58.23 | 69.97 |
| 10 | 154599 | Diffuser assembly TR60 | 58.23 | 69.97 |
| 10 | 154462 | Diffuser assembly TR100 | 58.23 | 69.97 |
| 10 | 154906 | Diffuser assembly TR140 | 59.95 | 72.04 |
| 11 | 154803 | Piping assembly upper TR40 | 65.41 | 78.60 |

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| 11 | 156814 | Piping assembly upper TR50 | 52.37 | 62.93 |
| 11 | 154533 | Piping assembly upper TR60 | 50.52 | 60.70 |
| 11 | 154426 | Piping assembly upper TR100 | 87.59 | 105.25 |
| 11 | 154500 | Piping assembly upper TR140 | 55.25 | 66.39 |
| 12 | 154441 | Connector air relief tube [3] | CALL | CALL |
| 12 | 150036 | Connector air relief tube [4] | 1.74 | 2.09 |
| 13 | 154801 | Piping assembly lower TR40 | 78.89 | 94.79 |
| 13 | 156816 | Piping assembly lower TR50 | 62.58 | 75.20 |
| 13 | 154805 | Piping assembly lower TR60 | 60.92 | 73.20 |
| 13 | 155284 | Piping assembly lower TR60 [14] | 102.12 | 122.71 |
| 13 | 154807 | Piping assembly lower TR/PF100 | 62.65 | 75.28 |
| 13 | 154489 | Piping assembly lower TR140 | 64.57 | 77.59 |
| 14 | 154636 | Tank & ft. assembly TR40, 6 in. btr. thd., Almond, Detail A | 1132.53 | 1360.85 |
| 14 | 154638 | Tank & ft. assembly TR60, 6 in. btr. thd., Almond, Detail A | 1296.88 | 1558.33 |
| 14 | 154639 | Tank & ft. assembly TR100, 8-1/2 in. btr. thd., Almond, Detail A | 1811.11 | 2176.23 |
| 14 | 154640 | Tank & ft. assembly TR140, 8-1/2 in. btr. thd., Almond, Detail A | 2664.51 | 3201.68 |

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

# TRITON® II FILTERS (CONT'D)

## REPLACEMENT PARTS FOR FIBERGLASS

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | TRITON II SAND FILTERS | | |
| 14 | 156224 | Tank & ft. assembly TR100HD btr. thread, black HD | 2005.16 | 2409.40 |
| 15 | 152290Z | Lateral, 6-11/16 in. L TR40/50/60, 8 req. | CALL | CALL |
| 15 | 150085 | Lateral TR60 Gray. 1/4 turn [14] | 9.68 | 11.63 |
| 15 | 152202Z | Lateral, 9-1/8 in. L TR100, 8 req.[6] | CALL | CALL |
| 15 | 154540Z | Lateral, 12 in. L TR140, 8 req. | CALL | CALL |
| 15 | 150088 | Lateral, ClearPro | 120.06 | 144.26 |
| 16 | 154763 | Hub lateral TR40/50/60 | 35.61 | 42.79 |
| 16 | 155753 | Hub lateral, ClearPro- 6 req [14] | 48.77 | 58.60 |
| 16 | 154453 | Hub lateral TR100/140 | 119.24 | 143.28 |
| 17 | 154698 | Spigot, 3/4 in. NPT sand drain [8] | 29.52 | 35.47 |
| 18 | 357161Z | Plug, 1/4 in. NPT drain [8] | 5.71 | 6.86 |
| 18 | U178-920PZ | Drain Plug Assy | CALL | CALL |
| 19 | 154512 | Wrench, 6 in. closure [13] | 29.13 | 35.00 |
| 19 | 154510 | Wrench closure aluminum, 6 in. [13] | 218.81 | 262.92 |
| 20 | 154412 | Locknut, 2 in. internal, 2 req. | 11.11 | 13.35 |
| 21 | 154416 | Spacer, 2 in. internal, 2 req. | 16.20 | 19.47 |
| 22 | 154492 | O-ring, 2 in. bulkhead, 2 req. | 2.96 | 3.56 |
| 23 | 154408 | Spacer, 2 in. external, 2 req. | 16.20 | 19.47 |
| 24 | 154538 | Gasket, 2 in. bulkhead, 2 req. | 2.42 | 2.91 |
| 25 | 154405 | Bulkhead, 2 in., 2 req. | 83.25 | 100.03 |
| 26 | 192115Z | O-ring drain plug [8] | 2.86 | 3.44 |
| 27 | 154418 | Washer, 3/8 in. SS [13] | 1.36 | 1.63 |
| 28 | 154926 | Foot, 16 in. dia., TR40/50 [2, 11] | 110.78 | 133.11 |
| 28 | 154520 | Foot, 19 in. dia., TR60 [2, 11] | 114.18 | 137.20 |
| 28 | 154596 | Foot, 24 in. dia., TR100/140 [2, 11] | 168.24 | 202.16 |
| 29 | 274494 | O-ring valve adptr., 2 req. | 5.46 | 6.56 |
| 30 | 271092 | 2 in. Thread adapter. kit [9] | 69.06 | 82.98 |
| 31 | 271094 | 1-1/2 in. Thread adapter. kit [9] | 69.06 | 82.98 |
| 32 | 271096 | 2 in. Slip adapter. kit [9] | 69.06 | 82.98 |
| 32 | 274426 | Adapter Kit, 1-1/2 in. x 2 in. | CALL | CALL |
| 33 | 155738 | Kit closure, 8-1/2 in HD | 274.70 | 330.08 |
| 33 | 154641 | Kit closure, 6 in. btr. thread, black, Detail A [13] | 221.06 | 265.63 |
| 33 | 154697 | Kit closure, 6 in. "V" thread, tan, Detail B [13] | 214.67 | 257.95 |
| 33 | 154856 | Kit closure, 8-1/2 in. btr. thread, black [10, 13] | 275.13 | 330.60 |
| 34 | 154687 | Fitting package complete [12, 13] | 54.72 | 65.75 |
| 35 | 154611 | Spacer air vent strainer, 3-3/4 in., TR40 | 7.30 | 8.77 |
| 35 | 154612 | Spacer air vent strainer, 4-1/2 in., TR50/60 | 7.30 | 8.77 |
| 35 | 154613 | Spacer air vent strainer, 5-1/2 in., TR100 | 7.30 | 8.77 |
| 35 | 154614 | Spacer air vent strainer, 5 in., TR140 | 7.30 | 8.77 |
| | | NOT SHOWN | | |
| | 154402 | Tape ft. mounting TR40/50/60, 3 req. | 7.30 | 8.77 |
| | 154407 | Tape ft. mounting TR100/140, 3 req. | 10.02 | 12.04 |
| | 154714 | Bulkhead Asy 2 IN TR (includes items 20, 21, 22, 23, 24, & 25) | 173.52 | 208.50 |
| | 151602 | Bulkhead wrench, 2 in. | 322.52 | 387.54 |
| | 154714 | Bulkhead kit include items 20-25 | 173.52 | 208.50 |
| | 151092 | Aluminum wrench, 8-1/2 in. | 529.18 | 635.86 |
| | 152220Z | Sand drain, 2 in. (used on TR100 and TR140) (Left-hand thread) | 49.97 | 60.04 |
| | 154871 | Cap thd., 1-1/2 in. | 9.53 | 11.45 |
| | 274494 | Sand drain O-ring TA100 (used on TR100 and (TR140) | 5.46 | 6.56 |

Filters manufactured after Dec 1, 1991 utilize a 6 in. btr. thread in the filter tank top opening and on the closure, see Detail A.

Filters manufactured before Dec 1, 1991 utilize a 6 in. "V" type thread, see Detail B.

6 in. closures in Detail A and B are NOT interchangeable.

Detail A after 12/1/91
6 in. btr. Thread.

Detail B before 12/1/91
6 in. "V" Thread.

[1] Used on filters manufactured before 2-89.

[2] Used on filters manufactured after 2-89.

[3] All filters manufactured before 11-1-99.

[4] Used on filters manufactured after 11-1-99.

[5] Used on filters manufactured before 5-85.

[6] Used on filters manufactured after 5-85.

[7] Used on filters manufactured before 3-83.

[8] Used on filters manufactured after 3-83.

[9] For installations w/out valve, pair.

[10] Used on all TR100 & 140 filters manufactured after 10-1-01.

[11] Replacement of tank foot requires the use of foot mounting tape. See P/N's.

[12] Fitting package includes items 1,2,4,5 and 27.

[13] For individual parts for closure kit for TR100 and TR140 see replacement parts pages.

[14] For TR60's built after 6-07.

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov.

P/N 280274-A

Product on page 87–88.

# CRISTAL-FLO™ II HIGH-RATE SAND FILTERS

## REPLACEMENT PARTS

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | CRISTAL-FLO II HIGH-RATE SAND FILTERS | | |
| 1 | 262506 | Valve, 1-1/2 in. 6-Way | CALL | CALL |
| 1 | 262525 | Valve, 2 in. with unions | CALL | CALL |
| 2 | 272541 | O-Ring Valve Body | 9.04 | 10.86 |
| 3 | 152165 | Clamp Assembly | 27.70 | 33.28 |
| 4 | 152229 | Piping Assembly – 16 in. Tank | 138.83 | 166.82 |
| 4 | 152228 | Piping Assembly – 19 in. Tank | 128.17 | 154.01 |
| 4 | 152227 | Piping Assembly – 22 in. Tank | 149.01 | 179.05 |
| 4 | 152000 | Piping Assembly – 24 in. Tank | 148.27 | 178.16 |
| 4 | 152226 | Piping Assembly – 26 in. Tank | 116.82 | 140.37 |
| 4 | 152238 | Piping Assembly – CFII 26 - 2 in. | 123.74 | 148.69 |
| 5 | 150084 | Lateral – 16 in. & 19 in. Tanks (6 req.) | 7.71 | 9.26 |
| 5 | 150085 | Lateral – 22 in., 24 in., & 26 in. Tanks (6 req.) | 9.68 | 11.63 |
| 6 | 145364 | Tank w/ Drain – 16 in. Tank | 306.21 | 367.94 |
| 6 | 145365 | Tank w/ Drain – 19 in. Tank | 406.21 | 488.10 |
| 6 | 145366 | Tank w/ Drain – 22 in. Tank | 562.44 | 675.83 |
| 6 | 145369 | Tank w/ Drain – 24 in. Tank | 680.86 | 818.12 |
| 6 | 145370 | Assembled Tank w/ Drain – 26 in. Tank | 799.28 | 960.41 |
| 7 | 154711Z | Sand Drain | CALL | CALL |
| 8 | 154715 | Gasket (Sand Drain) | 6.42 | 7.71 |
| 9 | 154712Z | Drain Cap | 34.09 | 40.96 |
| 10 | 154926 | Foot, 16 in. Tank | 110.78 | 133.11 |
| 10 | 154520 | Foot, 19 in., 22 in., 24 in., & 26 in. Tanks | 114.18 | 137.20 |
| 11 | 190059Z | Pressure Gauge | CALL | CALL |
| 12 | 150055 | Kit Drain Assy (Incl. #7, 8, 9) | 57.91 | 69.58 |
| | | NOT SHOWN | | |
| | 155151 | Kit, Flex Hose, 6 ft. | 111.74 | 134.27 |
| | 155005 | Kit, Flex Hose, 12 ft. | 147.46 | 177.19 |
| | 150119 | Union Kit for 1-1/2 in. Valve | 84.40 | 101.42 |
| | 272569 | Union Kit for 2 in. Valve | CALL | CALL |




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 200274.A

Product on page 89.

# SYSTEM⁝3® SAND FILTERS

## SS SERIES REPLACEMENT PARTS

STA-RITE®

**MODELS**

S7S50

S8S70




Lateral repair procedure.

**⚠WARNING** To avoid serious personal injury or property damage, follow cement manufacturer's instructions exactly.

CALIFORNIA PROPOSITION 65 WARNING

⚠**WARNING:** Cancer and Reproductive Harm.
⚠**AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠**ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov. P/N 200174.A




| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | SYSTEM⁝3 SAND FILTERS | | |
| 1 | 33600-0023T | 2 in. Gauge | 50.83 | 61.08 |
| 2 | 154689Z | Valve Assembly | CALL | CALL |
| • | U212-252DS | Brass Deluxe Air Bleed (optional) | CALL | CALL |
| 3 | 35202-0959 | Nipple | 14.91 | 17.92 |
| 4 | 24900-0504 | Adapter Bushing | 19.86 | 23.86 |
| 5 | 35505-1423 | O-Ring | 2.13 | 2.56 |
| 6 | 24851-9000 | Tank - Upper Half Kit [2] - Model S7S50 | 1064.21 | 1278.75 |
| 6 | 24851-9001 | Tank - Upper Half Kit [2] - Model S8570 | 1309.01 | 1572.91 |
| 7 | 24900-0100S | Collector - Assembly (Includes Laterals) - Model S7S50 | 685.37 | 823.54 |
| 7 | 24901-0100S | Collector - Assembly (Includes Laterals) - Model S8S70 | 709.33 | 852.33 |
| 8 | WC8-126Z | Air Bleed Filter (Blue) | 16.33 | 19.62 |
| 9 | WC37-386P | Vent Tube | 16.26 | 19.54 |
| 10 | WC78-84P | Elbow - Male Parflex | 13.39 | 16.09 |
| 11 | 24900-0002 | Lateral - Model S7S50 (16 req.) | 13.15 | 15.80 |
| 11 | 24901-0003 | Lateral - Model S8S70 (16 req.) | 14.92 | 17.93 |
| 12 | 35505-1424 | O-Ring | 9.86 | 11.85 |
| 13 | 24900-0503 | Plug (Sand Removal) | 30.38 | 36.50 |
| 14 | 24900-0505 | Drain Fitting | 27.86 | 33.48 |
| 15 | 27001-0022 | 1-1/2 in. NPT Plug | 3.14 | 3.77 |
| 16 | 35505-1425 | O-Ring | 16.44 | 19.75 |
| 17 | 24900-0500 | Tank Fitting | 52.94 | 63.61 |

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | SYSTEM⁝3 SAND FILTERS | | |
| 18 | 24900-0501 | Tank Fitting | 47.18 | 56.69 |
| 19 | 24850-0200 | Clamp Assembly [3] | 138.94 | 166.95 |
| 19A | 24850-0010 | Clamp Bolt [3] | 33.64 | 40.42 |
| 20 | 24850-0104S | Tank - Lower Half - Model S7S50 | 1188.39 | 1427.97 |
| 20 | 24851-0105S | Tank - Lower Half - Model S8S70 | 1342.73 | 1613.42 |
| 21 | 24850-0008 | Cord Ring - Model S7S50 | 68.11 | 81.84 |
| 21 | 24850-0009 | Cord Ring - Model S8S70 | 77.93 | 93.64 |
| 22 | 24850-0105 | Valve & Gauge Assembly (Includes #1, 2, 3, 4, 5) | 106.36 | 127.80 |
| | | NOT SHOWN | | |
| | 24700-0029 | Lateral Extension Adapter [1, 4] | 7.14 | 8.58 |
| | 24850-0016 | Clamp Retaining Ring [3] | 7.16 | 8.60 |
| | 25021-2021 | System⁝3 Sand Conversion Kit #12,13,14,15,16,17,18) - Model S7S50 - Must also buy item # 7 separately | 193.71 | 232.76 |
| | 25021-2025 | System⁝3 Sand Conversion Kit #12,13,14,15,16,17,18) - Model S8S70 - Must also buy item # 7 separately | 193.71 | 232.76 |

[1] Available for lateral repairs.

[2] Includes all decals and labels.

[3] Model S7S50 uses seven clamps and bolts; Model S8S70 uses eight.

[4] As required.

Product on pages 90–91.

# TR100C™ & TR140C™ FILTERS

## REPLACEMENT PARTS FOR COMMERCIAL FIBERGLASS FILTERS




| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| TR100C & TR140C SAND FILTERS | | | | |
| 1 | 273512 | Air bleeder w/ O-ring | 12.90 | 15.50 |
| 2 | 273513 | O-ring air bleeder screw | 1.06 | 1.27 |
| 3 | 273564Z | Manual air relief body assembly | 108.41 | 130.27 |
| 4 | 190059Z | Pressure gauge | CALL | CALL |
| 5 | 274495 | O-ring, 3/16 in. x 2-5/8 in. i.d. | 1.60 | 1.92 |
| 6 | 273564Z | Valve body machined ARF | 108.41 | 130.27 |
| 7 | 154575 | Closure, 8-1/2 in. btr. | 75.29 | 90.47 |
| 8 | 152509Z | Square ring 8-1/2 in. | CALL | CALL |
| 9 | 154599 | Diffuser Assembly | 58.23 | 69.97 |
| 10 | 156355 | Piping assembly upper TR100C, TR140C [1] | 115.95 | 139.33 |
| 11 | 156344 | Piping assembly upper inlet TR100C, TR140C | 81.64 | 98.10 |
| 12 | 156354 | Piping connecting assembly upper TR140C | 92.08 | 110.64 |
| 13 | 154412 | Nut, 2 in. internal | 11.11 | 13.35 |

[1] Different quantities required for TR100C and TR140C Filters.

[2] Use on filters manufactured before 11-1-99.

[3] Use on filters manufactured after 11-1-99.

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| TR100C & TR140C SAND FILTERS | | | | |
| 14 | 153430 | Tank & ft. assembly TR100C, 8-1/2 in. btr. thd., black | 1,828.31 | 2,196.90 |
| 14 | 153431 | Tank & ft. assembly TR140C, 8-1/2 in. btr. thd., black | 2664.51 | 3201.68 |
| 15 | 154453 | Hub lateral TR100C/TR140C | 119.24 | 143.28 |
| 16 | 154596 | Foot, 24 in. dia. TR100C/ TR140C | 168.24 | 202.16 |
| 17 | 152202Z | Lateral, 9-1/8 in. TR100C, 8 req. | CALL | CALL |
| 17 | 154540Z | Lateral, 12 in. TR140C, 8 req. | CALL | CALL |
| 18 | 154412 | Locknut, 2 in. internal | 11.11 | 13.35 |
| 19 | 154416 | Spacer, 2 in. internal | 16.20 | 19.47 |
| 20 | 154492 | O-ring, 2 in. bulkhead | 2.96 | 3.56 |
| 21 | 154408 | Spacer, 2 in. external | 16.20 | 19.47 |
| 22 | 154538 | Gasket, 2 in. bulkhead | 2.42 | 2.91 |
| 23 | 154405 | Bulkhead, 2 in. | 83.25 | 100.03 |
| 24 | 274494 | O-ring, 3/16 in. x 2-5/8 in. L.H. Thread | 5.46 | 6.56 |
| 25 | 152220Z | 2 in. sand drain (Left-hand thread) | 49.97 | 60.04 |
| 26 | 154871 | Cap thd., 1-1/2 in. | 9.53 | 11.45 |
| 27 | 154527 | Wrench, 8-1/2 in. closure | 33.17 | 39.86 |
| 28 | 154807 | Piping assembly lower TR100C | 62.65 | 75.28 |
| 28 | 154489 | Piping assembly lower TR140C | 64.57 | 77.59 |
| 29 | 150036 | Connector air relief tube [3] | 1.74 | 2.09 |
| 30 | 273071 | Screw, No.14 18-8 TR100C [1] | 1.94 | 2.33 |
| 31 | 154437 | Tube air relief TR100C [2] | 20.29 | 24.38 |
| 31 | 150041 | Tube air relief TR100C [3] | 17.25 | 20.73 |
| 31 | 154438 | Tube air relief TR140C [2] | 26.23 | 31.52 |
| 31 | 150042 | Tube air relief TR140C [3] | 16.06 | 19.30 |
| 32 | 154507 | Spacer air vent strainer TR100C 6-3/4 in. | 9.72 | 11.68 |
| 32 | 154508 | Spacer air vent strainer TR140C 10-5/16 in. | 12.61 | 15.15 |
| 33 | 154578 | Strainer air relief [2] | 15.75 | 18.93 |
| 33 | 150035 | Strainer air relief [3] | 10.71 | 12.87 |
| 34 | 274494 | O-ring valve adapter | 5.46 | 6.56 |
| 35 | 271096 | 2 in. slip adaptor kit for inst. w/o valve (pair) | 69.06 | 82.98 |
| 35 | 274426 | Adapter Kit, 2-1/2 in. x 2 in. | CALL | CALL |
| 36 | 271092 | 2 in, thd. adaptor kit for inst. w/o valve (pair) | 69.06 | 82.98 |
| 37 | 271094 | 1-1/2 in, thd. adaptor kit for inst. w/o valve (pair) | 69.06 | 82.98 |
| 38 | 154856 | Kit closure 8-1/2 in. btr. thd. blk. | 275.13 | 330.60 |

Product on page 95.

# TRITON® C-3 FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS FILTERS

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | TRITON C & C-3 SAND FILTERS | | |
| 1 | 273512 | Air bleeder with O-ring [2, 3] | 12.90 | 15.50 |
| 2 | 273513 | O-ring air bleeder screw [2] | 1.06 | 1.27 |
| 3 | 273564Z | Valve body machined [2] | 108.41 | 130.27 |
| 4 | 272546 | Label warning manual air relief [2] | CALL | CALL |
| 5 | 190059Z | Pressure gauge [2] | CALL | CALL |
| 6 | 154494 | O-ring adapter, 6 in. [2] | CALL | CALL |
| 7 | 273564Z | Manual air relief assembly [2] | 108.41 | 130.27 |
| 8 | 154575 | Closure 8-1/2 in. [2] | 75.29 | 90.47 |
| 9 | 154412 | Locknut, 2 in. internal | 11.11 | 13.35 |
| 10 | 152509Z | Square ring-closure [2, 3] | CALL | CALL |
| 11 | 154527 | Wrench, 8-1/2 in. closure [2] | 33.17 | 39.86 |
| 12 | 154856 | Kit, 8-1/2 in. closure butt thread [6] | 275.13 | 330.60 |
| 12 | 156842 | Closure kit C3 with bulkhead gaskets [6] | 301.16 | 361.87 |
| 15 | 154007 | Upper piping assembly TR 100C-3 | 167.48 | 201.24 |
| 15 | 154008 | Upper piping assembly TR 140C-3 | 170.41 | 204.76 |
| 16 | 154005 | O-ring parker 2-343, 2 req. | 7.30 | 8.77 |
| 17 | 154002 | Spacer, 3 in., 2 req. | 69.83 | 83.91 |
| 18 | 154004 | O-ring parker 2-342, 2 req. | 7.30 | 8.77 |
| 19 | 154003 | Flange, 3 in., 2 req. | 87.79 | 105.49 |
| 20 | 154001 | Adapter flange, 3 in., 2 req. | 72.18 | 86.73 |
| 21 | 154009 | Lower piping assembly TR 100C-3 (Hub not included - see item 40) | 171.06 | 205.55 |
| 21 | 154010 | Lower piping assembly TR 140C-3 (Hub not included - see item 40) | 168.72 | 202.73 |
| 22 | 154596 | Foot, 24 dia. TR 100C-3/140C-3 | 168.24 | 202.16 |
| 23 | 152202Z | Lateral, 9 in. TR 100C-3, 8 req. | CALL | CALL |
| 23 | 154540Z | Lateral, 12 in. TR 140C-3, 8 req. | CALL | CALL |
| 24 | 154871 | Cap thd., 1-1/2 in. | 9.53 | 11.45 |
| 25 | 152220Z | Sand drain, 2 in. (Left-hand thread) | 49.97 | 60.04 |
| 26 | 274494 | O-ring, 3/16 in. x 2-5/8 in. i.d., 2 req. | 5.46 | 6.56 |
| 27 | 154441 | Connector air relief tube | CALL | CALL |
| 28 | 154437 | Tube air relief TR100C-3 (23 in.) [4] | 20.29 | 24.38 |
| 28 | 151114 | Tube air relief TR100C-3 [5] | 19.53 | 23.47 |
| 28 | 154438 | Tube air relief TR140C-3 (27 in.) [4] | 26.23 | 31.52 |
| 28 | 151115 | Tube air relief TR140C3 [5] | 25.23 | 30.32 |
| 29 | 154018 | Diffuser piping assembly TR 140C-3, 2 req | 229.52 | 275.79 |
| 30 | 273071 | Screw, No.10-1-1/2 in. flathead phillips, 2 req. | 1.94 | 2.33 |

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | TRITON C & C-3 SAND FILTERS | | |
| 31 | 154599 | Diffuser (2 req'd. for TR 100C-3), 2 req. | 58.23 | 69.97 |
| 31 | 154599 | Diffuser (4 req'd. for TR 140C-3), 4 req. | 58.23 | 69.97 |
| 32 | 154507 | Spacer TR 100C-3, 6-3/4 in. | 9.72 | 11.68 |
| 32 | 154508 | Spacer TR 140C-3, 10-5/16 in. | 12.61 | 15.15 |
| 33 | 154578 | Strainer air relief [4] | 15.75 | 18.93 |
| 33 | 150035 | Strainer air relief [5] | 10.71 | 12.87 |
| 34 | 190058Z | Pressure gauge, 1/4 in. psi [3] | CALL | CALL |
| 35 | 154581 | Knob TR oval [3] | 21.90 | 26.32 |
| 36 | 154582 | Spring TR oval [3] | 51.36 | 61.71 |
| 37 | 154579 | Bridge TR oval [3] | 122.06 | 146.67 |
| 38 | 154576 | Closure oval [3] | 114.80 | 137.94 |
| 39 | 156841 | Kit TR oval closure [1 3] | 385.90 | 463.70 |
| 40 | 154016 | Hub | CALL | CALL |
| | | NOT SHOWN | | |
| | 154714 | Bulkhead ASY 2 IN TR (includes items 20, 21, 22, 23, 24, & 25) | 173.52 | 208.50 |
| | 151600 | Oval Bulkhead Wrench | 600.25 | 721.26 |
| | 151604 | Oval Bulkhead Wrench | 792.32 | 952.05 |
| | 150096 | 3" Flange Gaskets | CALL | CALL |
| | 151092 | Aluminum Wrench | 529.18 | 635.86 |




[1] P/N 156841 includes items 1, 10, 34 thru 38.
[2] Used on filters manufactured before 3-97.
[3] Used on filters manufactured after 3-97.
[4] Used on filters manufactured before 11-99.
[5] Used on filters manufactured after 11-99.
[6] Used on filters manufactured after 4-15.

Product on page 95.

# SCH 40 & 80 FOR TR100C, TR140C & TR100C-3, TR140C-3

## TANDEM FILTER PIPING KITS FOR 2 IN. AND 3 IN. FILTERS

| Item | Description | Schedule | Qty. |
|---|---|---|---|
| | THE FOLLOWING ARE INCLUDED IN KITS FOR TR C FILTERS | | |
| 1 | Flange VS, socket, 150 lb. | 80 | 2 |
| 2 | Flange VS, spigot, 150 lb. | 80 | 6 |
| 3 | Butterfly valve, Asahi SP | | 4 |
| 4 | Hardware kit, valve/flange hardware (No. 1), Includes: 16-5/8 x 6 in. hex head bolts, 16-5/8 in. nuts, 32-5/8 in. washers | | 1 |
| 5 | Socket reducer tee | 40 | 4 |
| 6 | 2 in. Spigot x socket 45° str. elbow | 40 | 4 |
| 7 | 2 in. Spigot female adapter, spigot x fipt | 40 | 4 |
| 8 | 2 in. Valve adapter kit | | 2 |
| 9 | Socket tee | 40 | 1 |
| 10 | 90° Socket elbow | 40 | 1 |
| 11 | Socket reducer saddle | 40 | 6 |
| 12 | 2 in. Flange one-piece socket, 150 lb. | 80 | 2 |
| | SINGLE TANK 2 IN. ADDER KIT | | |
| 1 | Socket reducer tee, 4 x 2 | 40 | 2 |
| 2 | 2 in. Spigot x socket 45° str. elbow | 40 | 2 |
| 3 | 2 in. Spigot female adapter, spigot x fipt | 40 | 2 |
| 4 | 2 in. Valve adapter kit | | 1 |
| 5 | Socket reducer saddle, 4 x 2 | 40 | 3 |
| 6 | 2 in. Flange one-piece socket, 150 lb. | 80 | 1 |
| | THE FOLLOWING ARE INCLUDED IN KITS FOR TR C-3 IN. FILTERS | | |
| 1 | Flange VS, socket, 150 lb. | 80 | 2 |
| 2 | Flange VS, spigot, 150 lb. | 80 | 6 |
| 3 | Butterfly valve, Asahi SP | | 4 |
| 4 | Hardware kit, valve/flange hardware (No.1), Includes: 16-5/8 x 6 in. hex head bolts, 16-5/8 in. nuts, 32-5/8 in. washers | | 1 |
| 5 | Socket tee | 40 | 5 |
| 6 | 3 in. Spigot x socket 45° str. elbow | 40 | 4 |
| 7 | Socket reducer saddle | 40 | 3 |
| 8 | 2 in. Flange one-piece socket, 150 lb. solid | 80 | 1 |
| 9 | 3 in. Flange VS, spigot, 150 lb. | 80 | 4 |
| 10 | 3 in. Bolt pack, tank/flange hardware w/ gasket (No.4), Includes: 16-5/8 x 3-1/4 in. hex head bolts, 16-5/8 in. nuts, 32-5/8 in. washers | | 1 |
| 11 | 90° Socket elbow | 40 | 1 |
| | SINGLE TANK 3 IN. ADDER KIT | | |
| 1 | Socket reducer tee | 40 | 2 |
| 2 | 3 in. Spigot x socket 45° str. elbow | 40 | 2 |
| 3 | Socket reducer saddle | 40 | 3 |
| 4 | 2 in. Flange one-piece socket, 150 lb. solid | 80 | 1 |
| 5 | 3 in. Flange VS, spigot, 150 lb. | 80 | 2 |
| 6 | 3 in. Bolt pack, tank/flange hardware w/ gasket (No.5), Includes: 8-5/8 x 3-1/4 in. hex head bolts, 8-5/8 in. nuts, 16-5/8 in. washers | | 1 |

Please contact the Factory for Drawings and Sizing details on Plumbing kits for the Triton C & C-3 in. Filters.

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 200274.A

Product on pages 96–97.

# THS SERIES® HORIZONTAL SAND FILTER

## REPLACEMENT PARTS




| THS SERIES® HORIZONTAL SAND FILTERS | | | | |
|---|---|---|---|---|
| 1 | B4848BL-32 | Tank Saddle, Black | All | 2 |
| 2 | B4856 | Yoke, Manway | All | 2 |
| 3 | B4852A-N | Glass Filled Manway Cover, Black | All | 1 |
| 4 | 94910 | HHMB, 3/4 in. x 4 in., T316 S/S | All | 2 |
| 5 | B4860 | 3/4 in. Flat Washer, T316 S/S | All | 2 |
| 6 | B4804 | 10 in. Effluent Lateral | THS3461 | 14 |
| | | | THS3484 | 20 |
| | | | THS4272 | 18 |
| | | | THS4284 | 24 |
| | | | THS4296 | 28 |
| 7 | B4803 | 3-1/2 in. Effluent Lateral | THS3461 - THS3484 | 2 |
| | | | THS4272 - THS4296 | 3 |
| 8 | B4980 | Media Dump Assembly | All | 1 |
| 8a | B4983 | 6 in. Lateral, 1/2 in. NPT | All | 1 |
| 8b | B4982 | 1-1/2 in. Pipe Plug | All | 1 |
| 8c | B4698 | O-Ring | All | 1 |
| 8d | B4984 | 1/2 in. Pipe Cap | All | 1 |
| 9 | B4981X | 1-1/2 in. NPT Tank Adapter | All | 1 |
| 10 | B4951 | Manway O-ring | All | 1 |
| 11 | ** | Effluent Manifold without Laterals | ** | 1 |
| 12 | ** | Influent Manifold without Laterals | ** | 1 |
| 13 | B4806 | Shower Head Diffuser | THS3461 | 8 |
| | | | THS3484 | 10 |
| | | | THS4272 | 10 |
| | | | THS4284 | 12 |
| | | | THS4296 | 14 |
| 14 | B4570 | 4 in. Grooved Coupling Assembly | THS3461 - THS3484 | 1 |
| 14 | B4572 | 6 in. Grooved Coupling Assembly | THS4272 - THS4296 | 1 |
| 15 | B4578 | Automatic Air Relief Assembly | All | 1 |
| 16 | B4974BAN | 1/2 in. Manual Air Relief Cap | All | 1 |
| 17 | B4970BAN | 1/2 in. Threaded Nipple | All | 1 |
| 18 | B4979BAN | 1/2 in. Bulkhead Fitting | All | 1 |



Product on pages 92–93.

# SEPARATION TANK

## REPLACEMENT PARTS

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| SEPARATION TANK - SEP 48/72/96/144 | | | | |
| 1 | 98209800 | High Flow manual air relief valve | 38.82 | 46.65 |
| 2 | 190058Z | Pressure Gauge | CALL | CALL |
| 3 | 310010Z | Tank Lid | 178.80 | 214.85 |
| 4 | 59052900 | Locking Ring Assembly | 111.17 | 133.58 |
| 5 | 87300400Z | Body O-Ring | CALL | CALL |
| 6 | 170099 | Separation Bag Retaining Ring | 167.72 | 201.53 |
| 8 | 178731Z | Tank Bottom | 392.61 | 471.76 |
| 9 | 154712Z | Drain Cap Assembly | 34.09 | 40.96 |
| 10 | 178732Z | Union Nut “C” Clip | 8.70 | 10.45 |
| 11 | U11-200PSZ | Union Nut | 12.29 | 14.77 |
| 12 | 178746Z | Union Diamond Seal | 4.70 | 5.65 |
| 13 | 178733Z | Union, Threaded Half | 49.87 | 59.92 |
| | 170099 | Separation Bag (Not Shown) | 167.72 | 201.53 |

Product on page 81.

# SIGHT GLASS

## REPLACEMENT PARTS FOR AMERICAN PRODUCTS MODELS




Sight Glass

| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| SIGHT GLASS | | | | |
| 2 | 51006100 | Gasket, 2 req. | 3.64 | 4.37 |
| 3 | 51006200 | Bolt, 3 req. | CALL | CALL |
| 4 | 51013200 | Top and bottom ABS, 1-1/2 socket | CALL | CALL |
| NOT SHOWN | | | | |
| | 619312 | Nut, 8-32, 3 req. | 0.38 | 0.46 |

[1] Used on filters manufactured before 9-96.

[2] To upgrade sep. tanks manufactured after 9-96.

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov.

Product on page 98.

# UNIONS

## REPLACEMENT PARTS




| Item | Part No. | Description | US List | Can. List |
|---|---|---|---|---|
| | | UNIONS | | |
| 1 | 51013011 | Nut, black | 30.42 | 36.55 |
| 2 | 87201911 | Fitting, 2 in. slip ABS | CALL | CALL |
| 3 | 51013500 | O-ring | 7.06 | 8.48 |
| 4 | 87202411 | Body male, 1-1/2 in., ABS | 22.22 | 26.70 |
| 5 | 87202211 | Body, 1-1/2 in. slip x 2 in. male ABS | 25.95 | 31.18 |

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P/N 203274-A

Product on pages 98.